

# CUSTOM SHOP

## PRODUCTS by JICO

---

## STYLUS CATALOG

---

JICO

# Super Analog Stylus Series

---

JICO's Original High Quality and Long Life Model




SAS (Super Analog Stylus) is our original record stylus which has a special shaped tip that achieves linear contact while also reducing friction between the sound groove and needle tip at the same time. The impressive result is an excellent reproduction of the treble and bass from an analog record, as well as a longer playing time of approximately 500 hours.



Analog record production requires a master disc that is cut on a dedicated lathe. The SAS stylus tips are laser cut to resemble the needle tip used on a cutting lathe. This enables the SAS tip to reach the deepest sections of a record's sound groove and collect sounds that standard needles cannot. Because the sound groove's contact area is big, an accurate sound recording will be reproduced across a wide frequency range.

## SAS/B Boron Cantilever



There are many customers who believe that this model is well suited to use for articulating delicate sounds like those present in classical music. An aluminum cantilever is unable to reproduce the original sound groove information as accurately and faithfully as the SAS Boron. The average playing time for this model is about 500 hours.

## SAS/S Sapphire Cantilever



This model has high degree of rigidity which improves the reproducibility of sound recorded from an analog record. This concept has been characterized by many customers as greatly improving the perception of the sounds and vocals on a record. Compared to the Boron version (SAS/B), the impression of the Sapphire Cantilever is closer to high-resolution sound. The typical playing time for this

## MORITA ~Wood Carving Cantilever~

---

Cantilever crafted from wood

"I wanted to hear what a record needle with a wooden cantilever sounded like."  
The words of Kotaro Morita, a quiet record needle maker that inspired this invention.  
Morita has worked with JICO for over half a century and has always prioritized "Monozukuri\*1" We've chosen to introduce a product named after him in order to preserve his spirit, abilities, and accomplishments for future generations.

\*1 Monozukuri is the Japanese philosophy of craftsmanship, where skilled artisans create objects with precision, patience, and respect for tradition. It values mastery of techniques, simplicity, aesthetics, and a connection to both the past and future, resulting in handcrafted, beautiful, and functional pieces.

## KUROGAKI



### Cantilever made from Black Persimmon Wood

Japanese Black Persimmon wood is used to make the cantilever, which is very rare and valuable. The conical tip used for this stylus has an average play time of roughly 200 hours.

## USHIKOROSHI



### Cantilever made from Christmas Berry Wood

This product has an appealing mid-bass sound that is tense and powerful, making it suitable for music with a lot of intensity. The conical tip used for this stylus has an average play time of roughly 200 hours.

## YURUSHI-IRO




### Cantilever made from Pink Ivory Wood

Each individual sound is very delicate, with excellent clarity in the high tones, and it is characterized by a beautiful and transparent overall sound. The conical tip used for this stylus has an average play time of roughly 200 hours.

# NUDE Stylus Series

Stylus tip is structured entirely from Diamond



In contrast to bonded tips, NUDE (solid) tips are entirely made of diamond. Its angle and round shape are similar to a bonded tip, but its diameter is equal in size to that of the SAS series.

\* Models featuring the word "NUDE" in the product name are those with Solid Diamond Tips.

## ►NUDE Conical Stylus Universal Model for Comprehensive Sound Reproduction



Stylus tip with standard conical shape (tip R0.7mil).  
The average playing time is about 200 hours.  
bass from an analog record, as well as a longer playing time of approximately 500 hours.

## ►NUDE Elliptical Stylus Model Featuring Extended High-Frequency Treble



Compared to the NUDE Conical Stylus, this needle tip has an Elliptical-shaped cross section when being made. This is to increase and enhance the treble range's extension.

The average playing time is about 150 hours.  
bass from an analog record, as well as a longer playing time of approximately 500 hours extension.





# SD Stylus Series

Synthetic Unplated Diamond Tip




Synthetic Diamonds refer to diamonds that are artificially created and possess the same chemical composition, crystal structure, as well as optical and physical properties as natural diamonds.

In contrast to Natural Diamonds (ND), which are formed naturally and can vary in hardness from one individual to another, synthetic diamonds are referred to as Synthetic Diamonds (SD) because they offer the advantage of consistent hardness.

	Point contact stylus		Line contact stylus
	Conical stylus 0.7mil	Elliptical stylus 0.3mil x 0.7mil	SAS stylus
Front View			
Cross-sectional view			
Contact with records			
Contact surface	$23.4 \mu\text{m}^2$	$20.6 \mu\text{m}^2$	$62.1 \mu\text{m}^2$
$L_1 / L_2$	1	1.8	9

The greater the difference between the cutting of the sound groove of a record and the shape of the stylus tip, distortion does not occur even with high-amplitude playback.



## DJ Series

Model dedicated for DJ performance



To avoid the stylus from skipping or jumping during scratching on a turntable, the needle pressure for the "DJ SERIES" is calibrated at a higher tracking force than that of genuine stylus. A luminous - glow in the dark type (AURORA) version is also available, which looks fantastic when DJing in a club.

In addition, the N44 series products have a cantilever that is designed to be similar to SHURE's genuine product.

- 1.The cantilever round form
- 2.The height from the record surface to the base of the cantilever

## Cartridge

The cartridge is compatible with both genuine SHURE N44 models and JICO replacement styli.

### J44

Compatible with SHURE N44 styli

### J44D



Produces a well-balanced, solid sound with a broad, smooth tone and a 3D-like audio effect. The specifications are similar to the genuine SHURE M44G cartridge.

### J44A 7



Delivers a lively sound with vigorous dynamics. Reproduces powerful basslines while maintaining a well-balanced sound. Comparable in specifications to the genuine SHURE M44-7 cartridge.

### J50

The "J50" MM cartridge for Listening/Play Back



Designed for audiophiles and record-listening enthusiasts, this MM Cartridge offers higher output compared to the "J44D" and "J44A 7" models. The calm, transparent brown body comes with various kits, each featuring 1 to 3 different styli, allowing you to fully experience the diverse sound profiles of the JICO CUSTOM SHOP collection. Available styli for the J50 include the "N-44-7 IMP NUDE" and the MORITA Wood Cantilever models—N44 KUROGAKI and N44 USHIKOROSHI

## IMPACT

DJ Use and Performance



The IMPACT cartridge crafted for DJ use features a clear red transparent body and utilizes the JICO N-44-7 DJ IMP NUDE and/or SD Conical Stylus tips, delivering a powerful "PUNCH" to the low end of the sound reproduced from a record groove. An OMNIA pre-assembled complete set is also available, which includes JICO Black or Silver Headshells.

# **SETO-HORI REMODEL**

Traditional Japanese craftsmanship and Cutting-edge engineering with MC cartridge



Released in 2019 the SETO-HORI, received widespread global recognition. The new name for this continued legendary product will be the “SETO-HORI REMODEL,” which emphasizes integration of the cartridge with the headshell for a true precise sound.



The headshell and cartridge's center of gravity, which are machined from aluminum and copper alloy ingots, are positioned directly on the tonearm's centerline for maximum sensitivity when tracing a record. Additionally, the screw-free integrated body allows for a lower degree of coarse resonance.

SETO-HORI REMODEL is a unique technological fused balance of Traditional Japanese craftsmanship and Cutting-edge engineering.

## **ARTIST SERIES**

### **BASIE MODEL**

Jazz cafe “BASIE” supervised by Shoji “Swifty” Sugawara BASIE

JAZZ KISSA (CAFE) BASIE is the most popular Jazz cafe in Japan.

We have developed a “BASIE” model with Shoji Sugawara the owner of Jazz cafe BASIE

►VN35EBN



Jazz cafe “BASIE” operated by Shoji “Swifty” Sugawara BASIE, is a long-established Jazz cafe located in Ichinoseki City, Iwate Prefecture, a famous place visited by many music enthusiasts and celebrities. Mr. Shoji Sugawara has been the owner of the cafe for 50 years, and after a long period of development, trial and error, we have finally achieved the precise sound that he has been pursuing.

### **ALFA MODEL**

ALFA Music 55th Anniversary Collaboration

►ALFA MODEL55 / OMNIA



“Sure to Capture Your Heart with Sound”

A High-Grade model featuring natural, uncut diamonds. Crafted to faithfully reproduce each sound with clarity compared to standard models. Limited to 550 units. Every cartridge and stylus are individually assigned a serial number.

►ALFA MODEL / OMNIA



“The Sound of Artist-Centricity”

An entry-level model featuring Synthetic uncut diamonds. Crafted to recreate the sound of music released by ALFA Music at the time.

---

# C O N T E N T S

---

◆ ADC	.....	P07
◆ AIWA	.....	P07
◆ AUDIO EMPIRE	.....	P07
◆ COLUMBIA (DENON)	.....	P08
◆ C.E.C	.....	P09
◆ ELAC	.....	P09
◆ Hitachi	.....	P09
◆ JICO	.....	P10
◆ KENWOOD (TRIO)	.....	P10
◆ MICRO	.....	P10
◆ Mitsubishi / DIATONE	.....	P10
◆ National (Technics)	.....	P11 ~ P12
◆ ortofon	.....	P13
◆ PICKERING	.....	P13
◆ PHILIPS	.....	P14
◆ Pioneer	.....	P15~ P16
◆ SANSUI	.....	P17
◆ SHARP (Optonica)	.....	P17
◆ SHURE	.....	P18~ P27
◆ SONY	.....	P28~ P29
◆ Stanton	.....	P29
◆ Toshiba	.....	P29
◆ Victor	.....	P30
◆ JICO Accessories	.....	P31

---

## Product and Other Notices

- Due to photography and printing processes, the actual colors of the product may differ slightly from those shown in the catalog.
- The company names and other names listed in the catalog are trademarks or registered trademarks of their respective companies.
- The contents of this catalog are as of September 2024, and specifications, appearance, and prices (including handling) may change without notice. Thank you for your understanding in advance.

ADC

240-RSXC(E)

**RSX  
IMPROVED**



Tip : NUDE Elliptical  
Knob color : BLK  
Cartridge type : IM  
Cartridge number : XLM/III IMPROVED  
Tracking force : 0.75 - 1.5

NUDE

AIWA

20-6  
**AN-6**



Tip : SAS/B  
Knob color : TR/GRN  
Cartridge type : MM  
Cartridge number :  
Tracking force : 1.0 - 1.5

SAS/B

20-11a  
**AN-11**



Tip : NUDE Conical  
Knob color : YEL  
Cartridge type : VM  
Cartridge number :  
Tracking force : 3.5

NUDE

20-43  
**AN-8743**



Tip : SAS/B  
Knob color : ORG  
Cartridge type : MM  
Cartridge number :  
Tracking force : 1.0 - 1.5

SAS/B

AIWA

EMPIRE

AUDIO  
EMPIRE

241-01E  
**S-1000ZEX**



Tip : NUDE Elliptical  
Knob color : BLK  
Cartridge type : IM  
Cartridge number : 1000ZEX  
Tracking force : 0.5 - 1.5

NUDE

241-02E/III  
**S-2000E/III**



Tip : NUDE Elliptical  
Knob color : CLR  
Cartridge type : IM  
Cartridge number : 2000E/III  
Tracking force : 0.75 - 1.5

NUDE

# COLUMBIA

DENON

## DSN-40



Tip : NUDE Elliptical  
 Knob color : WHT  
 Cartridge type : MM  
 Cartridge number : DL-108D  
 Tracking force : 1.0 - 1.5

NUDE

## DSN-42



Tip : NUDE Elliptical  
 Knob color : BLK  
 Cartridge type : MM  
 Cartridge number : DL-8A  
 Tracking force : 1.7-2.3

NUDE

## DSN-60



Tip : NUDE Elliptical  
 Knob color : WHT  
 Cartridge type : MM  
 Cartridge number : DL-60  
 Tracking force : 1.0 - 1.5

NUDE

## DSN-84



Tip : NUDE Conical  
 Knob color : YEL  
 Cartridge type : VM  
 Cartridge number :  
 Tracking force : 3.0

NUDE

## DSN-37



Tip : NUDE Conical  
 Knob color : TR/BRN  
 Cartridge type : MM  
 Cartridge number : DL-8  
 Tracking force : 1.7 - 2.3

NUDE

## DSN-37



Tip : NUDE Elliptical  
 Knob color : TR/BRN  
 Cartridge type : MM  
 Cartridge number : DL-8  
 Tracking force : 1.7 - 2.3

NUDE

## DSN-40



Tip : SAS/B  
 Knob color : WHT  
 Cartridge type : MM  
 Cartridge number : DL-108D  
 Tracking force : 1.0 - 1.5

SAS/B

## DSN-42



Tip : SAS/B  
 Knob color : BLK  
 Cartridge type : MM  
 Cartridge number : DL-8A  
 Tracking force : 1.0 - 1.5

SAS/B

## DSN-42



Tip : SAS/S  
 Knob color : BLK  
 Cartridge type : MM  
 Cartridge number : DL-8A  
 Tracking force : 1.0 - 1.5

SAS/S

## DSN-42



Tip : NUDE Conical  
 Knob color : BLK  
 Cartridge type : MM  
 Cartridge number : DL-8A  
 Tracking force : 1.7-2.3

NUDE

## DSN-48



Tip : SAS/B  
 Knob color : ORG  
 Cartridge type : MM  
 Cartridge number : JM22  
 Tracking force : 1.0 - 1.5

SAS/B

## DSN-60



Tip : SAS/S  
 Knob color : WHT  
 Cartridge type : MM  
 Cartridge number : DL-60  
 Tracking force : 1.0 - 1.5

SAS/S

## DSN-60



Tip : SAS/B  
 Knob color : WHT  
 Cartridge type : MM  
 Cartridge number : DL-60  
 Tracking force : 1.0 - 1.5

SAS/B

## DSN-65



Tip : SAS/B  
 Knob color : RED  
 Cartridge type : MM  
 Cartridge number : DL-65  
 Tracking force : 1.0 - 1.5

SAS/B

## DSN-65E



Tip : SAS/S  
 Knob color : YEL  
 Cartridge type : MM  
 Cartridge number : DL-65  
 Tracking force : 1.0 - 1.5

SAS/S

## DSN-65E



Tip : NUDE Elliptical  
 Knob color : YEL  
 Cartridge type : MM  
 Cartridge number : DL-65  
 Tracking force : 1.5 - 2.1

NUDE

C.E.C

59-7  
**MC-7**



Tip : SAS/B  
Knob color : GRY  
Cartridge type : MM  
Cartridge number : MC7  
Tracking force : 1.0 - 1.5

SAS/B

ELAC

131-155  
**D-155-17**



Tip : NUDE Conical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : STS-155-17  
Tracking force : 1.5 - 3.0

NUDE

131-793  
**DN-793**



Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : ESG793  
Tracking force : 1.0 - 1.5

SAS/B

131-793  
**DN-793**



Tip : NUDE Conical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : ESG793  
Tracking force : 1.0 - 1.5

NUDE

HITACH  
LO-D

52-23  
**DS-ST23**



Tip : NUDE Conical  
Knob color : RED  
Cartridge type : MM  
Cartridge number : MT-23  
Tracking force : 2.0

NUDE

52-24  
**DS-ST24**



Tip : NUDE Conical  
Knob color : TR/ORG  
Cartridge type : MM  
Cartridge number : MT-24  
Tracking force : 2.0

NUDE

**JICO**

MM-Cartridge  
**Clipper**



Tip: NUDE Conical  
Knob color : Black  
Cartridge type : MM  
Cartridge number :  
Tracking force : 1.8 - 2.2

MC-Cartridge  
**SETO-HORI**  
**REMODEL**



Tip : Micro Ridge  
Knob color : Silver  
Cartridge type : MC  
Cartridge number :  
Tracking force : 1.8 - 2.2

Stylus1  
**Stylus1**



Tip : SAS/S  
Knob color : BLK  
Cartridge type : MM  
Cartridge number :  
Tracking force : 1.0 - 1.5

Stylus1  
**Stylus1**



Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number :  
Tracking force : 1.0 - 1.5

SAS/B

**KENWOOD**  
TRIO

55-49  
**N-49**



Tip : SAS/B  
Knob color : ORG  
Cartridge type : MM  
Cartridge number : V-49  
Tracking force : 1.0 - 1.5

55-31  
**N-31**



Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : N-31. T-31  
Tracking force : 1.0 - 1.5

SAS/B

55-34  
**N-34**



Tip : SAS/B  
Knob color : TR/BLU  
Cartridge type : MM  
Cartridge number : V-34  
Tracking force : 1.0 - 1.5

SAS/B

55-43  
**N-43**



Tip : SAS/B  
Knob color : ORG  
Cartridge type : MM  
Cartridge number : V-43  
Tracking force : 1.0 - 1.5

SAS/B

**MICRO**

**DIATONE**  
**MITSUBISHI**

55-44  
**N-44**



Tip : SAS/B  
Knob color : BLU  
Cartridge type : MM  
Cartridge number : V-44  
Tracking force : 1.0 - 1.5

SAS/B

55-39  
**N-39**



Tip : SAS/B  
Knob color : ORG  
Cartridge type : MM  
Cartridge number : V-39  
Tracking force : 1.0 - 1.5

SAS/B

55-69  
**N-69**



Tip : NUDE Conical  
Knob color : RED  
Cartridge type : MM  
Cartridge number :  
Tracking force : 1.5 - 2.0

NUDE

65-P1  
**V-P1**



Tip : NUDE Conical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : PLUS-1  
Tracking force : 2.0

NUDE

51-44  
**3D-44M**



Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : MAG-44  
Tracking force : 1.0 - 1.5

SAS/B

# National

Technics

<b>36-P23E</b> <b>EPS-23ES</b>	 Tip : SAS/B Knob color : TR/BLU Cartridge type : MM Cartridge number : EPC-P23 Tracking force : 1.0 - 1.5 <span style="border: 1px solid purple; border-radius: 50%; padding: 2px;">SAS/B</span>	<b>36-P23E</b> <b>EPS-23ES</b>	 Tip : NUDE Conical Knob color : TR/BLU Cartridge type : MM Cartridge number : EPC-P23 Tracking force : 1.5 - 2.0 <span style="border: 1px solid teal; border-radius: 50%; padding: 2px;">NUDE</span>
<b>36-U24/36-U24E</b> <b>EPS-24CS,24ES</b>	 Tip : SAS/B Knob color : TR/ORG Cartridge type : MM Cartridge number : EPC-P24 Tracking force : 1.0 - 1.5 <span style="border: 1px solid purple; border-radius: 50%; padding: 2px;">SAS/B</span>	<b>36-U24/36-U24E</b> <b>EPS-24CS,24ES</b>	 Tip : SAS/S Knob color : TR/ORG Cartridge type : MM Cartridge number : EPC-P24 Tracking force : 1.0 - 1.5 <span style="border: 1px solid purple; border-radius: 50%; padding: 2px;">SAS/S</span>
<b>36-U25</b> <b>EPS-25CS</b>	 Tip : SAS/B Knob color : TR/BRN Cartridge type : MM Cartridge number : EPC-P25, H25 Tracking force : 1.0 - 1.5 <span style="border: 1px solid purple; border-radius: 50%; padding: 2px;">SAS/B</span>	<b>36-U25</b> <b>EPS-25CS</b>	 Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : EPC-P24 Tracking force : 1.5 - 2.0 <span style="border: 1px solid teal; border-radius: 50%; padding: 2px;">NUDE</span>
<b>36-P30</b> <b>EPS-30ES</b>	 Tip : SAS/B Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.0 - 1.5 <span style="border: 1px solid purple; border-radius: 50%; padding: 2px;">SAS/B</span>	<b>36-P30</b> <b>EPS-30CS</b>	 Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.0 <span style="border: 1px solid teal; border-radius: 50%; padding: 2px;">NUDE</span>
<b>36-P30</b> <b>EPS-30ES</b>	 Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.0 <span style="border: 1px solid purple; border-radius: 50%; padding: 2px;">SAS/B</span>	<b>36-P30</b> <b>EPS-30CS</b>	 Tip : NUDE Elliptical Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.5 - 2.0 <span style="border: 1px solid teal; border-radius: 50%; padding: 2px;">NUDE</span>
<b>36-P34</b> <b>EPS-34CS</b>	 Tip : NUDE Conical Knob color : BLK Cartridge type : VM Cartridge number : Tracking force : 1.3 <span style="border: 1px solid teal; border-radius: 50%; padding: 2px;">NUDE</span>	<b>36-46</b> <b>EPS-46STSD</b>	 Tip : NUDE Conical Knob color : YEL Cartridge type : P Cartridge number : EPC-451C, EPC-460C Tracking force : 3.0 - 4.0 <span style="border: 1px solid teal; border-radius: 50%; padding: 2px;">NUDE</span>
<b>36-P55</b> <b>EPS-55CS</b>	 Tip : NUDE Conical Knob color : TR/GRN Cartridge type : MM Cartridge number : Tracking force : 2.5 <span style="border: 1px solid teal; border-radius: 50%; padding: 2px;">NUDE</span>	<b>36-202ED</b> <b>EPS-202ED</b>	 Tip : SAS/B Knob color : CLR Cartridge type : MM Cartridge number : EPC-P202C <span style="border: 1px solid purple; border-radius: 50%; padding: 2px;">SAS/B</span>
<b>36-202ED</b> <b>EPS-202ED</b>	 Tip : SAS/S Knob color : CLR Cartridge type : MM Cartridge number : EPC-P202C <span style="border: 1px solid purple; border-radius: 50%; padding: 2px;">SAS/S</span>	<b>36-202ED</b> <b>EPS-202ED</b>	 Tip : NUDE Elliptical Knob color : CLR Cartridge type : MM Cartridge number : EPC-P202C <span style="border: 1px solid teal; border-radius: 50%; padding: 2px;">NUDE</span>

<u>36-205ED</u> <b>EPS-205ED</b>  Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : EPC-205CIIS Tracking force : 1.0 - 1.5	<u>36-205ED</u> <b>EPS-205ED</b>  Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : EPC-205CIIS Tracking force : 1.0 - 1.5	<u>36-205EX</u> <b>EPS-205EX</b>  Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : EPC-205CIIX, EPC-205CIL <small>EPC-205CIH, EPC-205CMK3</small> Tracking force : 1.0 - 1.5	<u>36-205EX</u> <b>EPS-205EX</b>  Tip : SAS/S Knob color : YEL Cartridge type : MM Cartridge number : EPC-205CIIX, EPC-205CIL <small>EPC-205CIH, EPC-205CMK3</small> Tracking force : 1.0 - 1.5
<u>36-205EX</u> <b>EPS-205EX</b>  Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : EPC-205CIIX, EPC-205CIL <small>EPC-205CIH, EPC-205CMK3</small> Tracking force : 1.0 - 1.5	<u>36-206C</u> <b>EPS-206C</b>  Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : EPC-P206CK Tracking force : 1.0 - 1.5	<u>36-206C</u> <b>EPS-206C</b>  Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : EPC-P206CK Tracking force : 1.0 - 1.5	<u>36-207ED</u> <b>EPS-207ED</b>  Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : EPC-207 Tracking force : 1.0 - 1.5
<u>36-207ED</u> <b>EPS-207ED</b>  Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : EPC-207 Tracking force : 1.0 - 1.5	<u>36-207ED</u> <b>EPS-207ED</b>  Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : EPC-207 Tracking force : 1.0 - 1.5	<u>36-270</u> <b>EPS-270ED</b>  Tip : SAS/B Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270/ II Tracking force : 1.0 - 1.5	<u>36-270</u> <b>EPS-270ED</b>  Tip : SAS/S Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270/ II Tracking force : 1.0 - 1.5
<u>36-270</u> <b>EPS-270SD</b>  Tip : NUDE Conical Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270D, EPC-271D Tracking force : 1.5 - 2.0	<u>36-270ED</u> <b>EPS-270ED</b>  Tip : NUDE Elliptical Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270/ II Tracking force : 1.5 - 2.0		

# Ortofon

	<u>242-N15/II</u> <b>N-15/II</b>  Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : F-15MKII, F150MKII Tracking force : 1.5	<u>242-N20E/II</u> <b>N-20E/II</b>  Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : VMS-20E/ II Tracking force : 1.0	<u>242-N30E/II</u> <b>N-30E/II</b>  Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : VMS-30E/ II Tracking force : 1.5-3.0
<u>242-20</u> <b>STYLUS 20</b>  Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : CONCORDE20 Tracking force : 1.25-1.8	<u>242-30</u> <b>STYLUS 30</b>  Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : CONCORDE30 Tracking force : 1.25-2.0		

# PICKERING

	<u>174-15T/DJ</u> <b>D1507DJ</b>  Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : V15/AT1 Tracking force : 2.0 - 5.0	<u>174-D15/DJ</u> <b>D150DJ</b>  Tip : NUDE Conical Knob color : WHT Cartridge type : IM Cartridge number : XV-15/150 Tracking force : 2.0 - 4.0	<u>174-D62E</u> <b>D625</b>  Tip : NUDE Elliptical Knob color : BLK Cartridge type : IM Cartridge number : XV-15/625E Tracking force : 0.75 - 1.5
<u>174-PD07C</u> <b>PD-07C</b>  Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : NP/ACS Tracking force : 3.0 - 7.0	<u>174-PDE</u> <b>PDE</b>  Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : P/ATE · ATE-1 Tracking force : 0.75 - 3.0		

PHILIPS

173-400  
**D-400**

Tip : SAS/B  
Knob color : GRY  
Cartridge type : MM  
Cartridge number : GP-400  
Tracking force : 1.5 - 3.0

SAS/B

173-400/II  
**D-400/II**

Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : GP-400/II  
Tracking force : 1.5 - 3.0

SAS/S

173-400/III  
**D-400/III**

Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : GP-400/III  
Tracking force : 1.5 - 3.0

SAS/B

# Pioneer

	53-10 <b>PN-10(V)</b>  Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : PC-10 Tracking force : 1.0 - 1.5 <span>SAS/B</span>	53-10 <b>PN-10(V)</b>  Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : PC-10 Tracking force : 1.0 - 1.5 <span>NUDE</span>	53-11 <b>PN-11</b>  Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : PC-11 Tracking force : 2.5 - 3.5 <span>NUDE</span>
53-11 <b>PN-11E</b>  Tip : NUDE Elliptical Knob color : GRY Cartridge type : MM Cartridge number : PC-11 Tracking force : 2.5 - 3.5 <span>NUDE</span>	53-12 <b>PN-12</b>  Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : PC-12 Tracking force : 1.0 - 1.5 <span>SAS/B</span>	53-15 <b>PN-15</b>  Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : PC-15 Tracking force : 1.7 - 2.3 <span>NUDE</span>	53-110 <b>PN-110</b>  Tip : SAS/B Knob color : BLU Cartridge type : MM Cartridge number : PC-110 Tracking force : 1.0 - 1.5 <span>SAS/B</span>
53-110 <b>PN-110</b>  Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : PC-110 Tracking force : 1.8 - 2.5 <span>NUDE</span>	53-110 <b>PN-110</b>  Tip : NUDE Elliptical Knob color : BLU Cartridge type : MM Cartridge number : PC-110 Tracking force : 1.8 - 2.5 <span>NUDE</span>	53-110/II <b>PN-110/II</b>  Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : PC-110 / II Tracking force : 1.0 - 1.5 <span>SAS/B</span>	53-110/II <b>PN-110/II</b>  Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : PC-110 / II Tracking force : 1.5 - 2.5 <span>NUDE</span>
53-110/II <b>PN-110/II</b>  Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : PC-110 / II Tracking force : 1.5 - 2.5 <span>NUDE</span>	53-150 <b>PN-150</b>  Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : PC-150 Tracking force : 1.0 - 1.5 <span>SAS/B</span>	53-150 <b>PN-150</b>  Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : PC-150 Tracking force : 1.7 - 2.5 <span>NUDE</span>	53-150 <b>PN-150</b>  Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : PC-150 Tracking force : 1.7 - 2.5 <span>NUDE</span>
53-200 <b>PN-200</b>  Tip : SAS/B Knob color : GRN Cartridge type : MM Cartridge number : PC-200, PXT-958 Tracking force : 1.0 - 1.5 <span>SAS/B</span>	53-200 <b>PN-200</b>  Tip : NUDE Conical Knob color : GRN Cartridge type : MM Cartridge number : PC-200, PXT-958 Tracking force : 1.7 - 2.3 <span>NUDE</span>	53-210a <b>PN-210</b>  Tip : NUDE Conical Knob color : YEL Cartridge type : VM Cartridge number : PXV-1003 Tracking force : 2.5 <span>NUDE</span>	53-301 <b>PN-301</b>  Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : PXV-963 Tracking force : 1.25 <span>NUDE</span>
53-330 <b>PN-330</b>  Tip : SAS/B Knob color : DK/GRN Cartridge type : MM Cartridge number : PC-330 Tracking force : 1.0 - 1.5 <span>SAS/B</span>	53-330 <b>PN-330</b>  Tip : SAS/S Knob color : DK/GRN Cartridge type : MM Cartridge number : PC-330 Tracking force : 1.0 - 1.5 <span>SAS/S</span>	53-330 <b>PN-330</b>  Tip : NUDE Conical Knob color : DK/GRN Cartridge type : MM Cartridge number : PC-330 Tracking force : 1.4 - 2.0 <span>NUDE</span>	53-330 <b>PN-330E</b>  Tip : NUDE Elliptical Knob color : BRN Cartridge type : MM Cartridge number : PC-330 Tracking force : 1.4 - 2.0 <span>NUDE</span>

<p>53-330/II <b>PN-330/II</b></p>  <p>Tip : SAS/B Knob color : TR/SMK Cartridge type : MM Cartridge number : PC-330/II Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>53-330/II <b>PN-330/II</b></p>  <p>Tip : SAS/S Knob color : TR/SMK Cartridge type : MM Cartridge number : PC-330/II Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>53-330/II <b>PN-330/II</b></p>  <p>Tip : NUDE Conical Knob color : TR/SMK Cartridge type : MM Cartridge number : PC-330/II Tracking force : 1.0 - 1.8</p> <p>NUDE</p>	<p>53-330/II <b>PN-330/II</b></p>  <p>Tip : NUDE Elliptical Knob color : TR/SMK Cartridge type : MM Cartridge number : PC-330/II Tracking force : 1.0 - 1.8</p> <p>NUDE</p>
<p>53-1004a <b>PZP-1004</b></p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : VM Cartridge number : Tracking force : 2.5 - 3.5</p> <p>NUDE</p>			

# SANSUI

# SHARP

56-45  
**SN-45**



Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : SV-45  
Tracking force : 1.0 - 1.5

SAS/B

56-45  
**SN-42**



Tip : SAS/B  
Knob color : CLEAR  
Cartridge type : MM  
Cartridge number : SV42  
Tracking force : 1.5 -3.0

SAS/B

50-705  
**STY-705**



Tip : SAS/B  
Knob color : BLU  
Cartridge type : MM  
Cartridge number : CART-705  
Tracking force : 1.0 - 1.5

SAS/B

# SHURE

Cartridge + Stylus + Headshell

## OMNIA J44D IMP BLACK



Cartridge : J44D (MM)  
Stylus : N-44G IMP NUDE  
Tip : NUDE Conical  
Headshell : Black CSS-JHSB  
Tracking force : 0.75-1.5



Cartridge + Stylus + Headshell

## OMNIA J44D IMP BLACK



Cartridge : J44D (MM)  
Stylus : N-44G IMP SD  
Tip : SD Conical  
Headshell : Black CSS-JHSB  
Tracking force : 0.75-1.5



Cartridge + Stylus + Headshell

## OMNIA J44D DJ IMP BLACK



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP NUDE  
Tip : NUDE Conical  
Headshell : Black CSS-JHSB  
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell

## OMNIA J44D DJ IMP BLACK



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP SD  
Tip : SD Conical  
Headshell : Black CSS-JHSB  
Tracking force : 3.5-4.5

Cartridge + Stylus + Headshell

## OMNIA J44D AURORA IMP BLACK



Cartridge : J44D (MM)  
Stylus : N-44G AURORA IMP NUDE  
Tip : NUDE Conical  
Headshell : Black CSS-JHSB  
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell

## OMNIA J44D IMP SILVER



Cartridge : J44D (MM)  
Stylus : N-44G IMP NUDE  
Tip : NUDE Conical  
Headshell : Silver CSS-JHSS  
Tracking force : 0.75-1.5



Cartridge + Stylus + Headshell

## OMNIA J44D IMP SILVER



Cartridge + Stylus + Headshell

## OMNIA J44D DJ IMP SILVER



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP NUDE  
Tip : NUDE Conical  
Headshell : Silver CSS-JHSS  
Tracking force : 3.5-4.5

Cartridge + Stylus + Headshell

## OMNIA J44D DJ IMP SILVER



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP SD  
Tip : SD Conical  
Headshell : Silver CSS-JHSS  
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell

## OMNIA J44D AURORA IMP BLACK



Cartridge + Stylus + Headshell

## OMNIA J44D IMP LOGO WHT



Cartridge : J44D (MM)  
Stylus : N-44G IMP NUDE  
Tip : NUDE Conical  
Headshell : logo headshell wht  
Tracking force : 0.75-1.5

Cartridge + Stylus + Headshell

## OMNIA J44D IMP LOGO WHT



Cartridge : J44D (MM)  
Stylus : N-44G IMP SD  
Tip : SD Conical  
Headshell : logo headshell wht  
Tracking force : 0.75-1.5

Cartridge + Stylus + Headshell

## OMNIA J44D DJ IMP LOGO WHT



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP NUDE  
Tip : NUDE Conical  
Headshell : logo headshell wht  
Tracking force : 3.5-4.5

Cartridge + Stylus + Headshell

## OMNIA J44D DJ IMP LOGO WHT



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP SD  
Tip : SD Conical  
Headshell : logo headshell wht  
Tracking force : 3.5-4.5

Cartridge + Stylus + Headshell

## OMNIA J44D IMP LOGO BLU



Cartridge : J44D (MM)  
Stylus : N-44G IMP NUDE  
Tip : NUDE Conical  
Headshell : logo headshell Blu  
Tracking force : 0.75-1.5

Cartridge + Stylus + Headshell

## OMNIA J44D IMP LOGO BLU



Cartridge : J44D (MM)  
Stylus : N-44G IMP SD  
Tip : SD Conical  
Headshell : logo headshell Blu  
Tracking force : 0.75-1.5

Cartridge + Stylus + Headshell

## OMNIA J44D DJ IMP LOGO BLU



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP NUDE  
Tip : NUDE Conical  
Headshell : logo headshell Blu  
Tracking force : 3.5-4.5

Cartridge + Stylus + Headshell

## OMNIA J44D DJ IMP LOGO BLU



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP SD  
Tip : SD Conical  
Headshell : logo headshell Blu  
Tracking force : 3.5-4.5

Cartridge + Stylus + Headshell

## OMNIA J44D IMP SKATEBOARD



Cartridge : J44D (MM)  
Stylus : N-44G IMP NUDE  
Tip : NUDE Conical  
Headshell : Skateboard headshell  
Tracking force : 0.75-1.5

Cartridge + Stylus + Headshell

## OMNIA J44D IMP SKATEBOARD



Cartridge : J44D (MM)  
Stylus : N-44G IMP SD  
Tip : SD Conical  
Headshell : Skateboard headshell  
Tracking force : 0.75-1.5

Cartridge + Stylus + Headshell

## OMNIA J44D DJ IMP SKATEBOARD



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP NUDE  
Tip : NUDE Conical  
Headshell : Skateboard headshell  
Tracking force : 3.5-4.5

Cartridge + Stylus + Headshell

## OMNIA J44D DJ IMP SKATEBOARD




Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP SD  
Tip : SD Conical  
Headshell : Skateboard headshell  
Tracking force : 3.5-4.5

Cartridge + Stylus + Headshell

## OMNIA J44A 7 IMP BLACK



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 IMP NUDE  
Tip : NUDE Conical  
Headshell : Black CSS-JHSB  
Tracking force : 1.5-3.0

<b>Cartridge + Stylus + Headshell OMNIA J44A 7 IMP BLACK</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 DJ IMP BLACK</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 DJ IMP BLACK</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 AURORA IMP BLACK</b>
 Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : Black CSS-JHSB Tracking force : 1.5-3.0	 Cartridge : J44A 7 (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : Black CSS-JHSB Tracking force : 3.5-4.5	 Cartridge : J44A 7 (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : Black CSS-JHSB Tracking force : 3.5-4.5	 Cartridge : J44A 7 (MM) Stylus : N-44-7 AURORA IMP NUDE Tip : NUDE Conical Headshell : Black CSS-JHSB Tracking force : 3.5-4.5
<b>Cartridge + Stylus + Headshell OMNIA J44A 7 IMP SILVER</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 IMP SILVER</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 DJ IMP SILVER</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 DJ IMP SILVER</b>
 Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Headshell : Silver CSS-JHSS Tracking force : 1.5-3.0	 Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : Silver CSS-JHSS Tracking force : 1.5-3.0	 Cartridge : J44A 7 (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : Silver CSS-JHSS Tracking force : 3.5-4.5	 Cartridge : J44A 7 (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : Silver CSS-JHSS Tracking force : 3.5-4.5
<b>Cartridge + Stylus + Headshell OMNIA J44A 7 AURORA IMP SILVER</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 IMP LOGO WHT</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 IMP LOGO WHT</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 DJ IMP LOGO WHT</b>
 Cartridge : J44A 7 (MM) Stylus : N-44-7 AURORA IMP NUDE Tip : NUDE Conical Headshell : Silver CSS-JHSS Tracking force : 3.5-4.5	 Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Headshell : logo headshell wht Tracking force : 1.5-3.0	 Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : logo headshell wht Tracking force : 1.5-3.0	 Cartridge : J44A 7 (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : logo headshell wht Tracking force : 3.5-4.5
<b>Cartridge + Stylus + Headshell OMNIA J44A 7 DJ IMP LOGO WHT</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 IMP LOGO BLU</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 IMP LOGO BLU</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 DJ IMP LOGO BLU</b>
 Cartridge : J44A 7 (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : logo headshell wht Tracking force : 3.5-4.5	 Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Headshell : logo headshell blu Tracking force : 1.5-3.0	 Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : logo headshell blu Tracking force : 1.5-3.0	 Cartridge : J44A 7 (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : logo headshell blu Tracking force : 3.5-4.5
<b>Cartridge + Stylus + Headshell OMNIA J44A 7 DJ IMP LOGO BLU</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 IMP SKATEBOARD</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 IMP SKATEBOARD</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 DJ IMP SKATEBOARD</b>
 Cartridge : J44A 7 (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : logo headshell blu Tracking force : 3.5-4.5	 Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Headshell : Skateboard headshell Tracking force : 1.5-3.0	 Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : Skateboard headshell Tracking force : 1.5-3.0	 Cartridge : J44A 7 (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : Skateboard headshell Tracking force : 1.5-3.0
<b>Cartridge + Stylus + Headshell OMNIA J44A 7 DJ IMP SKATEBOARD</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 IMP LOGO WHT 2P</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 IMP LOGO WHT 2P</b>	<b>Cartridge + Stylus + Headshell OMNIA J44A 7 IMP LOGO BLU 2P</b>
 Cartridge : J44A 7 (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : Skateboard headshell Tracking force : 1.5-3.0	 Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Headshell : logo headshell wht Tracking force : 1.5-3.0	 Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : logo headshell wht Tracking force : 1.5-3.0	 Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Headshell : logo headshell blu Tracking force : 1.5-3.0

<u>Cartridge + Stylus + Headshell</u> <b>OMNIA J44A 7 IMP LOGO BLU 2P</b>  Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : logo headshell blu Tracking force : 1.5-3.0	<u>Cartridge + Stylus + Headshell</u> <b>ALFA MODEL55/OMNIA</b>  Cartridge : ALFA MODEL55 (MM) Stylus : ALFA MODEL NUDE Tip : NUDE Conical Headshell : ALFA MODEL55 Tracking force : 1.9 - 2.3	<u>Cartridge + Stylus + Headshell</u> <b>ALFA MODEL/OMNIA</b>  Cartridge : ALFA MODEL (MM) Stylus : ALFA MODEL SD Tip : SD Conical Headshell : ALFA MODEL Tracking force : 1.3 - 1.7	<u>Cartridge + Stylus</u> <b>J44D IMP</b>  Cartridge : J44D (MM) Stylus : N-44G IMP NUDE Tip : NUDE Conical Tracking force : 0.75-1.5
<u>Cartridge + Stylus</u> <b>J44D IMP</b>  Cartridge : J44D (MM) Stylus : N-44G IMP SD Tip : SD Conical Tracking force : 0.75-1.5	<u>Cartridge + Stylus</u> <b>J44D DJ IMP</b>  Cartridge : J44D (MM) Stylus : N-44G IMP DJ NUDE Tip : NUDE Conical Tracking force : 3.5-1.5	<u>Cartridge + Stylus</u> <b>J44D DJ IMP</b>  Cartridge : J44D (MM) Stylus : N-44G IDJ MP SD Tip : SD Conical Tracking force : 3.5-4.5	<u>Cartridge + Stylus</u> <b>J44D AURORA IMP</b>  Cartridge : J44D (MM) Stylus : N-44G AURORA IMP NUDE Tip : NUDE Conical Tracking force : 3.5-4.5
<u>Cartridge + Stylus</u> <b>J44A 7 IMP</b>  Cartridge : J44A 7 (MM) Stylus : N-44A 7 IMP NUDE Tip : NUDE Conical Tracking force : 1.5-1.0	<u>Cartridge + Stylus</u> <b>J44A 7 IMP</b>  Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Tracking force : 1.5-3.0	<u>Cartridge + Stylus</u> <b>J44A 7 DJ IMP</b>  Cartridge : J44A 7 (MM) Stylus : N-44A 7 IMP NUDE Tip : NUDE Conical Tracking force : 3.5-4.5	<u>Cartridge + Stylus</u> <b>J44A 7 DJ IMP</b>  Cartridge : J44A 7 (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Tracking force : 3.5-4.5
<u>Cartridge + Stylus</u> <b>J44A 7 AURORA IMP</b>  Cartridge : J44A 7 (MM) Stylus : N-44A 7 AURORA IMP NUDE Tip : NUDE Conical Tracking force : 3.5-4.5	<u>Cartridge</u> <b>J44 D Cartrdige Only</b>  Cartridge : J44D (MM) Stylus : Tip : Tracking force :	<u>Cartridge</u> <b>J44 A 7 Cartrdige Only</b>  Cartridge : J44A 7 (MM) Stylus : Tip : Tracking force :	<u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50 IMP BLACK</b>  Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0
<u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50 IMP BLACK</b>  Cartridge : J50 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0	<u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50 IMP SILVER</b>  Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0	<u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50 IMP SILVER</b>  Cartridge : J50 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0	<u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50 KUROGAKI BLACK</b>  Cartridge : J50 (MM) Stylus : N-44 KUROGAKI NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0
<u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50 KUROGAKI SILVER</b>  Cartridge : J50 (MM) Stylus : N-44 KUROGAKI NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0	<u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50 USHIKOROSHI BLACK</b>  Cartridge : J50 (MM) Stylus : N-44 USHIKOROSHI NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0	<u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50 USHIKOROSHI SILVER</b>  Cartridge : J50 (MM) Stylus : N-44 USHIKOROSHI NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0	<u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50 YURUSHI-IRO BLACK</b>  Cartridge : J50 (MM) Stylus : N-44 YURUSHI-IRO NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0

<b>Cartridge + Stylus + Headshell</b> <b>OMNIA J50 YURUSHI-IRO SILVER</b>  <p>Cartridge : J50 (MM)          Stylus : N44 YURUSHI-IRO NUDE          Tip : NUDE Conical          Headshell : SME silver CSS-JHMS-E-S          Tracking force : 1.5-3.0</p>	<b>Cartridge + Stylus</b> <b>J50 IMP</b>  <p>Cartridge : J50 (MM)          Stylus : N-44-7 IMP NUDE          Tip : NUDE Conical          Tracking force : 1.5-3.0</p>	<b>Cartridge + Stylus</b> <b>J50 IMP</b>  <p>Cartridge : J50 (MM)          Stylus : N-44-7 IMP NUDE          Tip : SD Conical          Tracking force : 1.5-3.0</p>	<b>Cartridge + Stylus</b> <b>J50 KUROGAKI</b>  <p>Cartridge : J50 (MM)          Stylus : N44 KUROGAKI NUDE          Tip : NUDE Conical          Tracking force : 1.5-3.0</p>
<b>Cartridge + Stylus</b> <b>J50 USHIKOROSHI</b>  <p>Cartridge : J50 (MM)          Stylus : N44 USHIKOROSHI NUDE          Tip : NUDE Conical          Tracking force : 1.5-3.0</p>	<b>Cartridge + Stylus</b> <b>J50 YURUSHI-IRO</b>  <p>Cartridge : J50 (MM)          Stylus : N44 YURUSHI-IRO NUDE          Tip : NUDE Conical          Tracking force : 1.5-3.0</p>	<b>Cartridge + Stylus</b> <b>J50 7Kduet</b>  <p>Cartridge : J50 (MM)          Stylus : N-44-7 IMP NUDE          N44 KUROGAKI NUDE          Tip : NUDE Conical          Tracking force : 1.5-3.0</p>	<b>Cartridge + Stylus</b> <b>J50 7U duet</b>  <p>Cartridge : J50 (MM)          Stylus : N-44-7 IMP NUDE          N44 USHIKOROSHI NUDE          Tip : NUDE Conical          Tracking force : 1.5-3.0</p>
<b>Cartridge + Stylus</b> <b>J50 7Y duet</b>  <p>Cartridge : J50 (MM)          Stylus : N-44-7 IMP NUDE          N44 YURUSHI-IRO NUDE          Tip : NUDE Conical          Tracking force : 1.5-3.0</p>	<b>Cartridge + Stylus</b> <b>J50 KU duet</b>  <p>Cartridge : J50 (MM)          Stylus : N44 KUROGAKI NUDE          N44 USHIKOROSHI NUDE          Tip : NUDE Conical          Tracking force : 1.5-3.0</p>	<b>Cartridge + Stylus</b> <b>J50 KY duet</b>  <p>Cartridge : J50 (MM)          Stylus : N44 KUROGAKI NUDE          N44 USHIKOROSHI NUDE          Tip : NUDE Conical          Tracking force : 1.5-3.0</p>	<b>Cartridge + Stylus</b> <b>J50 UY duet</b>  <p>Cartridge : J50 (MM)          Stylus : N44 USHIKOROSHI NUDE          N44 YURUSHI-IRO NUDE          Tip : NUDE Conical          Tracking force : 1.5-3.0</p>
<b>Cartridge + Stylus</b> <b>J50 7KU trio</b>  <p>Cartridge : J50 (MM)          Stylus : N-44-7 IMP NUDE          N44 KUROGAKI NUDE          N44 USHIKOROSHI NUDE          Tip : NUDE Conical          Tracking force : 1.5-3.0</p>	<b>Cartridge</b> <b>J50 KUY trio</b>  <p>Cartridge : J50 (MM)          Stylus : N44 KUROGAKI NUDE          N44 USHIKOROSHI NUDE          N44 YURUSHI-IRO          Tip : NUDE Conical          Tracking force : 1.5-3.0</p>	<b>Cartridge</b> <b>J50 Cartrdige Only</b>  <p>Cartridge : J50 (MM)          Stylus :          Tip :          Tracking force :</p>	<b>Cartridge + Stylus + Headshell</b> <b>OMNIA IMPACT BLACK</b>  <p>Cartridge : IMPACT (MM)          Stylus : N-44-7 DJ IMP NUDE          Tip : NUDE Conical          Headshell : Black CSS-JHSB          Tracking force : 3.5-4.5</p>
<b>Cartridge + Stylus + Headshell</b> <b>OMNIA IMPACT BLACK</b>  <p>Cartridge : IMPACT (MM)          Stylus : N-44-7 DJ IMP SD          Tip : SD Conical          Headshell : Black CSS-JHSB          Tracking force : 3.5-4.5</p>	<b>Cartridge + Stylus + Headshell</b> <b>OMNIA IMPACT SILVER</b>  <p>Cartridge : IMPACT (MM)          Stylus : N-44-7 DJ IMP NUDE          Tip : NUDE Conical          Headshell : Silver CSS-JHSS          Tracking force : 3.5-4.5</p>	<b>Cartridge + Stylus + Headshell</b> <b>OMNIA IMPACT SILVER</b>  <p>Cartridge : IMPACT (MM)          Stylus : N-44-7 DJ IMP SD          Tip : SD Conical          Headshell : Silver CSS-JHSS          Tracking force : 3.5-4.5</p>	<b>Cartridge + Stylus + Headshell</b> <b>OMNIA IMPACT LOGO WHT</b>  <p>Cartridge : IMPACT (MM)          Stylus : N-44-7 DJ IMP NUDE          Tip : NUDE Conical          Headshell : logo headshell wht          Tracking force : 3.5-4.5</p>
<b>Cartridge + Stylus + Headshell</b> <b>OMNIA IMPACT LOGO WHT</b>  <p>Cartridge : IMPACT (MM)          Stylus : N-44-7 DJ IMP SD          Tip : SD Conical          Headshell : logo headshell wht          Tracking force : 3.5-4.5</p>	<b>Cartridge + Stylus + Headshell</b> <b>OMNIA IMPACT LOGO BLU</b>  <p>Cartridge : IMPACT (MM)          Stylus : N-44-7 DJ IMP NUDE          Tip : NUDE Conical          Headshell : logo headshell blu          Tracking force : 3.5-4.5</p>	<b>Cartridge + Stylus + Headshell</b> <b>OMNIA IMPACT LOGO BLU</b>  <p>Cartridge : IMPACT (MM)          Stylus : N-44-7 DJ IMP SD          Tip : SD Conical          Headshell : logo headshell blu          Tracking force : 3.5-4.5</p>	<b>Cartridge + Stylus + Headshell</b> <b>OMNIA IMPACT LOGO SKATEBOARD</b>  <p>Cartridge : IMPACT (MM)          Stylus : N-44-7 DJ IMP NUDE          Tip : NUDE Conical          Headshell : Skateboard headshell          Tracking force : 3.5-4.5</p>

Cartridge + Stylus + Headshell

**OMNIA IMPACT  
LOGO SKATEBOARD**

 Cartridge : IMPACT (MM)  
 Stylus : N-44-7 DJ IMP SD  
 Tip : SD Conical  
 Headshell : Skateboard headshell  
 Tracking force : 3.5-4.5

 Cartridge + Stylus  
**IMPACT**

 Cartridge : IMPACT (MM)  
 Stylus : N-44-7 DJ IMP NUDE  
 Tip : NUDE Conical  
 Tracking force : 3.5-4.5

 Cartridge +Stylus  
**IMPACT**

 Cartridge : IMPACT (MM)  
 Stylus : N-44-7 DJ IMP SD  
 Tip : SD Conical  
 Tracking force : 3.5-4.5

 Cartridge  
**IMPACT**  
 Cartrdige Only

 Cartridge : J44A 7 (MM)  
 Stylus :  
 Tip :  
 Tracking force :

<b>192-44G N44G</b>  Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-44G IMP N44G IMP</b>  Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-44G IMP N44G IMP</b>  Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SD</span>	<b>192-44G IMP N44G IMP MONO</b>  Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>
<b>192-44G/DJ N44G/DJ</b>  Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-44G/DJ IMP N44G/DJ IMP</b>  Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-44G/DJ IMP N44G/DJ IMP</b>  Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">DJ</span>	<b>192-44G/DJ IMP 2PCS N44G/DJ IMP 2PCS</b>  Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>
<b>192-44G/DJ IMP 2PCS N44G/DJ IMP 2PCS</b>  Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SD</span>	<b>192-44G/AURORA N44G/AURORA</b>  Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-44G/AURORA IMP N44G/AURORA IMP</b>  Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-44G/AURORA IMP 2PCS N44G/AURORA IMP 2PCS</b>  Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>
<b>192-44-7 N44-7</b>  Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 1.5 - 3.0 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-44-7/IMP N44-7 IMP</b>  Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 1.5 - 3.0 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-44-7 IMP N44-7 IMP</b>  Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 0.75 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SD</span>	<b>192-44-7/IMP N44-7 IMP</b>  Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 1.5 - 3.0 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SAS/B</span>
<b>192-44-7/IMP N44-7 IMP</b>  Tip : SAS/S Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 1.5 - 3.0 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SAS/S</span>	<b>192-44-7/IMP ONLY JICO WEBSITE N44-7 IMP</b>  Tip : SAS/R Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 1.5 - 3.0 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SAS/R</span>	<b>192-44-7/DJ N44-7/DJ</b>  Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-44-7/DJ IMP N44-7/DJ IMP</b>  Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>
<b>192-44-7/DJ IMP N44-7/DJ IMP</b>  Tip : SD Conical Knob color : BLUE Cartridge type : MM Cartridge number : M44-7,J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">DJ</span>	<b>192-44-7/DJ IMP 2PCS N44-7/DJ IMP 2PCS</b>  Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44-7,J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">DJ</span>	<b>192-44-7/DJ IMP N44-7/DJ IMP 2PCS</b>  Tip : SD Conical Knob color : BLUE Cartridge type : MM Cartridge number : M44-7,J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SD</span>	<b>192-44-7/AURORA N44-7/AURORA</b>  Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>

<b>192-44-7/AURORA IMP N44-7/AURORA IMP</b>  Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-44-7/AURORA IMP 2PCS N44-7/AURORA IMP 2PCS</b>  Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44-7,J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">DJ</span>	<b>192- /ALFA MODEL ALFA MODEL</b>  Tip : SD Conical Knob color : YELLOW Cartridge type : MM Cartridge number : ALFA MODEL55,M44-7,J44A 7 J50, IMPACT Tracking force : 1.3 - 1.7 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-44E N44E</b>  Tip : NUDE Elliptical Knob color : BROWN Cartridge type : MM Cartridge number : M44E Tracking force : 1.75 - 4.0 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>
<b>192-44E IMP N44E IMP</b>  Tip : NUDE Elliptical Knob color : BROWN Cartridge type : MM Cartridge number : M44E Tracking force : 1.75 - 4.0 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-44GX N44GX</b>  Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44GX Tracking force : 0.75 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-44GX N44GX</b>  Tip : SAS/B Knob color : GRY Cartridge type : MM Cartridge number : M44GX Tracking force : 1.0 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SAS/B</span>	<b>192-44-7X N44-7X</b>  Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44-7X Tracking force : 1.75 - 4.0 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>
<b>192-44-7X N44-7X</b>  Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : M44-7X Tracking force : 1.0 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SAS/B</span>	<b>192-44-7X N44-7X</b>  Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : M44-7X Tracking force : 1.0 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SAS/B</span>	<b>192-55E N55E</b>  Tip : NUDE Elliptical Knob color : YELLOW Cartridge type : MM Cartridge number : M55E Tracking force : 0.75 - 2.0 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-55E N55E IMP</b>  Tip : NUDE Elliptical Knob color : YELLOW Cartridge type : MM Cartridge number : M55E Tracking force : 0.75 - 2.0 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>
<b>192-75-6 N75-6</b>  Tip : NUDE CONICAL Knob color : BGE Cartridge type : MM Cartridge number : M-75MB Tracking force : 1.0 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-75-6 N75-6</b>  Tip : SAS/B Knob color : BGE Cartridge type : MM Cartridge number : M-75MB Tracking force : 1.0 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SAS/B</span>	<b>192-75-6 N75-6</b>  Tip : SAS/S Knob color : BGE Cartridge type : MM Cartridge number : M-75MB Tracking force : 1.0 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SAS/S</span>	<b>192-75B/II N-75B/II</b>  Tip : NUDE CONICAL Knob color : BGE Cartridge type : MM Cartridge number : M-75MB/II Tracking force : 1.0 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>
<b>192-75B/II N-75B/II</b>  Tip : SAS/B Knob color : BGE Cartridge type : MM Cartridge number : M-75MB/II Tracking force : 1.0 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SAS/B</span>	<b>192-75B/II N-75B/II</b>  Tip : SAS/S Knob color : BGE Cartridge type : MM Cartridge number : M-75MB/II Tracking force : 1.0 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SAS/S</span>	<b>192-75ED N-75ED</b>  Tip : NUDE Elliptical Knob color : YELLOW Cartridge type : MM Cartridge number : M-75ED/II Tracking force : 0.75 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-75ED/II N-75ED/II</b>  Tip : NUDE Elliptical Knob color : BLACK Cartridge type : MM Cartridge number : M-75ED/II Tracking force : 0.75 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>
<b>192-75ED/II N-75ED/II</b>  Tip : SAS/B Knob color : BLACK Cartridge type : MM Cartridge number : M-75ED/II Tracking force : 0.75 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SAS/B</span>	<b>192-75J/II N-75EJ/II</b>  Tip : NUDE Elliptical Knob color : LT/GREEN Cartridge type : MM Cartridge number : M-75EJ/II Tracking force : 1.5 - 3.0 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">NUDE</span>	<b>192-N75HE N75HE</b>  Tip : SAS/B Knob color : LT/GRY Cartridge type : MM Cartridge number : M75HE Tracking force : 1.0 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SAS/B</span>	<b>192-N75HE N75HE</b>  Tip : SAS/S Knob color : LT/GRY Cartridge type : MM Cartridge number : M75HE Tracking force : 1.0 - 1.5 <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">SAS/S</span>

<p><b>192-N91E N-91E</b></p>  <p>Tip : NUDE Elliptical Knob color : BLACK Cartridge type : MM Cartridge number : M91E Tracking force : 0.75 - 1.5</p> <p><b>NUDE</b></p>	<p><b>192-N91ED N-91ED</b></p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : M91ED Tracking force : 0.75-1.5</p> <p><b>NUDE</b></p>	<p><b>192-N91ED N-91ED</b></p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : M91ED Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p><b>192-N91ED N-91ED</b></p>  <p>Tip : SAS/S Knob color : YEL Cartridge type : MM Cartridge number : M91ED Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>
<p><b>192-N92E N-92E</b></p>  <p>Tip : NUDE Elliptical Knob color : RED Cartridge type : MM Cartridge number : M92E Tracking force : 1.25</p> <p><b>NUDE</b></p>	<p><b>192-N92E N-92E</b></p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : M92E Tracking force : 1.25</p> <p><b>SAS/B</b></p>	<p><b>192-95ED N-95ED</b></p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : M-95ED Tracking force : 0.75 - 1.5</p> <p><b>NUDE</b></p>	<p><b>192-95ED N-95ED</b></p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : M-95ED Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>
<p><b>192-95ED N-95ED</b></p>  <p>Tip : SAS/S Knob color : YEL Cartridge type : MM Cartridge number : M-95ED Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>	<p><b>192-N95HE N-95HE</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : M95HE Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p><b>192-N95HE N-95HE</b></p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : M95HE Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>	<p><b>192-N97xE N-97xE</b></p>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : M-97xE Tracking force : 1.25</p> <p><b>NUDE</b></p>
<p><b>192-N97xE N-97xE</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : M-97xE Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p><b>192-N97xE N-97xE</b></p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : M-97xE Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>	<p><b>192-N97HE N-97HE</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : M-97HE Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p><b>192-N97HE N-97HE</b></p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : M-97HE Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>
<p><b>192-104E N-104E</b></p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : M104E Tracking force : 1.0 - 1.5</p> <p><b>NUDE</b></p>	<p><b>192-104E N-104E</b></p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : M104E Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p><b>192-110HE N-110HE</b></p>  <p>Tip : NUDE Elliptical Knob color : WHITE Cartridge type : MM Cartridge number : M110HE Tracking force : 1.0 - 1.5</p> <p><b>NUDE</b></p>	<p><b>192-110HE N-110HE</b></p>  <p>Tip : SAS/B Knob color : WHITE Cartridge type : MM Cartridge number : M110HE Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>
<p><b>192-110HE N-110HE</b></p>  <p>Tip : SAS/S Knob color : WHITE Cartridge type : MM Cartridge number : M110HE Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>	<p><b>192-NDC-ED NDC-ED</b></p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : Designer ED</p> <p><b>NUDE</b></p>	<p><b>192-NDC-EJ NDC-EJ</b></p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : Designer EJ</p> <p><b>NUDE</b></p>	<p><b>192-NDC-EJ NDC-EJ</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : Designer EJ Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>

<u>192-NDC-EJ</u> <b>NDC-EJ</b>	<u>192-WHLB</u> <b>N-WHLB</b>	<u>192-WHLB</u> <b>N-WHLB 2PCS</b>	<u>192-WHLB</u> <b>N-WHLB</b>
 Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : Designer EJ (SAS/S) Tracking force : 1.0 - 1.5	 Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : WHITELABEL (NUDE) Tracking force : 1.5 - 3.0	 Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : WHITELABEL (NUDE) Tracking force : 1.5 - 3.0	 Tip : NUDE Conical Knob color : FLUORECENT Cartridge type : MM Cartridge number : WHITELABEL (NUDE) Tracking force : 1.5 - 3.0
<u>192-WHLB</u> <b>N-WHLB 2PCS</b>	<u>192-WHLB</u> <b>N-WHLB</b>	<u>192-WHLB</u> <b>N-WHLB 2PCS</b>	<u>192-VN3G</u> <b>VN3G</b>
 Tip : NUDE Conical Knob color : FLUORECENT Cartridge type : MM Cartridge number : WHITELABEL (NUDE) Tracking force : 1.5 - 3.0	 Tip : SD Conical Knob color : WHT Cartridge type : MM Cartridge number : WHITELABEL (SD) Tracking force : 1.5 - 3.0	 Tip : SD Conical Knob color : WHT Cartridge type : MM Cartridge number : WHITELABEL (SD) Tracking force : 1.5 - 3.0	 Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : V15 type3 G (NUDE) Tracking force : 0.75 - 1.5
<u>192-35C</u> <b>SS-35C</b>	<u>192-35C</u> <b>SS-35C</b>	<u>192-VN5MR</u> <b>VN5MR HG</b>	<u>192-VN5MR HG</u> <b>VN5MR HG</b>
 Tip : SAS/B Knob color : LT/BLU Cartridge type : MM Cartridge number : SC35C Tracking force : 1.0 - 1.5	 Tip : SAS/S Knob color : LT/BLU Cartridge type : MM Cartridge number : SC35C Tracking force : 1.0 - 1.5	 Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500 Tracking force : 1.0 - 1.5	 Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500 Tracking force : 1.0 - 1.5
<u>192-VN5xMR HG</u> <b>VN5xMR HG</b>	<u>192-VN5xMR HG</u> <b>VN5xMR HG</b>	<u>192-VN15E</u> <b>VN-15E</b>	<u>192-VN15E</u> <b>VN-15E</b>
 Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V15/VxMR + VSTIII Tracking force : 1.0 - 1.5	 Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V15/VxMR + VSTIII Tracking force : 1.0 - 1.5	 Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V-15/II Tracking force : 1.0 - 1.5	 Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V-15/II Tracking force : 1.0 - 1.5
<u>192-VN35E</u> <b>VN35E</b>	<u>192-VN35E</u> <b>VN-35E</b>	<u>192-VN35E</u> <b>VN-35E</b>	<u>192-VN35EBN</u> <b>VN35EBN</b>
 Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : V-15/III Tracking force : 0.75 - 1.5	 Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V-15/III Tracking force : 1.0 - 1.5	 Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V-15/III Tracking force : 1.0 - 1.5	 Tip : NUDE Elliptical Knob color : RED Cartridge type : MM Cartridge number : V-15/III Tracking force : 0.75 - 1.25
<u>192-VN45HE</u> <b>VN45HE</b>	<u>192-VN45HE</u> <b>VN45HE</b>	<u>192-VN45HE</u> <b>VN45HE</b>	<u>192-N44 KUROGAKI</u> <b>N44 KUROGAKI 黒柿</b>
 Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : V-15/IV Tracking force : 1.0 - 1.5	 Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V-15/IV Tracking force : 1.0 - 1.5	 Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V-15/IV Tracking force : 1.0 - 1.5	 Tip : NUDE Conica Knob color : WHT Cartridge type : MM Cartridge number : J44A 7,J44D,J50 IMPACT,M44G,M44-7 Tracking force : 1.5 - 3.0

<u>192-VN5MR HG</u> <b>VN5MR HG</b>	<u>192-N44 KUROGAKI</u> <b>N44 KUROGAKI 黑柿</b>	<u>192-VN35 KUROGAKI</u> <b>VN35 KUROGAKI 黑柿</b>	<u>192-VN45 KUROGAKI</u> <b>VN45 KUROGAKI 黑柿</b>
 Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500 Tracking force : 1.0 - 1.5 <div style="text-align: right; margin-top: 10px;">  </div>	 Tip : NUDE Conica Knob color : WHT Cartridge type : MM Cartridge number : J44A 7,J44D,J50 IMPACT,M44G,M44-7 Tracking force : 1.5 - 3.0 <div style="text-align: right; margin-top: 10px;">  </div>	 Tip : NUDE Conic. Knob color : Cartridge type : MM Cartridge number : V15/III Tracking force : 0.75 - 1.25 <div style="text-align: right; margin-top: 10px;">  </div>	 Tip : NUDE Conical Knob color : Cartridge type : MM Cartridge number : V15/IV Tracking force : 0.75 - 1.25 <div style="text-align: right; margin-top: 10px;">  </div>
<u>192-VN5 KUROGAKI</u> <b>VN5 KUROGAKI 黑柿</b>	<u>192-VN5x KUROGAKI</u> <b>VN5x KUROGAKI 黑柿</b>	<u>192-N44 USHIKOROSHI</u> <b>N44 USHIKOROSHI 牛殺</b>	<u>192-VN35 USHIKOROSHI</u> <b>VN35 USHIKOROSHI 牛殺</b>
 Tip : NUDE Conical Knob color : Cartridge type : MM Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500 Tracking force : 0.75 - 1.25 <div style="text-align: right; margin-top: 10px;">  </div>	 Tip : NUDE Conical Knob color : Cartridge type : MM Cartridge number : V15/VxMR · VSTIII Tracking force : 0.75 - 1.25 <div style="text-align: right; margin-top: 10px;">  </div>	 Tip : NUDE Conical Knob color : TR/RED Cartridge type : MM Cartridge number : J44A 7,J44D,J50 IMPACT,M44G,M44-7 Tracking force : 1.5 - 3.0 <div style="text-align: right; margin-top: 10px;">  </div>	 Tip : NUDE Conical Knob color : TR/RED Cartridge type : MM Cartridge number : V15/III Tracking force : 0.75 - 1.25 <div style="text-align: right; margin-top: 10px;">  </div>
<u>192-VN45 USHIKOROSHI</u> <b>VN45 USHIKOROSHI 牛殺</b>	<u>192-VN5 USHIKOROSHI</u> <b>VN5 USHIKOROSHI 牛殺</b>	<u>192-VN5x USHIKOROSHI</u> <b>VN5x USHIKOROSHI 牛殺</b>	<u>192-N44 YURUSHI-IRO</u> <b>N44 YURUSHI-IRO 聽色</b>
 Tip : NUDE Conical Knob color : TR/RED Cartridge type : MM Cartridge number : V15/IV Tracking force : 0.75 - 1.25 <div style="text-align: right; margin-top: 10px;">  </div>	 Tip : NUDE Conical Knob color : TR/RED Cartridge type : MM Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500 Tracking force : 0.75 - 1.25 <div style="text-align: right; margin-top: 10px;">  </div>	 Tip : NUDE Conical Knob color : TR/RED Cartridge type : MM Cartridge number : V15/VxMR · VSTIII Tracking force : 0.75 - 1.25 <div style="text-align: right; margin-top: 10px;">  </div>	 Tip : NUDE Conical Knob color : PINK Cartridge type : MM Cartridge number : J44A 7,J44D,J50 IMPACT,M44G,M44-7 Tracking force : 0.75 - 1.25 <div style="text-align: right; margin-top: 10px;">  </div>
<u>192-VN35 YURUSHI-IRO</u> <b>VN35 YURUSHI-IRO 聽色</b>	<u>192-VN45 YURUSHI-IRO</u> <b>VN45 YURUSHI-IRO 聽色</b>	<u>192-VN5 YURUSHI-IRO</u> <b>VN5 YURUSHI-IRO 聽色</b>	<u>192-VN5x YURUSHI-IRO</u> <b>VN5x YURUSHI-IRO 聽色</b>
 Tip : NUDE Conical Knob color : PINK Cartridge type : MM Cartridge number : V15/III Tracking force : 0.75 - 1.25 <div style="text-align: right; margin-top: 10px;">  </div>	 Tip : NUDE Conical Knob color : PINK Cartridge type : MM Cartridge number : V15/IV Tracking force : 0.75 - 1.25 <div style="text-align: right; margin-top: 10px;">  </div>	 Tip : NUDE Conical Knob color : PINK Cartridge type : MM Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500 Tracking force : 0.75 - 1.25 <div style="text-align: right; margin-top: 10px;">  </div>	 Tip : NUDE Conical Knob color : PINK Cartridge type : MM Cartridge number : V15/VxMR · VSTIII Tracking force : 0.75 - 1.25 <div style="text-align: right; margin-top: 10px;">  </div>

**SONY**

	<u>39-14</u> <b>ND-14G</b>  Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : VL-14G(II) Tracking force : 1.0 - 1.5	<u>39-15</u> <b>ND-15G</b>  Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : VL-15G, XL-15 Tracking force : 1.0 - 1.5	<u>39-15</u> <b>ND-15G</b>  Tip : SAS/S Knob color : YEL Cartridge type : MM Cartridge number : VL-15G, XL-15 Tracking force : 1.0 - 1.5
<u>39-15</u> <b>ND-15G</b>  Tip : NUDE Conical Knob color : RED Cartridge type : MM Cartridge number : VL-15G, XL-15 Tracking force : 1.2 - 2.5	<u>39-30E</u> <b>ND-15GE</b>  Tip : NUDE Elliptical Knob color : RED Cartridge type : MM Cartridge number : VL-15G, XL-15 Tracking force : 1.2 - 2.5	<u>39-25E</u> <b>ND-25E</b>  Tip : NUDE Elliptica. Knob color : GRAY Cartridge type : MM Cartridge number : XL-25(A) Tracking force : 1.0 - 1.5	<u>39-30E</u> <b>ND-30E</b>  Tip : SAS/B Knob color : LT/BLU Cartridge type : MM Cartridge number : XL-30 Tracking force : 1.0 - 1.5
<u>39-35E</u> <b>ND-35E</b>  Tip : SAS/B Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-35(E) Tracking force : 1.0 - 1.5	<u>39-45X</u> <b>ND-45E</b>  Tip : SAS/B Knob color : TR/RED Cartridge type : MM Cartridge number : XL-45(E) Tracking force : 1.0 - 1.5	<u>39-45X</u> <b>ND-45X</b>  Tip : SAS/B Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-45 Tracking force : 1.0 - 1.5	<u>39-45X</u> <b>ND-45X</b>  Tip : SAS/S Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-45 Tracking force : 1.0 - 1.5
<u>39-45X/II E</u> <b>ND-45X/II</b>  Tip : SAS/B Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-45/II Tracking force : 1.0 - 1.5	<u>39-45X/II E</u> <b>ND-45X/II</b>  Tip : SAS/S Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-45/II Tracking force : 1.0 - 1.5	<u>39-50X(E)</u> <b>ND-50X</b>  Tip : SAS/B Knob color : TR/ORG Cartridge type : MM Cartridge number : XL-50 Tracking force : 1.0 - 1.5	<u>39-50X(E)</u> <b>ND-50X</b>  Tip : SAS/S Knob color : TR/RED Cartridge type : MM Cartridge number : XL-50 Tracking force : 1.0 - 1.5
<u>39-70X</u> <b>ND-70G</b>  Tip : SAS/B Knob color : TR/RED Cartridge type : MM Cartridge number : XL-70 Tracking force : 1.0 - 1.5	<u>39-108G</u> <b>ND-108G</b>  Tip : SAS/B Knob color : REF Cartridge type : MM Cartridge number : VX108, VX13P Tracking force : 1.0 - 1.5	<u>39-142a</u> <b>ND-124P</b>  Tip : SAS/B Knob color : ORG Cartridge type : MM Cartridge number : NS-12 Tracking force : 1.0 - 1.5	<u>39-142a</u> <b>ND-142G</b>  Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : VL-42G Tracking force : 2.5 - 3.5
<u>39-150</u> <b>ND-150G</b>  Tip : SAS/B Knob color : TR/RED Cartridge type : VM Cartridge number : XL-150G Tracking force : 1.0 - 1.5	<u>39-250E</u> <b>ND-250E</b>  Tip : NUDE Conical Knob color : YEL Cartridge type : VN Cartridge number : VL-55G, PSV-800 Tracking force : 2.5 - 3.5	<u>39-250E</u> <b>ND-250E</b>  Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : XL-20, SXL20G Tracking force : 2.0 - 3.0	<u>39-250E</u> <b>CN-250E</b>  Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : XL-20, SXL20G Tracking force : 2.0 - 3.0

39-234

**CN-234**

Tip : NUDE Conical  
 Knob color : RED  
 Cartridge type : MM  
 Cartridge number :  
 Tracking force : 2.0 - 3.0

NUDE

39-251

**CN-251**

Tip : NUDE Conical  
 Knob color : RED  
 Cartridge type : MM  
 Cartridge number :  
 Tracking force : 2.0 - 3.0

NUDE

# Stanton

243-51AL/DJ

**D5107AL/DJ**

DJ

NUDE

Tip : NUDE Conical  
 Knob color : WHT  
 Cartridge type : MM  
 Cartridge number : 500ML  
 Tracking force : 3.0 - 7.0

243-68/DJ

**D6800SL/DJ**

DJ

NUDE

Tip : NUDE Conical  
 Knob color : WHT  
 Cartridge type : MM  
 Cartridge number : 681EL  
 Tracking force : 4.0

243-68EEE

**D6800EEE**

NUDE

Tip : NUDE Elliptical  
 Knob color : BLK  
 Cartridge type : IM  
 Cartridge number : 681EEE  
 Tracking force : 0.75 - 1.5

# TOSHIBA

Aurex

37-210

**N-210C**

SAS/B

Tip : SAS/B  
 Knob color : RED  
 Cartridge type : MM  
 Cartridge number : C-210M.C-230M  
 Tracking force : 1.0 - 1.5

37-250

**N-250C**

SAS/B

Tip : SAS/B  
 Knob color : TR.BLK  
 Cartridge type : MM  
 Cartridge number : C-250M  
 Tracking force : 1.0 - 1.5

Victor  
 JVC

	<b>30-Z1</b> <b>DT-Z1</b>		<b>30-Z1</b> <b>DT-Z1</b>		<b>30-Z1E</b> <b>DT-Z1E</b>		
	Tip : SAS/B Knob color : CLEAR Cartridge type : MM Cartridge number : Z1, Z1D Tracking force : 1.0 - 1.5	SAS/B	Tip : SAS/S Knob color : TR/ORG Cartridge type : MM Cartridge number : Z1,Z1D Tracking force : 1.0 - 1.5	SAS/S	Tip : SAS/B Knob color : TR/ORG Cartridge type : MM Cartridge number : MD-1025RBZ Tracking force : 1.0 - 1.5	SAS/B	
<b>30-Z1E</b> <b>DT-Z1E</b>		<b>30-Z1E</b> <b>DT-Z1E</b>		<b>30-Z1EB</b> <b>DT-Z1EB</b>		<b>30-Z1EB</b> <b>DT-Z1EB</b>	
Tip : SAS/S Knob color : TR/ORG Cartridge type : MM Cartridge number : MD-1025RBZ Tracking force : 1.0 - 1.5	SAS/S	Tip : NUDE Elliptical Knob color : TR/ORG Cartridge type : MM Cartridge number : MD-1025REZ Tracking force : 1.0 - 1.5	NUDE	Tip : SAS/B Knob color : TR/GREEN Cartridge type : MM Cartridge number : MD-1025EB(Z) Tracking force : 1.0 - 1.5	SAS/B	Tip : NUDE Elliptical Knob color : TR/GREEN Cartridge type : MM Cartridge number : MD-1025EB(Z) Tracking force : 1.0 - 1.5	NUDE
<b>30-Z1S</b> <b>DT-Z1S</b>		<b>30-Z1S</b> <b>DT-Z1S</b>		<b>30-Z1S</b> <b>DT-Z1S</b>		<b>30-Z1S(E)</b> <b>DT-Z1SE</b>	
Tip : SAS/B Knob color : GRY Cartridge type : MM Cartridge number : MD-1025 Tracking force : 1.0 - 1.5	SAS/B	Tip : SAS/S Knob color : GRY Cartridge type : MM Cartridge number : MD-1025 Tracking force : 1.0 - 1.5	SAS/S	Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : MD-1025 Tracking force : 1.0 - 1.5	NUDE	Tip : NUDE Elliptical Knob color : GRY Cartridge type : MM Cartridge number : MD-1025 Tracking force : 1.0 - 1.5	NUDE
<b>30-Z1SR</b> <b>DT-Z1SR</b>		<b>30-Z3E</b> <b>DT-Z3E</b>		<b>30-X1E/2</b> <b>DT-X1E/II</b>		<b>30-33G</b> <b>DT-33G</b>	
Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : Z1SR Tracking force : 1.0 - 1.5	SAS/B	Tip : SAS/B Knob color : TR/RED Cartridge type : MM Cartridge number : Z3E Tracking force : 1.0 - 1.5	SAS/B	Tip : NUDE Elliptical Knob color : TR/ORG Cartridge type : MM Cartridge number : X1/II、X1/D Tracking force : 1.3 - 1.7	NUDE	Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : MD-1016 Tracking force : 1.5 - 2.0	NUDE
<b>30-33H</b> <b>DT-33H</b>		<b>30-33H</b> <b>DT-33H(E)</b>		<b>30-33S</b> <b>DT-33S</b>		<b>30-33S</b> <b>DT-33S(E)</b>	
Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : MD-1016 Tracking force : 1.5 - 2.0	NUDE	Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : MD-1016 Tracking force : 1.5 - 2.0	NUDE	Tip : NUDE Conical Knob color : GRN Cartridge type : MM Cartridge number : MD-1016 Tracking force : 1.5 - 2.0	NUDE	Tip : NUDE Elliptical Knob color : GRN Cartridge type : MM Cartridge number : MD-1016 Tracking force : 1.5 - 2.0	NUDE
<b>30-59a</b> <b>DT-59</b>		<b>30-60a</b> <b>DT-60</b>					
Tip : NUDE Conical Knob color : GRN Cartridge type : VM Cartridge number : MD-1059 Tracking force : 2.5	NUDE	Tip : NUDE Conical Knob color : ORG Cartridge type : VM Cartridge number : Tracking force : 3.5	NUDE				


**ACCESSORIES**

	<b>CSS-J600</b> <b>STYLUS CACE</b>  <p>Store up to six Styli</p>	<b>CSS-J600W</b> <b>STYLUS CACE TWO-PIECE</b>  <p>Store up to six Styli. Two Pieces</p>	<b>CSS-JCC</b> <b>CARTRIDGE CASE</b>  <p>Cartridge Case CSS-JCC Dimensions: W117mm x L117mm x H50mm</p>
<b>CSS-JHSB</b> <b>HEADSHELL BLACK</b>  <p>[Package consists] Leadwire Screws (x2)Φ2.5mm ×16mm Washers (x2) Nuts (x2)  Headshell : Black CSS-JHSB Weight : 8.7g(Include Leadwires)</p>	<b>CSS-JHSB</b> <b>HEADSHELL SILVER</b>  <p>[Package consists] Leadwire Screws (x2)Φ2.5mm ×16mm Washers (x2) Nuts (x2)  Headshell : Silver CSS-JHSS Weight : 8.7g(Include Leadwires)</p>	<b>CSS-JHSME-B</b> <b>HEADSHELL SME BLACK</b>  <p>[Package consists] Leadwire Screws (x2)Φ2.5mm ×14mm Washers (x2) Nuts (x2)  Headshell : SME Black CSS-JHSME-B Weight : 7.3g(Include Leadwires)</p>	<b>CSS-JHSME-S</b> <b>HEADSHELL SME SILVER</b>  <p>[Package consists] Leadwire Screws (x2)Φ2.5mm ×14mm Washers (x2) Nuts (x2)  Headshell : SME Silver CSS-JHSME-S Weight : 7.3g(Include Leadwires)</p>
<b>CSS-JHSLW</b> <b>LOGO HEADSHELL WHT</b>  <p>[Package consists] Leadwire Screws: x2 13mm, x2 16mm Washers (x2) Nuts (x2)  Headshell : LOGO HEADSHELL WHT Weight : 7.5g(Include Leadwires)</p>	<b>CSS-JHSLB</b> <b>LOGO HEADSHELL BLU</b>  <p>[Package consists] Leadwire Screws: x2 13mm, x2 16mm Washers (x2) Nuts (x2)  Headshell : LOGO HEADSHELL BLU Weight : 7.5g(Include Leadwires)</p>	<b>CSS-JHSSB</b> <b>SKATEBOARD HEADSHELL</b>  <p>[Package consists] Leadwire Screws: x2 13mm, x2 16mm Washers (x2) Nuts (x2)  Headshell : SKATEBOARD HEADSHELL Weight : 9.2g(Include Leadwires)</p>	
<b>CSS-JLWW</b> <b>LEAD WIRES WHT</b>  <p>Color : White ※ Designed only for use with JICO original Headshells</p>	<b>CSS-JLWR</b> <b>LEAD WIRES RED</b>  <p>Color : Red ※ Designed only for use with JICO original Headshells</p>	<b>CSS-JLWC</b> <b>LEAD WIRES CLR</b>  <p>Color : Clear ※ Designed only for use with JICO original Headshells</p>	
<b>JICO APPAREL</b> <b>JICO ORIGINAL LOGO T-SHIRT A</b>  <p>Color : Black Size : M / L / XL / XXL</p>	<b>JICO APPAREL</b> <b>JICO ORIGINAL LOGO T-SHIRT B</b> <small>*Back Print</small>  <p>Color : Black Size : M / L / XL / XXL</p>	<b>JICO APPAREL</b> <b>JICO ORIGINAL STYLUS SELECT T-SHIRT A</b>  <p>Color : Black / White Size : M / L / XL / XXL</p>	<b>JICO APPAREL</b> <b>JICO ORIGINAL STYLUS SELECT T-SHIRT B</b>  <p>Color : Black / White Size : M / L / XL / XXL</p>
<b>JICO APPAREL</b> <b>JICO ORIGINAL IMPACT T-SHIRT</b>  <p>Color : Black / White Size : M / L / XL / XXL</p>	<b>JICO APPAREL</b> <b>JICO ORIGINAL J44A 7 T-SHIRT</b>  <p>Color : Black / White Size : M / L / XL / XXL</p>	<b>JICO APPAREL</b> <b>JICO SNAPBACK CAP</b>  <p>Color : GOLD ON BLACK / BLACK ON BLACK Size : One size</p>	<b>JICO APPAREL</b> <b>JICO BASEBALL CAP</b>  <p>Color : GOLD ON BLACK / BLACK ON BLACK Size : One size</p>

"Notice: Apparel is exclusively available for online sales; however, wholesale orders of 100 QTY or more are accepted.

# JICO

**JICO**

✉ stylus@export-japan.com 🌐 <https://www.jico-stylus.com>  
2024.Sep.