

---

# STYLUS CATALOG

---



**CUSTOM SHOP**  
PRODUCTS by JICO



**C-REVO**  
by JICO

# Super Analog Stylus Series JICO's Original High Quality and Long Life Model




SAS (Super Analog Stylus) is our original record stylus which has a special shaped tip that achieves linear contact while also reducing friction between the sound groove and needle tip at the same time. The impressive result is an excellent reproduction of the treble and bass from an analog record, as well as a longer playing time of approximately 500 hours.




Analog record production requires a master disc that is cut on a dedicated lathe. The SAS stylus tips are laser cut to resemble the needle tip used on a cutting lathe. This enables the SAS tip to reach the deepest sections of a record's sound groove and collect sounds that standard needles cannot. Because the sound groove's contact area is big, an accurate sound recording will be reproduced across a wide frequency range.

## SAS/B Boron Cantilever



There are many customers who believe that this model is well suited to use for articulating delicate sounds like those present in classical music. An aluminum cantilever is unable to reproduce the original sound groove information as accurately and faithfully as the SAS Boron. The average playing time for this model is about 500 hours.

## SAS/S Sapphire Cantilever



This model has high degree of rigidity which improves the reproducibility of sound recorded from an analog record. This concept has been characterized by many customers as greatly improving the perception of the sounds and vocals on a record. Compared to the Boron version (SAS/B), the impression of the Sapphire Cantilever is closer to high-resolution sound. The typical playing time for this

## MORITA ~Wood Carving Cantilever~ Cantilever crafted from wood

"I wanted to hear what a record needle with a wooden cantilever sounded like."

The words of Kotaro Morita, a quiet record needle maker that inspired this invention.

Morita has worked with JICO for over half a century and has always prioritized "Monozukuri<sup>\*1</sup>" We've chosen to introduce a product named after him in order to preserve his spirit, abilities, and accomplishments for future generations.

\*1 Monozukuri is the Japanese philosophy of craftsmanship, where skilled artisans create objects with precision, patience, and respect for tradition. It values mastery of techniques, simplicity, aesthetics, and a connection to both the past and future, resulting in handcrafted, beautiful, and functional pieces.

### KUROGAKI

#### Cantilever made from Black Persimmon Wood



Japanese Black Persimmon wood is used to make the cantilever, which is very rare and valuable. The conical tip used for this stylus has an average play time of roughly 200 hours.

### USHIKOROSHI


#### Cantilever made from Christmas Berry Wood



This product has an appealing mid-bass sound that is tense and powerful, making it suitable for music with a lot of intensity. The conical tip used for this stylus has an average play time of roughly 200 hours.

### YURUSHI-IRO


#### Cantilever made from Pink Ivory Wood



Each individual sound is very delicate, with excellent clarity in the high tones, and it is characterized by a beautiful and transparent overall sound. The conical tip used for this stylus has an average play time of roughly 200 hours.

# NUDE Stylus Series

Stylus tip is structured entirely from Diamond



In contrast to bonded tips, NUDE (solid) tips are entirely made of diamond. Its angle and round shape are similar to a bonded tip, but its diameter is equal in size to that of the SAS series.

\* Models featuring the word "NUDE" in the product name are those with Solid Diamond Tips.

## ► NUDE Conical Stylus Universal Model for Comprehensive Sound Reproduction



Stylus tip with standard conical shape (tip R0.7mil).  
The average playing time is about 200 hours.  
bass from an analog record, as well as a longer playing time of approximately 500 hours.


## ► NUDE Elliptical Stylus Model Featuring Extended High-Frequency Treble



Compared to the NUDE Conical Stylus, this needle tip has an Elliptical-shaped cross section when being made. This is to increase and enhance the treble range's extension.  
The average playing time is about 150 hours.  
bass from an analog record, as well as a longer playing time of approximately 500 hours extension.

# SD Stylus Series

Synthetic Unplated Diamond Tip




Synthetic Diamonds refer to diamonds that are artificially created and possess the same chemical composition, crystal structure, as well as optical and physical properties as natural diamonds.

In contrast to Natural Diamonds (ND), which are formed naturally and can vary in hardness from one individual to another, synthetic diamonds are referred to as Synthetic Diamonds (SD) because they offer the advantage of consistent hardness.

	Point contact stylus		Line contact stylus
	Conical stylus 0.7mil	Elliptical stylus 0.3mil x 0.7mil	SAS stylus
Front View			
Cross-sectional view			
Contact with records			
Contact surface	23.4 μm <sup>2</sup>	20.6 μm <sup>2</sup>	62.1 μm <sup>2</sup>
L1 / L2	1	1.8	9

The greater the difference between the cutting of the sound groove of a record and the shape of the stylus tip, distortion does not occur even with high-amplitude playback.



## DJ Series

Model dedicated for DJ performance



To avoid the stylus from skipping or jumping during scratching on a turntable, the needle pressure for the "DJ SERIES" is calibrated at a higher tracking force than that of genuine stylus. A luminous - glow in the dark type (AURORA) version is also available, which looks fantastic when DJing in a club.

In addition, the N44 series products have a cantilever that is designed to be similar to SHURE's genuine product.

- 1.The cantilever round form
- 2.The height from the record surface to the base of the cantilever

## Cartridge

The cartridge is compatible with both genuine SHURE N44 models and JICO replacement styli.

### J44

Compatible with SHURE N44 styli

#### J44D



Produces a well-balanced, solid sound with a broad, smooth tone and a 3D-like audio effect. The specifications are similar to the genuine SHURE M44G cartridge.

#### J44A 7



Delivers a lively sound with vigorous dynamics. Reproduces powerful basslines while maintaining a well-balanced sound. Comparable in specifications to the genuine SHURE M44-7 cartridge.

### J50

The "J50" MM cartridge for Listening/Play Back



Designed for audiophiles and record-listening enthusiasts, this MM Cartridge offers higher output compared to the "J44D" and "J44A 7" models. The calm, transparent brown body comes with various kits, each featuring 1 to 3 different styli, allowing you to fully experience the diverse sound profiles of the JICO CUSTOM SHOP collection. Available styli for the J50 include the "N-44-7 IMP NUDE" and the MORITA Wood Cantilever models—N44 KUROGAKI and N44 USHIKOROSHI

## IMPACT

DJ Use and Performance




The IMPACT cartridge crafted for DJ use features a clear red transparent body and utilizes the JICO N-44-7 DJ IMP NUDE and/or SD Conical Stylus tips, delivering a powerful "PUNCH" to the low end of the sound reproduced from a record groove. An OMNIA pre-assembled complete set is also available, which includes JICO Black or Silver Headshells.

# SETO-HORI REMODEL

Traditional Japanese craftsmanship and Cutting-edge engineering with MC cartridge



Released in 2019 the SETO-HORI, received widespread global recognition. The new name for this continued legendary product will be the “SETO-HORI REMODEL,” which emphasizes integration of the cartridge with the headshell for a true precise sound.



The headshell and cartridge's center of gravity, which are machined from aluminum and copper alloy ingots, are positioned directly on the tonearm's centerline for maximum sensitivity when tracing a record. Additionally, the screw-free integrated body allows for a lower degree of coarse resonance.

SETO-HORI REMODEL is a unique technological fused balance of Traditional Japanese craftsmanship and Cutting-edge engineering.

## ARTIST SERIES

### BASIE MODEL

Jazz cafe “BASIE” supervised by Shoji “Swifty” Sugawara BASIE

JAZZ KISSA (CAFE) BASIE is the most popular Jazz cafe in Japan.

We have developed a “BASIE” model with Shoji Sugawara the owner of Jazz cafe BASIE

► VN35EBN



Jazz cafe “BASIE” operated by Shoji “Swifty” Sugawara BASIE, is a long-established Jazz cafe located in Ichinoseki City, Iwate Prefecture, a famous place visited by many music enthusiasts and celebrities. Mr. Shoji Sugawara has been the owner of the cafe for 50 years, and after a long period of development, trial and error, we have finally achieved the precise sound that he has been pursuing.

### ALFA MODEL

ALFA Music 55th Anniversary Collaboration

► ALFA MODEL55 / OMNIA



“Sure to Capture Your Heart with Sound”

A High-Grade model featuring natural, uncut diamonds. Crafted to faithfully reproduce each sound with clarity compared to standard models. Limited to 550 units. Every cartridge and stylus are individually assigned a serial number.

► ALFA MODEL / OMNIA



“The Sound of Artist-Centricity”

An entry-level model featuring Synthetic uncut diamonds. Crafted to recreate the sound of music released by ALFA Music at the time.

---

# C O N T E N T S

---

◆ ADC	.....	P07
◆ AIWA	.....	P07
◆ AUDIO EMPIRE	.....	P07
◆ COLUMBIA (DENON)	.....	P08
◆ C.E.C	.....	P09
◆ ELAC	.....	P09
◆ Hitachi	.....	P09
◆ JICO	.....	P10
◆ KENWOOD (TRIO)	.....	P10
◆ MICRO	.....	P10
◆ Mitsubishi / DIATONE	.....	P10
◆ National (Technics)	.....	P11 ~ P12
◆ ortofon	.....	P13
◆ PICKERING	.....	P13
◆ PHILIPS	.....	P14
◆ Pioneer	.....	P15~ P16
◆ SANSUI	.....	P17
◆ SHARP (Optonica)	.....	P17
◆ SHURE	.....	P18~ P27
◆ SONY	.....	P28~ P29
◆ Stanton	.....	P29
◆ Toshiba	.....	P29
◆ Victor	.....	P30
◆ JICO Accessories	.....	P31

---

## Product and Other Notices

- Due to photography and printing processes, the actual colors of the product may differ slightly from those shown in the catalog.

- The company names and other names listed in the catalog are trademarks or registered trademarks of their respective companies.

- The contents of this catalog are as of September 2024, and specifications, appearance, and prices (including handling) may change without notice. Thank you for your understanding in advance.

**ADC**

240-RSXC(E)

**RSX  
IMPROVED**



Tip : NUDE Elliptical  
Knob color : BLK  
Cartridge type : IM  
Cartridge number : XLM/III IMPROVED  
Tracking force : 0.75 - 1.5

NUDE

**AIWA**

20-6

**AN-6**



Tip : SAS/B  
Knob color : TR/GRN  
Cartridge type : MM  
Cartridge number :  
Tracking force : 1.0 - 1.5

SAS/B

20-11a

**AN-11**



Tip : NUDE Conical  
Knob color : YEL  
Cartridge type : VM  
Cartridge number :  
Tracking force : 3.5

NUDE

20-43

**AN-8743**



Tip : SAS/B  
Knob color : ORG  
Cartridge type : MM  
Cartridge number :  
Tracking force : 1.0 - 1.5

SAS/B

**AUDIO  
EMPIRE**

241-01E

**S-1000ZEX**



Tip : NUDE Elliptical  
Knob color : BLK  
Cartridge type : IM  
Cartridge number : 1000ZEX  
Tracking force : 0.5 - 1.5

NUDE

241-02E/III

**S-2000E/III**



Tip : NUDE Elliptical  
Knob color : CLR  
Cartridge type : IM  
Cartridge number : 2000E/III  
Tracking force : 0.75 - 1.5

NUDE



35-37  
**DSN-37**



Tip : NUDE Conical  
Knob color : TR/BRN  
Cartridge type : MM  
Cartridge number : DL-8  
Tracking force : 1.7 - 2.3

NUDE

35-37  
**DSN-37**



Tip : NUDE Elliptical  
Knob color : TR/BRN  
Cartridge type : MM  
Cartridge number : DL-8  
Tracking force : 1.7 - 2.3

NUDE

35-40E  
**DSN-40**



Tip : SAS/B  
Knob color : WHT  
Cartridge type : MM  
Cartridge number : DL-108D  
Tracking force : 1.0 - 1.5

SAS/B

35-40E  
**DSN-40**



Tip : NUDE Elliptical  
Knob color : WHT  
Cartridge type : MM  
Cartridge number : DL-108D  
Tracking force : 1.0 - 1.5

NUDE

35-42  
**DSN-42**



Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : DL-8A  
Tracking force : 1.0 - 1.5

SAS/B

35-42E  
**DSN-42**



Tip : SAS/S  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : DL-8A  
Tracking force : 1.0 - 1.5

SAS/S

35-42E  
**DSN-42**



Tip : NUDE Conical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : DL-8A  
Tracking force : 1.7-2.3

NUDE

35-42E  
**DSN-42**



Tip : NUDE Elliptical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : DL-8A  
Tracking force : 1.7-2.3

NUDE

35-48  
**DSN-48**



Tip : SAS/B  
Knob color : ORG  
Cartridge type : MM  
Cartridge number : JM22  
Tracking force : 1.0 - 1.5

SAS/B

35-60E  
**DSN-60**



Tip : SAS/S  
Knob color : WHT  
Cartridge type : MM  
Cartridge number : DL-60  
Tracking force : 1.0 - 1.5

SAS/S

35-60E  
**DSN-60**



Tip : SAS/B  
Knob color : WHT  
Cartridge type : MM  
Cartridge number : DL-60  
Tracking force : 1.0 - 1.5

SAS/B

35-60E  
**DSN-60**



Tip : NUDE Elliptical  
Knob color : WHT  
Cartridge type : MM  
Cartridge number : DL-60  
Tracking force : 1.0 - 1.5

NUDE

35-65E  
**DSN-65**



Tip : SAS/B  
Knob color : RED  
Cartridge type : MM  
Cartridge number : DL-65  
Tracking force : 1.0 - 1.5

SAS/B

35-65E  
**DSN-65E**



Tip : SAS/S  
Knob color : YEL  
Cartridge type : MM  
Cartridge number : DL-65  
Tracking force : 1.0 - 1.5

SAS/S

35-65E  
**DSN-65E**



Tip : NUDE Elliptical  
Knob color : YEL  
Cartridge type : MM  
Cartridge number : DL-65  
Tracking force : 1.5 - 2.1

NUDE

35-84a  
**DSN-84**



Tip : NUDE Conical  
Knob color : YEL  
Cartridge type : VM  
Cartridge number :  
Tracking force : 3.0

NUDE



C.E.C

59-7  
**MC-7**



Tip : SAS/B  
Knob color : GRY  
Cartridge type : MM  
Cartridge number : MC7  
Tracking force : 1.0 - 1.5

SAS/B

ELAC

131-155  
**D-155-17**



Tip : NUDE Conical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : STS-155-17  
Tracking force : 1.5 - 3.0

NUDE

131-793  
**DN-793**



Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : ESG793  
Tracking force : 1.0 - 1.5

SAS/B

131-793  
**DN-793**



Tip : NUDE Conical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : ESG793  
Tracking force : 1.0 - 1.5

NUDE

HITACHI  
Lo-D

52-23  
**DS-ST23**



Tip : NUDE Conical  
Knob color : RED  
Cartridge type : MM  
Cartridge number : MT-23  
Tracking force : 2.0

NUDE

52-24  
**DS-ST24**



Tip : NUDE Conical  
Knob color : TR/ORG  
Cartridge type : MM  
Cartridge number : MT-24  
Tracking force : 2.0

NUDE

**JICO**

MC-Cartridge  
**SETO-HORI  
REMODEL**



Tip : Micro Ridge  
Knob color : Silver  
Cartridge type : MC  
Cartridge number :  
Tracking force : 1.8 - 2.2

Stylus1  
**Stylus1**



Tip : SAS/S  
Knob color : BLK  
Cartridge type : MM  
Cartridge number :  
Tracking force : 1.0 - 1.5

SAS/S

Stylus1  
**Stylus1**



Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number :  
Tracking force : 1.0 - 1.5

SAS/B

MM-Cartridge  
**Clipper**




Tip : NUDE Conical  
Knob color : Black  
Cartridge type : MM  
Cartridge number :  
Tracking force : 1.8 - 2.2

CRCP/MK1  
**Clipper Stylus**



Tip : NUDE Conical  
Knob color : Black  
Cartridge type : MM  
Cartridge number : **Clipper**  
Tracking force : 1.8 - 2.2

MM-Cartridge  
**Clipper-S**



Tip : NUDE Conical  
Knob color : Black  
Cartridge type : MM  
Cartridge number :  
Tracking force : 1.8 - 2.2

**KENWOOD**  
TRIO

55-31  
**N-31**



Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : N-31, T-31  
Tracking force : 1.0 - 1.5

SAS/B

55-34  
**N-34**



Tip : SAS/B  
Knob color : TR/BLU  
Cartridge type : MM  
Cartridge number : V-34  
Tracking force : 1.0 - 1.5

SAS/B

55-43  
**N-43**



Tip : SAS/B  
Knob color : ORG  
Cartridge type : MM  
Cartridge number : V-43  
Tracking force : 1.0 - 1.5

SAS/B

55-49  
**N-49**



Tip : SAS/B  
Knob color : ORG  
Cartridge type : MM  
Cartridge number : V-49  
Tracking force : 1.0 - 1.5

SAS/B

55-44  
**N-44**



Tip : SAS/B  
Knob color : BLU  
Cartridge type : MM  
Cartridge number : V-44  
Tracking force : 1.0 - 1.5

SAS/B

55-39  
**N-39**



Tip : SAS/B  
Knob color : ORG  
Cartridge type : MM  
Cartridge number : V-39  
Tracking force : 1.0 - 1.5

SAS/B

55-69  
**N-69**



Tip : NUDE Conical  
Knob color : RED  
Cartridge type : MM  
Cartridge number :  
Tracking force : 1.5 - 2.0

NUDE

**MICRO**  
MITSUBISHI  
DIATONE

65-P1  
**V-P1**



Tip : NUDE Conical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : PLUS-1  
Tracking force : 2.0

NUDE


















51-44  
**3D-44M**



Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : **MAG-44**  
Tracking force : 1.0 - 1.5

SAS/B



<b>National</b> Technics	<b>36-P23E</b> <b>EPS-23ES</b>  <p>Tip : SAS/B Knob color : TR/BLU Cartridge type : MM Cartridge number : EPC-P23 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<b>36-P23E</b> <b>EPS-23ES</b>  <p>Tip : SAS/S Knob color : TR/BLU Cartridge type : MM Cartridge number : EPC-P23 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<b>36-P23</b> <b>EPS-23CS</b>  <p>Tip : NUDE Conical Knob color : TR/BLU Cartridge type : MM Cartridge number : EPC-P23 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>
	<b>36-U24/36-U24E</b> <b>EPS-24CS,24ES</b>  <p>Tip : SAS/B Knob color : TR/ORG Cartridge type : MM Cartridge number : EPC-P24 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<b>36-U24/36-U24E</b> <b>EPS-24CS,24ES</b>  <p>Tip : SAS/S Knob color : TR/ORG Cartridge type : MM Cartridge number : EPC-P24 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<b>36-U24/36-U24E</b> <b>EPS-24CS,24ES</b>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : EPC-P24 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>
	<b>36-U25</b> <b>EPS-25CS</b>  <p>Tip : SAS/B Knob color : TR/BRN Cartridge type : MM Cartridge number : EPC-P25, H25 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<b>36-U25</b> <b>EPS-25CS</b>  <p>Tip : SAS/S Knob color : TR/BRN Cartridge type : MM Cartridge number : EPC-P25, H25 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<b>36-U25</b> <b>EPS-25ES</b>  <p>Tip : NUDE Elliptical Knob color : TR/BRN Cartridge type : MM Cartridge number : EPC-P25, H25 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>
	<b>36-P30</b> <b>EPS-30ES</b>  <p>Tip : SAS/B Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<b>36-P30</b> <b>EPS-30CS</b>  <p>Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.0</p> <p>NUDE</p>	<b>36-P30</b> <b>EPS-30CS</b>  <p>Tip : NUDE Elliptical Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.0</p> <p>NUDE</p>
	<b>36-P33</b> <b>EPS-33CS</b>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : EPC-P33, EPC-P33S Tracking force : 1.0</p> <p>NUDE</p>		
<b>36-P34</b> <b>EPS-34CS</b>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : VM Cartridge number : Tracking force : 1.3</p> <p>NUDE</p>	<b>36-46</b> <b>EPS-46STSD</b>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : P Cartridge number : EPC-451C, EPC-460C Tracking force : 3.0 - 4.0</p> <p>NUDE</p>	<b>36-52</b> <b>EPS-51CS</b>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : EPC-51CS Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<b>36-52</b> <b>EPS-52STDD</b>  <p>Tip : NUDE Conical Knob color : TR/ORG Cartridge type : MM Cartridge number : EPC-86MAD EPC-440C, EPC-441C Tracking force : 2.0 - 2.5</p> <p>NUDE</p>
<b>36-P55</b> <b>EPS-55CS</b>  <p>Tip : NUDE Conical Knob color : TR/GRN Cartridge type : MM Cartridge number : Tracking force : 2.5</p> <p>NUDE</p>	<b>36-202ED</b> <b>EPS-202ED</b>  <p>Tip : SAS/B Knob color : CLR Cartridge type : MM Cartridge number : EPC-P202C Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<b>36-202ED</b> <b>EPS-202ED</b>  <p>Tip : SAS/S Knob color : CLR Cartridge type : MM Cartridge number : EPC-P202C Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<b>36-202ED</b> <b>EPS-202ED</b>  <p>Tip : NUDE Elliptical Knob color : CLR Cartridge type : MM Cartridge number : EPC-P202C Tracking force : 1.0 - 1.5</p> <p>NUDE</p>

<p>36-205ED <b>EPS-205ED</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : EPC-205CIIS Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-205ED <b>EPS-205ED</b></p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : EPC-205CIIS Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>36-205EX <b>EPS-205EX</b></p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : EPC-205CIIX, EPC-205CIIL EPC-205CIH, EPC-205CMK3 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-205EX <b>EPS-205EX</b></p>  <p>Tip : SAS/S Knob color : YEL Cartridge type : MM Cartridge number : EPC-205CIIX, EPC-205CIIL EPC-205CIH, EPC-205CMK3 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>36-205EX <b>EPS-205EX</b></p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : EPC-205CIIX, EPC-205CIIL EPC-205CIH, EPC-205CMK3 Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>36-206C <b>EPS-206C</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : EPC-P206CK Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-206C <b>EPS-206C</b></p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : EPC-P206CK Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>36-207ED <b>EPS-207ED</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : EPC-207 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
<p>36-207ED <b>EPS-207ED</b></p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : EPC-207 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>36-207ED <b>EPS-207ED</b></p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : EPC-207 Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>36-270 <b>EPS-270ED</b></p>  <p>Tip : SAS/B Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270/ II Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-270 <b>EPS-270ED</b></p>  <p>Tip : SAS/S Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270/ II Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>36-270 <b>EPS-270SD</b></p>  <p>Tip : NUDE Conical Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270D, EPC-271D Tracking force : 1.5 - 2.0</p> <p>NUDE</p>	<p>36-270ED <b>EPS-270ED</b></p>  <p>Tip : NUDE Elliptical Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270/ II Tracking force : 1.5 - 2.0</p> <p>NUDE</p>		



ortofon

242-N15/II  
**N-15/II**



Tip : NUDE Conical  
Knob color : WHT  
Cartridge type : MM  
Cartridge number : F-15MKII, F150MKII  
Tracking force : 1.5

NUDE

242-N20E/II  
**N-20E/II**



Tip : NUDE Elliptical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : VMS-20E/ II  
Tracking force : 1.0

NUDE

242-N30E/II  
**N-30E/II**



Tip : NUDE Elliptical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : VMS-30E/ II  
Tracking force : 1.5-3.0

NUDE

242-20  
**STYLUS 20**



Tip : NUDE Elliptical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : CONCORDE20  
Tracking force : 1.25-1.8

NUDE

242-30  
**STYLUS 30**



Tip : NUDE Elliptical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : CONCORDE30  
Tracking force : 1.25-2.0

NUDE

PICKERING

174-15T/DJ  
**D1507DJ**



Tip : NUDE Conical  
Knob color : WHT  
Cartridge type : MM  
Cartridge number : V15/AT1  
Tracking force : 2.0 - 5.0

DJ

NUDE

174-D15/DJ  
**D150DJ**



Tip : NUDE Conical  
Knob color : WHT  
Cartridge type : IM  
Cartridge number : XV-15/150  
Tracking force : 2.0 - 4.0

DJ

NUDE

174-D62E  
**D625**



Tip : NUDE Elliptical  
Knob color : BLK  
Cartridge type : IM  
Cartridge number : XV-15/625E  
Tracking force : 0.75 - 1.5

NUDE

174-PD07C  
**PD-07C**



Tip : NUDE Conical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : NP/ACS  
Tracking force : 3.0 - 7.0

NUDE

174-PDE  
**PDE**



Tip : NUDE Elliptical  
Knob color : YEL  
Cartridge type : MM  
Cartridge number : P/ATE - ATE-1  
Tracking force : 0.75 - 3.0

NUDE

**PHILIPS**

173-400

**D-400**



Tip : SAS/B  
Knob color : GRY  
Cartridge type : MM  
Cartridge number : GP-400  
Tracking force : 1.5 - 3.0

SAS/B

173-400/II

**D-400/II**



Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : GP-400/II  
Tracking force : 1.5 - 3.0

SAS/S

173-400/III

**D-400/III**



Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : GP-400/III  
Tracking force : 1.5 - 3.0

SAS/B



53-10  
**PN-10(V)**



Tip : SAS/B  
Knob color : WHT  
Cartridge type : MM  
Cartridge number : PC-10  
Tracking force : 1.0 - 1.5

SAS/B

53-10  
**PN-10(V)**



Tip : NUDE Conical  
Knob color : WHT  
Cartridge type : MM  
Cartridge number : PC-10  
Tracking force : 1.0 - 1.5

NUDE

53-11  
**PN-11**



Tip : NUDE Conical  
Knob color : GRY  
Cartridge type : MM  
Cartridge number : PC-11  
Tracking force : 2.5 - 3.5

NUDE

53-11  
**PN-11E**



Tip : NUDE Elliptical  
Knob color : GRY  
Cartridge type : MM  
Cartridge number : PC-11  
Tracking force : 2.5 - 3.5

NUDE

53-12  
**PN-12**



Tip : SAS/B  
Knob color : RED  
Cartridge type : MM  
Cartridge number : PC-12  
Tracking force : 1.0 - 1.5

SAS/B

53-15  
**PN-15**



Tip : NUDE Conical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : PC-15  
Tracking force : 1.7 - 2.3

NUDE

53-110  
**PN-110**



Tip : SAS/B  
Knob color : BLU  
Cartridge type : MM  
Cartridge number : PC-110  
Tracking force : 1.0 - 1.5

SAS/B

53-110  
**PN-110**



Tip : NUDE Conical  
Knob color : BLU  
Cartridge type : MM  
Cartridge number : PC-110  
Tracking force : 1.8 - 2.5

NUDE

53-110  
**PN-110**



Tip : NUDE Elliptical  
Knob color : BLU  
Cartridge type : MM  
Cartridge number : PC-110  
Tracking force : 1.8 - 2.5

NUDE

53-110/II  
**PN-110/II**



Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : PC-110/II  
Tracking force : 1.0 - 1.5

SAS/B

53-110/II  
**PN-110/II**



Tip : NUDE Conical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : PC-110/II  
Tracking force : 1.5 - 2.5

NUDE

53-110/II  
**PN-110/II**



Tip : NUDE Elliptical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : PC-110/II  
Tracking force : 1.5 - 2.5

NUDE

53-150  
**PN-150**



Tip : SAS/B  
Knob color : YEL  
Cartridge type : MM  
Cartridge number : PC-150  
Tracking force : 1.0 - 1.5

SAS/B

53-150  
**PN-150**



Tip : NUDE Conical  
Knob color : YEL  
Cartridge type : MM  
Cartridge number : PC-150  
Tracking force : 1.7 - 2.5

NUDE

53-150  
**PN-150**



Tip : NUDE Elliptical  
Knob color : YEL  
Cartridge type : MM  
Cartridge number : PC-150  
Tracking force : 1.7 - 2.5

NUDE

53-200  
**PN-200**



Tip : SAS/B  
Knob color : GRN  
Cartridge type : MM  
Cartridge number : PC-200, PXT-958  
Tracking force : 1.0 - 1.5

SAS/B

53-200  
**PN-200**



Tip : NUDE Conical  
Knob color : GRN  
Cartridge type : MM  
Cartridge number : PC-200, PXT-958  
Tracking force : 1.7 - 2.3

NUDE

53-210a  
**PN-210**



Tip : NUDE Conical  
Knob color : YEL  
Cartridge type : VM  
Cartridge number : PXV-1003  
Tracking force : 2.5

NUDE

53-301  
**PN-301**



Tip : NUDE Elliptical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : PXV-963  
Tracking force : 1.25

NUDE

53-330  
**PN-330**



Tip : SAS/B  
Knob color : DK/GRN  
Cartridge type : MM  
Cartridge number : PC-330  
Tracking force : 1.0 - 1.5

SAS/B

53-330  
**PN-330**



Tip : SAS/S  
Knob color : DK/GRN  
Cartridge type : MM  
Cartridge number : PC-330  
Tracking force : 1.0 - 1.5

SAS/S

53-330  
**PN-330**



Tip : NUDE Conical  
Knob color : DK/GRN  
Cartridge type : MM  
Cartridge number : PC-330  
Tracking force : 1.4 - 2.0

NUDE

53-330  
**PN-330E**



Tip : NUDE Elliptical  
Knob color : BRN  
Cartridge type : MM  
Cartridge number : PC-330  
Tracking force : 1.4 - 2.0

NUDE

53-330/II  
**PN-330/II**



Tip : SAS/B  
Knob color : TR/SMK  
Cartridge type : MM  
Cartridge number : PC-330/II  
Tracking force : 1.0 - 1.5

SAS/B

53-330/II  
**PN-330/II**



Tip : SAS/S  
Knob color : TR/SMK  
Cartridge type : MM  
Cartridge number : PC-330/II  
Tracking force : 1.0 - 1.5

SAS/S

53-330/II  
**PN-330/II**



Tip : NUDE Conical  
Knob color : TR/SMK  
Cartridge type : MM  
Cartridge number : PC-330/II  
Tracking force : 1.0 - 1.8

NUDE

53-330/II  
**PN-330/II**



Tip : NUDE Elliptical  
Knob color : TR/SMK  
Cartridge type : MM  
Cartridge number : PC-330/II  
Tracking force : 1.0 - 1.8

NUDE

53-1004a  
**PZP-1004**



Tip : NUDE Conical  
Knob color : YEL  
Cartridge type : VM  
Cartridge number :  
Tracking force : 2.5 - 3.5

NUDE

**SANSUI**

56-45  
**SN-45**



Tip : SAS/B  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : SV-45  
Tracking force : 1.0 - 1.5

SAS/B

56-45  
**SN-42**



Tip : SAS/B  
Knob color : CLEAR  
Cartridge type : MM  
Cartridge number : SV42  
Tracking force : 1.5 -3.0

SAS/B

**SHARP**

50-705  
**STY-705**



Tip : SAS/B  
Knob color : BLU  
Cartridge type : MM  
Cartridge number : CART-705  
Tracking force : 1.0 - 1.5

SAS/B



SHURE

Cartridge + Stylus + Headshell

**OMNIA J44D  
IMP BLACK**



Cartridge : J44D (MM)  
Stylus : N-44G IMP NUDE  
Tip : NUDE Conical  
Headshell : Black CSS-JHSB  
Tracking force : 0.75-1.5

NUDE

Cartridge + Stylus + Headshell

**OMNIA J44D  
IMP BLACK**



Cartridge : J44D (MM)  
Stylus : N-44G IMP SD  
Tip : SD Conical  
Headshell : Black CSS-JHSB  
Tracking force : 0.75-1.5

SD

Cartridge + Stylus + Headshell

**OMNIA J44D DJ  
IMP BLACK**



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP NUDE  
Tip : NUDE Conical  
Headshell : Black CSS-JHSB  
Tracking force : 3.5-4.5



NUDE

Cartridge + Stylus + Headshell

**OMNIA J44D DJ  
IMP BLACK**



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP SD  
Tip : SD Conical  
Headshell : Black CSS-JHSB  
Tracking force : 3.5-4.5



SD

Cartridge + Stylus + Headshell

**OMNIA J44D AURORA  
IMP BLACK**



Cartridge : J44D (MM)  
Stylus : N-44G AURORA IMP NUDE  
Tip : NUDE Conical  
Headshell : Black CSS-JHSB  
Tracking force : 3.5-4.5



NUDE

Cartridge + Stylus + Headshell

**OMNIA J44D  
IMP SILVER**



Cartridge : J44D (MM)  
Stylus : N-44G IMP NUDE  
Tip : NUDE Conical  
Headshell : Silver CSS-JHSS  
Tracking force : 0.75-1.5

NUDE

Cartridge + Stylus + Headshell

**OMNIA J44D  
IMP SILVER**



Cartridge : J44D (MM)  
Stylus : N-44G IMP SD  
Tip : SD Conical  
Headshell : Silver CSS-JHSS  
Tracking force : 0.75-1.5

SD

Cartridge + Stylus + Headshell

**OMNIA J44D DJ  
IMP SILVER**



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP NUDE  
Tip : SD Conical  
Headshell : Silver CSS-JHSS  
Tracking force : 3.5-4.5



NUDE

Cartridge + Stylus + Headshell

**OMNIA J44D DJ  
IMP SILVER**



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP SD  
Tip : SD Conical  
Headshell : Silver CSS-JHSS  
Tracking force : 3.5-4.5



SD

Cartridge + Stylus + Headshell

**OMNIA J44D AURORA  
IMP BLACK**



Cartridge : J44D (MM)  
Stylus : N-44G AURORA IMP NUDE  
Tip : NUDE Conical  
Headshell : Silver CSS-JHSS  
Tracking force : 3.5-4.5



NUDE

Cartridge + Stylus + Headshell

**OMNIA J44D  
IMP LOGO WHT**



Cartridge : J44D (MM)  
Stylus : N-44G IMP NUDE  
Tip : NUDE Conical  
Headshell : logo headshell wht  
Tracking force : 0.75-1.5

NUDE

Cartridge + Stylus + Headshell

**OMNIA J44D  
IMP LOGO WHT**



Cartridge : J44D (MM)  
Stylus : N-44G IMP SD  
Tip : SD Conical  
Headshell : logo headshell wht  
Tracking force : 0.75-1.5

SD

Cartridge + Stylus + Headshell

**OMNIA J44D DJ  
IMP LOGO WHT**



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP NUDE  
Tip : NUDE Conical  
Headshell : logo headshell wht  
Tracking force : 3.5-4.5



NUDE

Cartridge + Stylus + Headshell

**OMNIA J44D DJ  
IMP LOGO WHT**



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP SD  
Tip : SD Conical  
Headshell : logo headshell wht  
Tracking force : 3.5-4.5



SD

Cartridge + Stylus + Headshell

**OMNIA J44D  
IMP LOGO BLU**



Cartridge : J44D (MM)  
Stylus : N-44G IMP NUDE  
Tip : NUDE Conical  
Headshell : logo headshell Blu  
Tracking force : 0.75-1.5

NUDE

Cartridge + Stylus + Headshell

**OMNIA J44D  
IMP LOGO BLU**



Cartridge : J44D (MM)  
Stylus : N-44G IMP SD  
Tip : SD Conical  
Headshell : logo headshell Blu  
Tracking force : 0.75-1.5

SD

Cartridge + Stylus + Headshell

**OMNIA J44D DJ  
IMP LOGO BLU**



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP NUDE  
Tip : NUDE Conical  
Headshell : logo headshell Blu  
Tracking force : 3.5-4.5



NUDE

Cartridge + Stylus + Headshell

**OMNIA J44D DJ  
IMP LOGO BLU**



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP SD  
Tip : SD Conical  
Headshell : logo headshell Blu  
Tracking force : 3.5-4.5



SD

Cartridge + Stylus + Headshell

**OMNIA J44D  
IMP SKATEBOARD**



Cartridge : J44D (MM)  
Stylus : N-44G IMP NUDE  
Tip : NUDE Conical  
Headshell : Skateboard headshell  
Tracking force : 0.75-1.5

NUDE

Cartridge + Stylus + Headshell

**OMNIA J44D  
IMP SKATEBOARD**



Cartridge : J44D (MM)  
Stylus : N-44G IMP SD  
Tip : SD Conical  
Headshell : Skateboard headshell  
Tracking force : 0.75-1.5

SD

Cartridge + Stylus + Headshell

**OMNIA J44D DJ  
IMP SKATEBOARD**



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP NUDE  
Tip : NUDE Conical  
Headshell : Skateboard headshell  
Tracking force : 3.5-4.5



NUDE

Cartridge + Stylus + Headshell

**OMNIA J44D DJ  
IMP SKATEBOARD**



Cartridge : J44D (MM)  
Stylus : N-44G DJ IMP SD  
Tip : SD Conical  
Headshell : Skateboard headshell  
Tracking force : 3.5-4.5



SD

Cartridge + Stylus + Headshell

**OMNIA J44A 7  
IMP BLACK**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 IMP NUDE  
Tip : NUDE Conical  
Headshell : Black CSS-JHSB  
Tracking force : 1.5-3.0

NUDE



Cartridge + Stylus + Headshell  
**OMNIA J44A 7**  
**IMP BLACK**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 IMP SD  
Tip : SD Conical  
Headshell : Black CSS-JHSB  
Tracking force : 1.5-3.0

SD

Cartridge + Stylus + Headshell  
**OMNIA J44A 7 DJ**  
**IMP BLACK**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 DJ IMP NUDE  
Tip : NUDE Conical  
Headshell : Black CSS-JHSB  
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell  
**OMNIA J44A 7 DJ**  
**IMP BLACK**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 DJ IMP SD  
Tip : SD Conical  
Headshell : Black CSS-JHSB  
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell  
**OMNIA J44A 7 AURORA**  
**IMP BLACK**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 AURORA IMP NUDE  
Tip : NUDE Conical  
Headshell : Black CSS-JHSB  
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell  
**OMNIA J44A 7**  
**IMP SILVER**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 IMP NUDE  
Tip : NUDE Conical  
Headshell : Silver CSS-JHSS  
Tracking force : 1.5-3.0

NUDE

Cartridge + Stylus + Headshell  
**OMNIA J44A 7**  
**IMP SILVER**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 IMP SD  
Tip : SD Conical  
Headshell : Silver CSS-JHSS  
Tracking force : 1.5-3.0

SD

Cartridge + Stylus + Headshell  
**OMNIA J44A 7 DJ**  
**IMP SILVER**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 DJ IMP NUDE  
Tip : NUDE Conical  
Headshell : Silver CSS-JHSS  
Tracking force : 3.5-4.5

NUDE

Cartridge + Stylus + Headshell  
**OMNIA J44A 7 DJ**  
**IMP SILVER**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 DJ IMP SD  
Tip : SD Conical  
Headshell : Silver CSS-JHSS  
Tracking force : 3.5-4.5

SD

Cartridge + Stylus + Headshell  
**OMNIA J44A 7 AURORA**  
**IMP SILVER**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 AURORA IMP NUDE  
Tip : NUDE Conical  
Headshell : Silver CSS-JHSS  
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell  
**OMNIA J44A 7**  
**IMP LOGO WHT**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 IMP NUDE  
Tip : NUDE Conical  
Headshell : logo headshell wht  
Tracking force : 1.5-3.0

NUDE

Cartridge + Stylus + Headshell  
**OMNIA J44A 7**  
**IMP LOGO WHT**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 IMP SD  
Tip : SD Conical  
Headshell : logo headshell wht  
Tracking force : 1.5-3.0

SD

Cartridge + Stylus + Headshell  
**OMNIA J44A 7 DJ**  
**IMP LOGO WHT**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 DJ IMP NUDE  
Tip : NUDE Conical  
Headshell : logo headshell wht  
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell  
**OMNIA J44A 7 DJ**  
**IMP LOGO WHT**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 DJ IMP SD  
Tip : SD Conical  
Headshell : logo headshell wht  
Tracking force : 3.5-4.5




Cartridge + Stylus + Headshell  
**OMNIA J44A 7**  
**IMP LOGO BLU**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 IMP NUDE  
Tip : NUDE Conical  
Headshell : logo headshell blu  
Tracking force : 1.5-3.0

NUDE

Cartridge + Stylus + Headshell  
**OMNIA J44A 7**  
**IMP LOGO BLU**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 IMP SD  
Tip : SD Conical  
Headshell : logo headshell blu  
Tracking force : 1.5-3.0

SD

Cartridge + Stylus + Headshell  
**OMNIA J44A 7 DJ**  
**IMP LOGO BLU**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 DJ IMP NUDE  
Tip : NUDE Conical  
Headshell : logo headshell blu  
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell  
**OMNIA J44A 7 DJ**  
**IMP LOGO BLU**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 DJ IMP SD  
Tip : SD Conical  
Headshell : logo headshell blu  
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell  
**OMNIA J44A 7**  
**IMP SKATEBOARD**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 IMP NUDE  
Tip : NUDE Conical  
Headshell : Skateboard headshell  
Tracking force : 1.5-3.0

NUDE

Cartridge + Stylus + Headshell  
**OMNIA J44A 7**  
**IMP SKATEBOARD**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 IMP SD  
Tip : SD Conical  
Headshell : Skateboard headshell  
Tracking force : 1.5-3.0

SD

Cartridge + Stylus + Headshell  
**OMNIA J44A 7 DJ**  
**IMP SKATEBOARD**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 DJ IMP NUDE  
Tip : NUDE Conical  
Headshell : Skateboard headshell  
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell  
**OMNIA J44A 7 DJ**  
**IMP SKATEBOARD**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 DJ IMP SD  
Tip : SD Conical  
Headshell : Skateboard headshell  
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell  
**OMNIA J44A 7**  
**IMP LOGO WHT 2P**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 IMP NUDE  
Tip : NUDE Conical  
Headshell : logo headshell wht  
Tracking force : 1.5-3.0

NUDE

Cartridge + Stylus + Headshell  
**OMNIA J44A 7**  
**IMP LOGO WHT 2P**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 IMP SD  
Tip : SD Conical  
Headshell : logo headshell wht  
Tracking force : 1.5-3.0

SD

Cartridge + Stylus + Headshell  
**OMNIA J44A 7**  
**IMP LOGO BLU 2P**



Cartridge : J44A 7 (MM)  
Stylus : N-44-7 IMP NUDE  
Tip : NUDE Conical  
Headshell : logo headshell blu  
Tracking force : 1.5-3.0

NUDE



<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA J44A 7</b> <b>IMP LOGO BLU 2P</b></p>  <p>Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : logo headshell blu Tracking force : 1.5-3.0</p> <p>SD</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>ALFA MODEL55/OMNIA</b></p>  <p>Cartridge : ALFA MODEL55 (MM) Stylus : ALFA MODEL NUDE Tip : NUDE Conical Headshell : ALFA MODEL55 Tracking force : 1.9 - 2.3</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>ALFA MODEL/OMNIA</b></p>  <p>Cartridge : ALFA MODEL (MM) Stylus : ALFA MODEL SD Tip : SD Conical Headshell : ALFA MODEL Tracking force : 1.3 - 1.7</p> <p>SD</p>	<p><u>Cartridge + Stylus</u> <b>J44D IMP</b></p>  <p>Cartridge : J44D (MM) Stylus : N-44G IMP NUDE Tip : NUDE Conical Tracking force : 0.75-1.5</p> <p>NUDE</p>
<p><u>Cartridge + Stylus</u> <b>J44D IMP</b></p>  <p>Cartridge : J44D (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Tracking force : 0.75-1.5</p> <p>SD</p>	<p><u>Cartridge + Stylus</u> <b>J44D DJ IMP</b></p>  <p>Cartridge : J44D (MM) Stylus : N-44G IMP DJ NUDE Tip : NUDE Conical Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p><u>Cartridge + Stylus</u> <b>J44D DJ IMP</b></p>  <p>Cartridge : J44D (MM) Stylus : N-44G IDJ MP SD Tip : SD Conical Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p><u>Cartridge + Stylus</u> <b>J44D AURORA IMP</b></p>  <p>Cartridge : J44D (MM) Stylus : N-44G AURORA IMP NUDE Tip : NUDE Conical Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>
<p><u>Cartridge + Stylus</u> <b>J44A 7 IMP</b></p>  <p>Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus</u> <b>J44A 7 IMP</b></p>  <p>Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Tracking force : 1.5-3.0</p> <p>SD</p>	<p><u>Cartridge + Stylus</u> <b>J44A 7 DJ IMP</b></p>  <p>Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p><u>Cartridge + Stylus</u> <b>J44A 7 DJ IMP</b></p>  <p>Cartridge : J44A 7 (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Tracking force : 3.5-4.5</p> <p>DJ SD</p>
<p><u>Cartridge + Stylus</u> <b>J44A 7 AURORA IMP</b></p>  <p>Cartridge : J44A 7 (MM) Stylus : N-44-7 AURORA IMP NUDE Tip : NUDE Conical Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p><u>Cartridge</u> <b>J44 D Cartridge Only</b></p>  <p>Cartridge : J44D (MM) Stylus : Tip : Tracking force :</p>	<p><u>Cartridge</u> <b>J44 A 7 Cartridge Only</b></p>  <p>Cartridge : J44A 7 (MM) Stylus : Tip : Tracking force :</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50</b> <b>IMP BLACK</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50</b> <b>IMP BLACK</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>SD</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50</b> <b>IMP SILVER</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50</b> <b>IMP SILVER</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>SD</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50</b> <b>KUROGAKI BLACK</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44 KUROGAKI NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50</b> <b>KUROGAKI SILVER</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44 KUROGAKI NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50</b> <b>USHIKOROSHI BLACK</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44 USHIKOROSHI NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50</b> <b>USHIKOROSHI SILVER</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44 USHIKOROSHI NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50</b> <b>YURUSHI-IRO BLACK</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44 YURUSHI-IRO NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>NUDE</p>



<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA J50</b> <b>YURUSHI-IRO SILVER</b></p>  <p>Cartridge : J50 (MM) Stylus : N44 YURUSHI-IRO NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus</u> <b>J50 IMP</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus</u> <b>J50 IMP</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE Tip : SD Conical Tracking force : 1.5-3.0</p> <p>SD</p>	<p><u>Cartridge + Stylus</u> <b>J50 KUROGAKI</b></p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p><u>Cartridge + Stylus</u> <b>J50 USHIKOROSHI</b></p>  <p>Cartridge : J50 (MM) Stylus : N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus</u> <b>J50 YURUSHI-IRO</b></p>  <p>Cartridge : J50 (MM) Stylus : N44 YURUSHI-IRO NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus</u> <b>J50 7Kduet</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE N44 KUROGAKI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus</u> <b>J50 7U duet</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p><u>Cartridge + Stylus</u> <b>J50 7Y duet</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE N44 YURUSHI-IRO NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus</u> <b>J50 KU duet</b></p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus</u> <b>J50 KY duet</b></p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus</u> <b>J50 UY duet</b></p>  <p>Cartridge : J50 (MM) Stylus : N44 USHIKOROSHI NUDE N44 YURUSHI-IRO NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p><u>Cartridge + Stylus</u> <b>J50 7KU trio</b></p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE N44 KUROGAKI NUDE N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge</u> <b>J50 KUY trio</b></p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE N44 USHIKOROSHI NUDE N44 YURUSHI-IRO Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge</u> <b>J50 Cartridge Only</b></p>  <p>Cartridge : J50 (MM) Stylus : Tip : Tracking force :</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA IMPACT</b> <b>BLACK</b></p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : Black CSS-JHSB Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>
<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA IMPACT</b> <b>BLACK</b></p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : Black CSS-JHSB Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA IMPACT</b> <b>SILVER</b></p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : Silver CSS-JHSS Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA IMPACT</b> <b>SILVER</b></p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : Silver CSS-JHSS Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA IMPACT</b> <b>LOGO WHT</b></p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : logo headshell wht Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>
<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA IMPACT</b> <b>LOGO WHT</b></p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : logo headshell wht Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA IMPACT</b> <b>LOGO BLU</b></p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : logo headshell blu Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA IMPACT</b> <b>LOGO BLU</b></p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : logo headshell blu Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p><u>Cartridge + Stylus + Headshell</u> <b>OMNIA IMPACT</b> <b>LOGO SKATEBOARD</b></p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : Skateboard headshell Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>

Cartridge + Stylus + Headshell

## OMNIA IMPACT LOGO SKATEBOARD



Cartridge : IMPACT (MM)  
Stylus : N-44-7 DJ IMP SD  
Tip : SD Conical  
Headshell : Skateboard headshell  
Tracking force : 3.5-4.5



Cartridge + Stylus

## IMPACT



Cartridge : IMPACT (MM)  
Stylus : N-44-7 DJ IMP NUDE  
Tip : NUDE Conical  
Tracking force : 3.5-4.5



Cartridge + Stylus

## IMPACT



Cartridge : IMPACT (MM)  
Stylus : N-44-7 DJ IMP SD  
Tip : SD Conical  
Tracking force : 3.5-4.5



Cartridge

## IMPACT Cartridge Only



















































Cartridge : J44A 7 (MM)  
Stylus :  
Tip :  
Tracking force :


























<p>192-44G <b>N44G</b></p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-44G IMP <b>N44G IMP</b></p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-44G IMP <b>N44G IMP</b></p>  <p>Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5</p> <p>SD</p>	<p>192-44G IMP <b>N44G IMP MONO</b></p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5</p> <p>NUDE</p>
<p>192-44G/DJ <b>N44G/DJ</b></p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>NUDE</p>	<p>192-44G/DJ IMP <b>N44G/DJ IMP</b></p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>NUDE</p>	<p>192-44G/DJ IMP <b>N44G/DJ IMP</b></p>  <p>Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ SD</p>	<p>192-44G/DJ IMP 2PCS <b>N44G/DJ IMP 2PCS</b></p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>NUDE</p>
<p>192-44G/DJ IMP 2PCS <b>N44G/DJ IMP 2PCS</b></p>  <p>Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>SD</p>	<p>192-44G/AURORA <b>N44G/AURORA</b></p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44G/AURORA IMP <b>N44G/AURORA IMP</b></p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44G/AURORA IMP 2PCS <b>N44G/AURORA IMP 2PCS</b></p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>
<p>192-44-7 <b>N44-7</b></p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 1.5 - 3.0</p> <p>NUDE</p>	<p>192-44-7/IMP <b>N44-7 IMP</b></p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 1.5 - 3.0</p> <p>NUDE</p>	<p>192-44-7 IMP <b>N44-7 IMP</b></p>  <p>Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 1.5-3.0</p> <p>SD</p>	<p>192-44-7/IMP <b>N44-7 IMP</b></p>  <p>Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 1.0-1.5</p> <p>SAS/B</p>
<p>192-44-7/IMP <b>N44-7 IMP</b></p>  <p>Tip : SAS/S Knob color : WHT Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 1.0-1.5</p> <p>SAS/S</p>	<p>192-44-7/IMP ONLY JICO WEBSITE <b>N44-7 IMP</b></p>  <p>Tip : SAS/R Knob color : WHT Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 1.0-1.5</p> <p>SAS/R</p>	<p>192-44-7/DJ <b>N44-7/DJ</b></p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44-7/DJ IMP <b>N44-7/DJ IMP</b></p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>
<p>192-44-7/DJ IMP <b>N44-7/DJ IMP</b></p>  <p>Tip : SD Conical Knob color : BLUE Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ SD</p>	<p>192-44-7/DJ IMP <b>N44-7/DJ IMP 2PCS</b></p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44-7/DJ IMP <b>N44-7/DJ IMP 2PCS</b></p>  <p>Tip : SD Conical Knob color : BLUE Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ SD</p>	<p>192-44-7/AURORA <b>N44-7/AURORA</b></p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>



<p>192-44-7/AURORA IMP <b>N44-7/AURORA IMP</b></p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5</p> <p><b>DJ</b> <b>NUDE</b></p>	<p>192-44-7/AURORA IMP 2PCS <b>N44-7/AURORA IMP 2PCS</b></p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44-7, J44A 7 Tracking force : 3.5 - 4.5</p> <p><b>DJ</b> <b>NUDE</b></p>	<p>192- /ALFA MODEL <b>ALFA MODEL</b></p>  <p>Tip : SD Conical Knob color : YELLOW Cartridge type : MM Cartridge number : ALFA MODEL55,M44-7,J44A 7 Tracking force : 1.3 - 1.7</p>	<p>192-44E <b>N44E</b></p>  <p>Tip : NUDE Elliptical Knob color : BROWN Cartridge type : MM Cartridge number : M44E Tracking force : 1.75 - 4.0</p> <p><b>NUDE</b></p>
<p>192-44E IMP <b>N44E IMP</b></p>  <p>Tip : NUDE Elliptical Knob color : BROWN Cartridge type : MM Cartridge number : M44E Tracking force : 1.75 - 4.0</p> <p><b>NUDE</b></p>	<p>192-44GX <b>N44GX</b></p>  <p>Tip : NUDE Conical Knob color : GRAY Cartridge type : MM Cartridge number : M44GX Tracking force : 0.75 - 1.5</p> <p><b>NUDE</b></p>	<p>192-44GX <b>N44GX</b></p>  <p>Tip : SAS/B Knob color : GRAY Cartridge type : MM Cartridge number : M44GX Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p>192-44-7X <b>N44-7X</b></p>  <p>Tip : NUDE Conical Knob color : WHITE Cartridge type : MM Cartridge number : M44-7X Tracking force : 1.5 - 3.0</p> <p><b>NUDE</b></p>
<p>192-44-7X <b>N44-7X</b></p>  <p>Tip : SAS/B Knob color : WHITE Cartridge type : MM Cartridge number : M44-7X Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p>192-44-7X <b>N44-7X</b></p>  <p>Tip : SAS/B Knob color : WHITE Cartridge type : MM Cartridge number : M44-7X Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p>192-55E <b>N55E</b></p>  <p>Tip : NUDE Elliptical Knob color : YELLOW Cartridge type : MM Cartridge number : M55E Tracking force : 0.75 - 2.0</p> <p><b>NUDE</b></p>	<p>192-55E <b>N55E IMP</b></p>  <p>Tip : NUDE Elliptical Knob color : YELLOW Cartridge type : MM Cartridge number : M55E Tracking force : 0.75 - 2.0</p> <p><b>NUDE</b></p>
<p>192-75-6 <b>N75-6</b></p>  <p>Tip : NUDE Conical Knob color : BGE Cartridge type : MM Cartridge number : M-75MB Tracking force : 1.0 - 1.5</p> <p><b>NUDE</b></p>	<p>192-75-6 <b>N75-6</b></p>  <p>Tip : SAS/B Knob color : BGE Cartridge type : MM Cartridge number : M-75MB Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p>192-75-6 <b>N75-6</b></p>  <p>Tip : SAS/S Knob color : BGE Cartridge type : MM Cartridge number : M-75MB Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>	<p>192-75B/II <b>N-75B/II</b></p>  <p>Tip : NUDE Conical Knob color : BGE Cartridge type : MM Cartridge number : M-75MB/II Tracking force : 1.5 - 3.0</p> <p><b>NUDE</b></p>
<p>192-75B/II <b>N-75B/II</b></p>  <p>Tip : SAS/B Knob color : BGE Cartridge type : MM Cartridge number : M-75MB/II Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p>192-75B/II <b>N-75B/II</b></p>  <p>Tip : SAS/S Knob color : BGE Cartridge type : MM Cartridge number : M-75MB/II Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>	<p>192-75ED <b>N-75ED</b></p>  <p>Tip : NUDE Elliptical Knob color : YELLOW Cartridge type : MM Cartridge number : M-75ED/II Tracking force : 0.75 - 1.5</p> <p><b>NUDE</b></p>	<p>192-75ED/II <b>N-75ED/II</b></p>  <p>Tip : NUDE Elliptical Knob color : BLACK Cartridge type : MM Cartridge number : M-75ED/II Tracking force : 0.75 - 1.5</p> <p><b>NUDE</b></p>
<p>192-75ED/II <b>N-75ED/II</b></p>  <p>Tip : SAS/B Knob color : BLACK Cartridge type : MM Cartridge number : M-75ED/II Tracking force : 0.75 - 1.5</p> <p><b>SAS/B</b></p>	<p>192-75J/II <b>N-75EJ/II</b></p>  <p>Tip : NUDE Elliptical Knob color : LT/GREEN Cartridge type : MM Cartridge number : M-75EJ/II Tracking force : 1.5 - 3.0</p> <p><b>NUDE</b></p>	<p>192-N75HE <b>N75HE</b></p>  <p>Tip : SAS/B Knob color : LT/GRAY Cartridge type : MM Cartridge number : M75HE Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p>192-N75HE <b>N75HE</b></p>  <p>Tip : SAS/S Knob color : LT/GRAY Cartridge type : MM Cartridge number : M75HE Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>

<p>192-N91E <b>N-91E</b></p>  <p>Tip : NUDE Elliptical Knob color : BLACK Cartridge type : MM Cartridge number : M91E Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-N91ED <b>N-91ED</b></p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : M91ED Tracking force : 0.75-1.5</p> <p>NUDE</p>	<p>192-N91ED <b>N-91ED</b></p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : M91ED Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-N91ED <b>N-91ED</b></p>  <p>Tip : SAS/S Knob color : YEL Cartridge type : MM Cartridge number : M91ED Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>192-N92E <b>N-92E</b></p>  <p>Tip : NUDE Elliptical Knob color : RED Cartridge type : MM Cartridge number : M92E Tracking force : 1.25</p> <p>NUDE</p>	<p>192-N92E <b>N-92E</b></p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : M92E Tracking force : 1.25</p> <p>SAS/B</p>	<p>192-95ED <b>N-95ED</b></p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : M-95ED Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-95ED <b>N-95ED</b></p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : M-95ED Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
<p>192-95ED <b>N-95ED</b></p>  <p>Tip : SAS/S Knob color : YEL Cartridge type : MM Cartridge number : M-95ED Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-N95HE <b>N-95HE</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : M95HE Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-N95HE <b>N-95HE</b></p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : M95HE Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-N97xE <b>N-97xE</b></p>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : M-97xE Tracking force : 1.25</p> <p>NUDE</p>
<p>192-N97xE <b>N-97xE</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : M-97xE Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-N97xE <b>N-97xE</b></p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : M-97xE Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-N97HE <b>N-97HE</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : M-97HE Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-N97HE <b>N-97HE</b></p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : M-97HE Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>192-104E <b>N-104E</b></p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : M104E Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>192-104E <b>N-104E</b></p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : M104E Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-110HE <b>N-110HE</b></p>  <p>Tip : NUDE Elliptical Knob color : WHITE Cartridge type : MM Cartridge number : M110HE Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>192-110HE <b>N-110HE</b></p>  <p>Tip : SAS/B Knob color : WHITE Cartridge type : MM Cartridge number : M110HE Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
<p>192-110HE <b>N-110HE</b></p>  <p>Tip : SAS/S Knob color : WHITE Cartridge type : MM Cartridge number : M110HE Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-NDC-ED <b>NDC-ED</b></p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : Designer ED Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-NDC-EJ <b>NDC-EJ</b></p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : Designer EJ Tracking force : 1.5 - 3.0</p> <p>NUDE</p>	<p>192-NDC-EJ <b>NDC-EJ</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : Designer EJ Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>



<p><b>192-NDC-EJ</b> <b>NDC-EJ</b></p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : Designer EJ Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>	<p><b>192-WHLB</b> <b>N-WHLB</b></p>  <p>Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p><b>DJ</b> <b>NUDE</b></p>	<p><b>192-WHLB</b> <b>N-WHLB 2PCS</b></p>  <p>Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p><b>DJ</b> <b>NUDE</b></p>	<p><b>192-WHLB</b> <b>N-WHLB</b></p>  <p>Tip : NUDE Conical Knob color : FLUORENCE Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p><b>DJ</b> <b>NUDE</b></p>
<p><b>192-WHLB</b> <b>N-WHLB 2PCS</b></p>  <p>Tip : NUDE Conical Knob color : FLUORENCE Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p><b>DJ</b> <b>NUDE</b></p>	<p><b>192-WHLB</b> <b>N-WHLB</b></p>  <p>Tip : SD Conical Knob color : WHT Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p><b>DJ</b> <b>SD</b></p>	<p><b>192-WHLB</b> <b>N-WHLB 2PCS</b></p>  <p>Tip : SD Conical Knob color : WHT Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p><b>DJ</b> <b>SD</b></p>	<p><b>192-VN3G</b> <b>VN3G</b></p>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : V15 type3 G Tracking force : 0.75 - 1.5</p> <p><b>NUDE</b></p>
<p><b>192-35C</b> <b>SS-35C</b></p>  <p>Tip : SAS/B Knob color : LT/BLU Cartridge type : MM Cartridge number : SC35C Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p><b>192-35C</b> <b>SS-35C</b></p>  <p>Tip : SAS/S Knob color : LT/BLU Cartridge type : MM Cartridge number : SC35C Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>	<p><b>192-VN5MR</b> <b>VN5MR HG</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500 Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p><b>192-VN5MR HG</b> <b>VN5MR HG</b></p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500 Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>
<p><b>192-VN5xMR HG</b> <b>VN5xMR HG</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V15/VxMR • VSTIII Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p><b>192-VN5xMR HG</b> <b>VN5xMR HG</b></p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V15/VxMR • VSTIII Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>	<p><b>192-VN15E</b> <b>VN-15E</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V-15/II Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p><b>192-VN15E</b> <b>VN-15E</b></p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V-15/II Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>
<p><b>192-VN35E</b> <b>VN35E</b></p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : V-15/III Tracking force : 0.75 - 1.5</p> <p><b>NUDE</b></p>	<p><b>192-VN35E</b> <b>VN-35E</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V-15/III Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p><b>192-VN35E</b> <b>VN-35E</b></p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V-15/III Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>	<p><b>192-VN35EBN</b> <b>VN35EBN</b></p>  <p>Tip : NUDE Elliptical Knob color : RED Cartridge type : MM Cartridge number : V-15/III Tracking force : 0.75 - 1.25</p> <p><b>NUDE</b></p>
<p><b>192-VN45HE</b> <b>VN45HE</b></p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : V-15/IV Tracking force : 1.0 - 1.5</p> <p><b>NUDE</b></p>	<p><b>192-VN45HE</b> <b>VN45HE</b></p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V-15/IV Tracking force : 1.0 - 1.5</p> <p><b>SAS/B</b></p>	<p><b>192-VN45HE</b> <b>VN45HE</b></p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V-15/IV Tracking force : 1.0 - 1.5</p> <p><b>SAS/S</b></p>	



**192-44-7/SKRATCH101**  
**SKRATCH 101**



Tip : Ruby NUDE Conical  
Knob color : YEL  
Cartridge type : MM  
Cartridge number : M44G, J44A 7  
J50, IMPACT  
Tracking force : 3.5 - 4.5



Ruby

**192-N44 KUROGAKI**  
**N44 KUROGAKI 黒柿**



Tip : NUDE Conicæ  
Knob color : WHT  
Cartridge type : MM  
Cartridge number : J44A 7, J44D, J50  
IMPACT, M44G, M44-7  
Tracking force : 1.5 - 3.0

NUDE

**192-VN35 KUROGAKI**  
**VN35 KUROGAKI 黒柿**



Tip : NUDE Conicæ  
Knob color :  
Cartridge type : MM  
Cartridge number : V15/III  
Tracking force : 0.75 - 1.25

NUDE

**192-VN45 KUROGAKI**  
**VN45 KUROGAKI 黒柿**



Tip : NUDE Conical  
Knob color :  
Cartridge type : MM  
Cartridge number : V15/IV  
Tracking force : 0.75 - 1.25

NUDE

**192-VN5 KUROGAKI**  
**VN5 KUROGAKI 黒柿**



Tip : NUDE Conical  
Knob color :  
Cartridge type : MM  
Cartridge number : V15/V, V15/VMR,  
VST-V, V15/V-B, V15/V-G, ULTRA500  
Tracking force : 0.75 - 1.25

NUDE

**192-VN5x KUROGAKI**  
**VN5x KUROGAKI 黒柿**



Tip : NUDE Conical  
Knob color :  
Cartridge type : MM  
Cartridge number : V15/VxMR · VSTIII  
Tracking force : 0.75 - 1.25

NUDE

**192-N44 USHIKOROSHI**  
**N44 USHIKOROSHI 牛殺**



Tip : NUDE Conical  
Knob color : TR/RED  
Cartridge type : MM  
Cartridge number : J44A 7, J44D, J50  
IMPACT, M44G, M44-7  
Tracking force : 1.5 - 3.0

NUDE

**192-VN35 USHIKOROSHI**  
**VN35 USHIKOROSHI 牛殺**



Tip : NUDE Conical  
Knob color : TR/RED  
Cartridge type : MM  
Cartridge number : V15/III  
Tracking force : 0.75 - 1.25

NUDE

**192-VN45 USHIKOROSHI**  
**VN45 USHIKOROSHI 牛殺**



Tip : NUDE Conical  
Knob color : TR/RED  
Cartridge type : MM  
Cartridge number : V15/IV  
Tracking force : 0.75 - 1.25

NUDE

**192-VN5 USHIKOROSHI**  
**VN5 USHIKOROSHI 牛殺**



Tip : NUDE Conical  
Knob color : TR/RED  
Cartridge type : MM  
Cartridge number : V15/V, V15/VMR,  
VST-V, V15/V-B, V15/V-G, ULTRA500  
Tracking force : 0.75 - 1.25

NUDE

**192-VN5x USHIKOROSHI**  
**VN5x USHIKOROSHI 牛殺**



Tip : NUDE Conical  
Knob color : TR/RED  
Cartridge type : MM  
Cartridge number : V15/VxMR · VSTIII  
Tracking force : 0.75 - 1.25

NUDE

**192-N44 YURUSHI-IRO**  
**N44 YURUSHI-IRO 聴色**



Tip : NUDE Conical  
Knob color : PINK  
Cartridge type : MM  
Cartridge number : J44A 7, J44D, J50  
IMPACT, M44G, M44-7  
Tracking force : 1.5-3.0

NUDE

**192-VN35 YURUSHI-IRO**  
**VN35 YURUSHI-IRO 聴色**



Tip : NUDE Conical  
Knob color : PINK  
Cartridge type : MM  
Cartridge number : V15/III  
Tracking force : 1.5-3.0

NUDE

**192-VN45 YURUSHI-IRO**  
**VN45 YURUSHI-IRO 聴色**



Tip : NUDE Conical  
Knob color : PINK  
Cartridge type : MM  
Cartridge number : V15/IV  
Tracking force : 1.5-3.0

NUDE

**192-VN5 YURUSHI-IRO**  
**VN5 YURUSHI-IRO 聴色**



Tip : NUDE Conical  
Knob color : PINK  
Cartridge type : MM  
Cartridge number : V15/V, V15/VMR,  
VST-V, V15/V-B, V15/V-G, ULTRA500  
Tracking force : 1.5-3.0

NUDE

**192-VN5x YURUSHI-IRO**  
**VN5x YURUSHI-IRO 聴色**



Tip : NUDE Conical  
Knob color : PINK  
Cartridge type : MM  
Cartridge number : V15/VxMR · VSTIII  
Tracking force : 1.5-3.0

NUDE

SONY

39-14  
**ND-14G**



Tip : SAS/B  
Knob color : RED  
Cartridge type : MM  
Cartridge number : VL-14GS(II)  
Tracking force : 1.0 - 1.5

SAS/B

39-15  
**ND-15G**



Tip : SAS/B  
Knob color : RED  
Cartridge type : MM  
Cartridge number : VL-15G, XL-15  
Tracking force : 1.0 - 1.5

SAS/B

39-15  
**ND-15G**



Tip : SAS/S  
Knob color : YEL  
Cartridge type : MM  
Cartridge number : VL-15G, XL-15  
Tracking force : 1.0 - 1.5

SAS/S

39-15  
**ND-15G**



Tip : NUDE Conical  
Knob color : RED  
Cartridge type : MM  
Cartridge number : VL-15G, XL-15  
Tracking force : 1.2 - 2.5

NUDE

39-30E  
**ND-15GE**



Tip : NUDE Elliptical  
Knob color : RED  
Cartridge type : MM  
Cartridge number : VL-15G, XL-15  
Tracking force : 1.2 - 2.5

NUDE

39-25E  
**ND-25E**



Tip : NUDE Elliptical  
Knob color : GRAY  
Cartridge type : MM  
Cartridge number : XL-25(A)  
Tracking force : 1.0 - 1.5

NUDE

39-30E  
**ND-30E**



Tip : SAS/B  
Knob color : LT/BLU  
Cartridge type : MM  
Cartridge number : XL-30  
Tracking force : 1.0 - 1.5

SAS/B

39-35E  
**ND-35E**



Tip : SAS/B  
Knob color : TR/BRN  
Cartridge type : MM  
Cartridge number : XL-35(E)  
Tracking force : 1.0 - 1.5

SAS/B

39-45X  
**ND-45E**



Tip : SAS/B  
Knob color : TR/RED  
Cartridge type : MM  
Cartridge number : XL-45(E)  
Tracking force : 1.0 - 1.5

SAS/B

39-45X  
**ND-45X**



Tip : SAS/B  
Knob color : TR/BRN  
Cartridge type : MM  
Cartridge number : XL-45  
Tracking force : 1.0 - 1.5

SAS/B

39-45X  
**ND-45X**



Tip : SAS/S  
Knob color : TR/BRN  
Cartridge type : MM  
Cartridge number : XL-45  
Tracking force : 1.0 - 1.5

SAS/S

39-45X/II E  
**ND-45X/II**



Tip : SAS/B  
Knob color : TR/BRN  
Cartridge type : MM  
Cartridge number : XL-45/II  
Tracking force : 1.0 - 1.5

SAS/B

39-45X/II E  
**ND-45X/II**



Tip : SAS/S  
Knob color : TR/BRN  
Cartridge type : MM  
Cartridge number : XL-45/II  
Tracking force : 1.0 - 1.5

SAS/S

39-50X(E)  
**ND-50X**



Tip : SAS/B  
Knob color : TR/ORG  
Cartridge type : MM  
Cartridge number : XL-50  
Tracking force : 1.0 - 1.5

SAS/B

39-50X(E)  
**ND-50X**



Tip : SAS/S  
Knob color : TR/RED  
Cartridge type : MM  
Cartridge number : XL-50  
Tracking force : 1.0 - 1.5

SAS/S

39-70X  
**ND-70G**



Tip : SAS/B  
Knob color : TR/RED  
Cartridge type : MM  
Cartridge number : XL-70  
Tracking force : 1.0 - 1.5

SAS/B

39-108G  
**ND-108G**



Tip : SAS/B  
Knob color : REF  
Cartridge type : MM  
Cartridge number : VX108, VX13P  
Tracking force : 1.0 - 1.5

SAS/B

39-142a  
**ND-124P**



Tip : SAS/B  
Knob color : ORG  
Cartridge type : MM  
Cartridge number : NS-12  
Tracking force : 1.0 - 1.5

SAS/B

39-142a  
**ND-142G**



Tip : NUDE Conical  
Knob color : YEL  
Cartridge type : MM  
Cartridge number : VL-42G  
Tracking force : 2.5 - 3.5

NUDE

39-150  
**ND-150G**



Tip : SAS/B  
Knob color : TR/RED  
Cartridge type : VM  
Cartridge number : XL-150G  
Tracking force : 1.0 - 1.5

SAS/B

39-250E  
**ND-250E**



Tip : NUDE Conical  
Knob color : YEL  
Cartridge type : VN  
Cartridge number : VL-55G, PSV-800  
Tracking force : 2.5 - 3.5

NUDE

39-250E  
**ND-250E**



Tip : SAS/B  
Knob color : YEL  
Cartridge type : MM  
Cartridge number : XL-20, SXL20G  
Tracking force : 2.0 - 3.0

SAS/B

39-250E  
**CN-250E**



Tip : NUDE Conical  
Knob color : YEL  
Cartridge type : MM  
Cartridge number : XL-20, SXL20G  
Tracking force : 2.0 - 3.0

NUDE



39-234  
**CN-234**



Tip : NUDE Conical  
Knob color : RED  
Cartridge type : MM  
Cartridge number :  
Tracking force : 2.0 - 3.0

NUDE

39-251  
**CN-251**



Tip : NUDE Conical  
Knob color : RED  
Cartridge type : MM  
Cartridge number :  
Tracking force : 2.0 - 3.0

NUDE

Stanton

243-51AL/DJ  
**D5107AL/DJ**



Tip : NUDE Conical  
Knob color : WHT  
Cartridge type : MM  
Cartridge number : 500ML  
Tracking force : 3.0 - 7.0



NUDE

243-68/DJ  
**D6800SL/DJ**



Tip : NUDE Conical  
Knob color : WHT  
Cartridge type : MM  
Cartridge number : 681EL  
Tracking force : 4.0



NUDE

243-68EEE  
**D6800EEE**



Tip : NUDE Elliptical  
Knob color : BLK  
Cartridge type : IM  
Cartridge number : 681EEE  
Tracking force : 0.75 - 1.5

NUDE

TOSHIBA  
Aurex

37-210  
**N-210C**



Tip : SAS/B  
Knob color : RED  
Cartridge type : MM  
Cartridge number : C-210M.C-230M  
Tracking force : 1.0 - 1.5

SAS/B

37-250  
**N-250C**



Tip : SAS/B  
Knob color : TR.BLK  
Cartridge type : MM  
Cartridge number : C-250M  
Tracking force : 1.0 - 1.5

SAS/B



**Victor**  
JVC

30-Z1  
**DT-Z1**



Tip : SAS/B  
Knob color : CLEAR  
Cartridge type : MM  
Cartridge number : Z1, Z1D  
Tracking force : 1.0 - 1.5

SAS/B

30-Z1  
**DT-Z1**



Tip : SAS/S  
Knob color : TR/ORG  
Cartridge type : MM  
Cartridge number : Z1, Z1D  
Tracking force : 1.0 - 1.5

SAS/S

30-Z1E  
**DT-Z1E**



Tip : SAS/B  
Knob color : TR/ORG  
Cartridge type : MM  
Cartridge number : MD-1025RBZ  
Tracking force : 1.0 - 1.5

SAS/B

30-Z1E  
**DT-Z1E**



Tip : SAS/S  
Knob color : TR/ORG  
Cartridge type : MM  
Cartridge number : MD-1025RBZ  
Tracking force : 1.0 - 1.5

SAS/S

30-Z1E  
**DT-Z1E**



Tip : NUDE Elliptical  
Knob color : TR/ORG  
Cartridge type : MM  
Cartridge number : MD-1025REZ  
Tracking force : 1.0 - 1.5

NUDE

30-Z1EB  
**DT-Z1EB**



Tip : SAS/B  
Knob color : TR/GREEN  
Cartridge type : MM  
Cartridge number : MD-1025EB(Z)  
Tracking force : 1.0 - 1.5

SAS/B

30-Z1EB  
**DT-Z1EB**



Tip : NUDE Elliptical  
Knob color : TR/GREEN  
Cartridge type : MM  
Cartridge number : MD-1025EB(Z)  
Tracking force : 1.0 - 1.5

NUDE

30-Z1S  
**DT-Z1S**



Tip : SAS/B  
Knob color : GRY  
Cartridge type : MM  
Cartridge number : MD-1025  
Tracking force : 1.0 - 1.5

SAS/B

30-Z1S  
**DT-Z1S**



Tip : SAS/S  
Knob color : GRY  
Cartridge type : MM  
Cartridge number : MD-1025  
Tracking force : 1.0 - 1.5

SAS/S

30-Z1S  
**DT-Z1S**



Tip : NUDE Conical  
Knob color : GRY  
Cartridge type : MM  
Cartridge number : MD-1025  
Tracking force : 1.0 - 1.5

NUDE

30-Z1S(E)  
**DT-Z1SE**



Tip : NUDE Elliptical  
Knob color : GRY  
Cartridge type : MM  
Cartridge number : MD-1025  
Tracking force : 1.0 - 1.5

NUDE

30-Z1SR  
**DT-Z1SR**



Tip : SAS/B  
Knob color : RED  
Cartridge type : MM  
Cartridge number : Z1SR  
Tracking force : 1.0 - 1.5

SAS/B

30-Z3E  
**DT-Z3E**



Tip : SAS/B  
Knob color : TR/RED  
Cartridge type : MM  
Cartridge number : Z3E  
Tracking force : 1.0 - 1.5

SAS/B

30-X1E/2  
**DT-X1E/ ||**



Tip : NUDE Elliptical  
Knob color : TR/ORG  
Cartridge type : MM  
Cartridge number : X1/ II, X1/D  
Tracking force : 1.3 - 1.7

NUDE

30-33G  
**DT-33G**



Tip : NUDE Conical  
Knob color : BLK  
Cartridge type : MM  
Cartridge number : MD-1016  
Tracking force : 1.5 - 2.0

NUDE

30-33H  
**DT-33H**



Tip : NUDE Conical  
Knob color : YEL  
Cartridge type : MM  
Cartridge number : MD-1016  
Tracking force : 1.5 - 2.0

NUDE

30-33H  
**DT-33H(E)**



Tip : NUDE Elliptical  
Knob color : YEL  
Cartridge type : MM  
Cartridge number : MD-1016  
Tracking force : 1.5 - 2.0

NUDE

30-33S  
**DT-33S**



Tip : NUDE Conical  
Knob color : GRN  
Cartridge type : MM  
Cartridge number : MD-1016  
Tracking force : 1.5 - 2.0

NUDE

30-33S  
**DT-33S(E)**



Tip : NUDE Elliptical  
Knob color : GRN  
Cartridge type : MM  
Cartridge number : MD-1016  
Tracking force : 1.5 - 2.0

NUDE

30-59a  
**DT-59**



Tip : NUDE Conical  
Knob color : GRN  
Cartridge type : VM  
Cartridge number : MD-1059  
Tracking force : 2.5




NUDE

30-60a  
**DT-60**



Tip : NUDE Conical  
Knob color : ORG  
Cartridge type : VM  
Cartridge number :  
Tracking force : 3.5

NUDE

<div>JICO</div> <div>ACCESSORIES</div>	<p><b>CSS-J600</b> <b>STYLUS CACE</b></p>  <p>Store up to six Styli</p>	<p><b>CSS-J600W</b> <b>STYLUS CACE TWO-PIECE</b></p>  <p>Store up to six Styli. Two Pieces</p>	<p><b>CSS-JCC</b> <b>CARTRIDGE CASE</b></p>  <p>Cartridge Case CSS-JCC Dimensions: W117mm x L117mm x H50mm</p>
<p><b>CSS-JHSB</b> <b>HEADSHELL BLACK</b></p>  <p>[Package consists] Leadwire Screws (x2) <math>\Phi</math>2.5mm x 16mm Washers (x2) Nuts (x2) Headshell : Black CSS-JHSB Weight : 8.7g(Include Leadwires)</p>	<p><b>CSS-JHSB</b> <b>HEADSHELL SILVER</b></p>  <p>[Package consists] Leadwire Screws (x2) <math>\Phi</math>2.5mm x 16mm Washers (x2) Nuts (x2) Headshell : Silver CSS-JHSB Weight : 8.7g(Include Leadwires)</p>	<p><b>CSS-JHSME-B</b> <b>HEADSHELL SME BLACK</b></p>  <p>[Package consists] Leadwire Screws (x2) <math>\Phi</math>2.5mm x 14mm Washers (x2) Nuts (x2) Headshell : SME Black CSS-JHSME-B Weight : 7.3g(Include Leadwires)</p>	<p><b>CSS-JHSME-S</b> <b>HEADSHELL SME SILVER</b></p>  <p>[Package consists] Leadwire Screws (x2) <math>\Phi</math>2.5mm x 14mm Washers (x2) Nuts (x2) Headshell : SME Silver CSS-JHSME-S Weight : 7.3g(Include Leadwires)</p>
<p><b>CSS-JHSLW</b> <b>LOGO HEADSHELL WHT</b></p>  <p>[Package consists] Leadwire Screws: x2 13mm, x2 16mm Washers (x2) Nuts (x2) Headshell : LOGO HEADSHELL WHT Weight : 7.5g(Include Leadwires)</p>	<p><b>CSS-JHSLB</b> <b>LOGO HEADSHELL BLU</b></p>  <p>[Package consists] Leadwire Screws: x2 13mm, x2 16mm Washers (x2) Nuts (x2) Headshell : LOGO HEADSHELL BLU Weight : 7.5g(Include Leadwires)</p>	<p><b>CSS-JHSSB</b> <b>SKATEBOARD HEADSHELL</b></p>  <p>[Package consists] Leadwire Screws: x2 13mm, x2 16mm Washers (x2) Nuts (x2) Headshell : SKATEBOARD HEADSHELL Weight : 9.2g(Include Leadwires)</p>	<p><b>JICO SLIPMAT</b> <b>JICO Slipmat (12inch/Black)</b></p>  <p>Color : Black Size: 12 inch</p>
<p><b>CSS-JLWW</b> <b>LEAD WIRES WHT</b></p>  <p>Color : White ※ Designed only for use with JICO original Headshells</p>	<p><b>CSS-JLWR</b> <b>LEAD WIRES RED</b></p>  <p>Color : Red ※ Designed only for use with JICO original Headshells</p>	<p><b>CSS-JLWC</b> <b>LEAD WIRES CLR</b></p>  <p>Color : Clear ※ Designed only for use with JICO original Headshells</p>	<p><b>JICO SLIPMAT</b> <b>JICO Slipmat (7inch/Sketch)</b></p>  <p>Color : White Size: 7 inch</p>
<p><b>JICO APPAREL</b> <b>JICO SNAPBACK CAP</b></p>  <p>Color : GOLD ON BLACK / BLACK ON BLACK Size : One size</p>	<p><b>JICO APPAREL</b> <b>JICO BASEBALL CAP</b></p>  <p>Color : GOLD ON BLACK / BLACK ON BLACK Size : One size</p>		

# Jico



stylus@export-japan.com



<https://www.jico-stylus.com>

2025.Sep.