
STYLUS CATALOG



CUSTOM SHOP
PRODUCTS by JICO



C-REVO
by JICO

Super Analog Stylus Series JICO's Original High Quality and Long Life Model



SAS (Super Analog Stylus) is our original record stylus which has a special shaped tip that achieves linear contact while also reducing friction between the sound groove and needle tip at the same time. The impressive result is an excellent reproduction of the treble and bass from an analog record, as well as a longer playing time of approximately 500 hours.



Analog record production requires a master disc that is cut on a dedicated lathe. The SAS stylus tips are laser cut to resemble the needle tip used on a cutting lathe. This enables the SAS tip to reach the deepest sections of a record's sound groove and collect sounds that standard needles cannot. Because the sound groove's contact area is big, an accurate sound recording will be reproduced across a wide frequency range.

SAS/B Boron Cantilever



There are many customers who believe that this model is well suited to use for articulating delicate sounds like those present in classical music. An aluminum cantilever is unable to reproduce the original sound groove information as accurately and faithfully as the SAS Boron. The average playing time for this model is about 500 hours.

SAS/S Sapphire Cantilever



This model has high degree of rigidity which improves the reproducibility of sound recorded from an analog record. This concept has been characterized by many customers as greatly improving the perception of the sounds and vocals on a record. Compared to the Boron version (SAS/B), the impression of the Sapphire Cantilever is closer to high-resolution sound. The typical playing time for this

MORITA ~Wood Carving Cantilever~ Cantilever crafted from wood

"I wanted to hear what a record needle with a wooden cantilever sounded like."

The words of Kotaro Morita, a quiet record needle maker that inspired this invention.

Morita has worked with JICO for over half a century and has always prioritized "Monozukuri*1" We've chosen to introduce a product named after him in order to preserve his spirit, abilities, and accomplishments for future generations.

*1 Monozukuri is the Japanese philosophy of craftsmanship, where skilled artisans create objects with precision, patience, and respect for tradition. It values mastery of techniques, simplicity, aesthetics, and a connection to both the past and future, resulting in handcrafted, beautiful, and functional pieces.

KUROGAKI

Cantilever made from Black Persimmon Wood



Japanese Black Persimmon wood is used to make the cantilever, which is very rare and valuable. The conical tip used for this stylus has an average play time of roughly 200 hours.

USHIKOROSHI

Cantilever made from Christmas Berry Wood



This product has an appealing mid-bass sound that is tense and powerful, making it suitable for music with a lot of intensity. The conical tip used for this stylus has an average play time of roughly 200 hours.

YURUSHI-IRO


Cantilever made from Pink Ivory Wood



Each individual sound is very delicate, with excellent clarity in the high tones, and it is characterized by a beautiful and transparent overall sound. The conical tip used for this stylus has an average play time of roughly 200 hours.

NUDE Stylus Series

Stylus tip is structured entirely from Diamond



In contrast to bonded tips, NUDE (solid) tips are entirely made of diamond. Its angle and round shape are similar to a bonded tip, but its diameter is equal in size to that of the SAS series.

* Models featuring the word "NUDE" in the product name are those with Solid Diamond Tips.

▶ NUDE Conical Stylus Universal Model for Comprehensive Sound Reproduction



Stylus tip with standard conical shape (tip R0.7mil). The average playing time is about 200 hours. bass from an analog record, as well as a longer playing time of approximately 500 hours.


▶ NUDE Elliptical Stylus Model Featuring Extended High-Frequency Treble



Compared to the NUDE Conical Stylus, this needle tip has an Elliptical-shaped cross section when being made. This is to increase and enhance the treble range's extension. The average playing time is about 150 hours. bass from an analog record, as well as a longer playing time of approximately 500 hours extension.

SD Stylus Series


Synthetic Unplated Diamond Tip



Synthetic Diamonds refer to diamonds that are artificially created and possess the same chemical composition, crystal structure, as well as optical and physical properties as natural diamonds.

In contrast to Natural Diamonds (ND), which are formed naturally and can vary in hardness from one individual to another, synthetic diamonds are referred to as Synthetic Diamonds (SD) because they offer the advantage of consistent hardness.

	Point contact stylus		Line contact stylus
	Conical stylus 0.7mil	Elliptical stylus 0.3mil x 0.7mil	SAS stylus
Front View			
Cross-sectional view			
Contact with records			
Contact surface	23.4 µm ²	20.6 µm ²	62.1 µm ²
L1 / L2	1	1.8	9



DJ Series

Model dedicated for DJ performance



To avoid the stylus from skipping or jumping during scratching on a turntable, the needle pressure for the "DJ SERIES" is calibrated at a higher tracking force than that of genuine stylus. A luminous - glow in the dark type (AURORA) version is also available, which looks fantastic when DJing in a club.

In addition, the N44 series products have a cantilever that is designed to be similar to SHURE's genuine product.

- 1.The cantilever round form
- 2.The height from the record surface to the base of the cantilever

Cartridge

The cartridge is compatible with both genuine SHURE N44 models and JICO replacement styli.

J44

Compatible with SHURE N44 styli

J44D



Produces a well-balanced, solid sound with a broad, smooth tone and a 3D-like audio effect. The specifications are similar to the genuine SHURE M44G cartridge.

J44A 7



Delivers a lively sound with vigorous dynamics. Reproduces powerful basslines while maintaining a well-balanced sound. Comparable in specifications to the genuine SHURE M44-7 cartridge.

J50

The "J50" MM cartridge for Listening/Play Back



Designed for audiophiles and record-listening enthusiasts, this MM Cartridge offers higher output compared to the "J44D" and "J44A 7" models. The calm, transparent brown body comes with various kits, each featuring 1 to 3 different styli, allowing you to fully experience the diverse sound profiles of the JICO CUSTOM SHOP collection. Available styli for the J50 include the "N-44-7 IMP NUDE" and the MORITA Wood Cantilever models—N44 KUROGAKI and N44 USHIKOROSHI

IMPACT

DJ Use and Performance



The IMPACT cartridge crafted for DJ use features a clear red transparent body and utilizes the JICO N-44-7 DJ IMP NUDE and/or SD Conical Stylus tips, delivering a powerful "PUNCH" to the low end of the sound reproduced from a record groove. An OMNIA pre-assembled complete set is also available, which includes JICO Black or Silver Headshells.

SETO-HORI REMODEL

Traditional Japanese craftsmanship and Cutting-edge engineering with MC cartridge



Released in 2019 the SETO-HORI, received widespread global recognition. The new name for this continued legendary product will be the “SETO-HORI REMODEL,” which emphasizes integration of the cartridge with the headshell for a true precise sound.



The headshell and cartridge’s center of gravity, which are machined from aluminum and copper alloy ingots, are positioned directly on the tonearm’s centerline for maximum sensitivity when tracing a record. Additionally, the screw-free integrated body allows for a lower degree of coarse resonance.

SETO-HORI REMODEL is a unique technological fused balance of Traditional Japanese craftsmanship and Cutting-edge engineering.

ARTIST SERIES

BASIE MODEL

Jazz cafe “BASIE” supervised by Shoji “Swifty” Sugawara BASIE

JAZZ KISSA (CAFE) BASIE is the most popular Jazz cafe in Japan.

We have developed a “BASIE” model with Shoji Sugawara the owner of Jazz cafe BASIE

▶ VN35EBN



Jazz cafe “BASIE” operated by Shoji “Swifty” Sugawara BASIE, is a long-established Jazz cafe located in Ichinoseki City, Iwate Prefecture, a famous place visited by many music enthusiasts and celebrities. Mr. Shoji Sugawara has been the owner of the cafe for 50 years, and after a long period of development, trial and error, we have finally achieved the precise sound that he has been pursuing.

ALFA MODEL

ALFA Music 55th Anniversary Collaboration

▶ ALFA MODEL55 / OMNIA



“Sure to Capture Your Heart with Sound”

A High-Grade model featuring natural, uncut diamonds. Crafted to faithfully reproduce each sound with clarity compared to standard models. Limited to 550 units. Every cartridge and stylus are individually assigned a serial number.

▶ ALFA MODEL / OMNIA



“The Sound of Artist-Centricity”

An entry-level model featuring Synthetic uncut diamonds. Crafted to recreate the sound of music released by ALFA Music at the time.

C O N T E N T S

◆ ADC	P07
◆ AIWA	P07
◆ AUDIO EMPIRE	P07
◆ COLUMBIA (DENON)	P08
◆ C.E.C	P09
◆ ELAC	P09
◆ Hitachi	P09
◆ JICO	P10
◆ KENWOOD (TRIO)	P10
◆ MICRO	P11
◆ Mitsubishi / DIATONE	P11
◆ National (Technics)	P12 ~ P13
◆ ortofon	P14
◆ PICKERING	P14
◆ PHILIPS	P15
◆ Pioneer	P16~ P17
◆ SANSUI	P18
◆ SHARP (Optonica)	P18
◆ SHURE	P19~ P28
◆ SONY	P29~ P30
◆ Stanton	P30
◆ Toshiba	P30
◆ Victor	P31
◆ JICO Accessories	P32

Product and Other Notices

- Due to photography and printing processes, the actual colors of the product may differ slightly from those shown in the catalog.

- The company names and other names listed in the catalog are trademarks or registered trademarks of their respective companies.

- The contents of this catalog are as of September 2024, and specifications, appearance, and prices (including handling) may change without notice. Thank you for your understanding in advance.

ADDC

240-RSXC(E)

**RSX
IMPROVED**



Tip : NUDE Elliptical
Knob color : BIK
Cartridge type : IM
Cartridge number : XLM/III IMPROVED
Tracking force : 0.75 - 1.5

NUDE

AIWA

20-6
AN-6



Tip : SAS/B
Knob color : TR/GRN
Cartridge type : MM
Cartridge number :
Tracking force : 1.0 - 1.5

SAS/B

20-11a
AN-11



Tip : NUDE Conical
Knob color : YEL
Cartridge type : VM
Cartridge number :
Tracking force : 3.5

NUDE

20-43
AN-8743



Tip : SAS/B
Knob color : ORG
Cartridge type : MM
Cartridge number :
Tracking force : 1.0 - 1.5

SAS/B

**AUDIO
EMPIRE**

241-01E
S-1000ZEX



Tip : NUDE Elliptical
Knob color : BLK
Cartridge type : IM
Cartridge number : 1000ZEX
Tracking force : 0.5 - 1.5

NUDE

241-02E/III
S-2000E/III



Tip : NUDE Elliptical
Knob color : CLR
Cartridge type : IM
Cartridge number : 2000E/III
Tracking force : 0.75 - 1.5

NUDE

COLUMBIA
DENON

35-37
DSN-37



Tip : NUDE Conical
Knob color : TR/BRN
Cartridge type : MM
Cartridge number : DL-8
Tracking force : 1.7 - 2.3



35-37
DSN-37



Tip : NUDE Elliptical
Knob color : TR/BRN
Cartridge type : MM
Cartridge number : DL-8
Tracking force : 1.7 - 2.3



35-40E
DSN-40



Tip : SAS/B
Knob color : WHT
Cartridge type : MM
Cartridge number : DL-108D
Tracking force : 1.0 - 1.5



35-40E
DSN-40



Tip : NUDE Elliptical
Knob color : WHT
Cartridge type : MM
Cartridge number : DL-108D
Tracking force : 1.0 - 1.5



35-42
DSN-42



Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number : DL-8A
Tracking force : 1.0 - 1.5



35-42E
DSN-42



Tip : SAS/S
Knob color : BLK
Cartridge type : MM
Cartridge number : DL-8A
Tracking force : 1.0 - 1.5



35-42E
DSN-42



Tip : NUDE Conical
Knob color : BLK
Cartridge type : MM
Cartridge number : DL-8A
Tracking force : 1.7-2.3



35-42E
DSN-42



Tip : NUDE Elliptical
Knob color : BLK
Cartridge type : MM
Cartridge number : DL-8A
Tracking force : 1.7-2.3



35-48
DSN-48



Tip : SAS/B
Knob color : ORG
Cartridge type : MM
Cartridge number : JM22
Tracking force : 1.0 - 1.5



35-60E
DSN-60



Tip : SAS/S
Knob color : WHT
Cartridge type : MM
Cartridge number : DL-60
Tracking force : 1.0 - 1.5



35-60E
DSN-60



Tip : SAS/B
Knob color : WHT
Cartridge type : MM
Cartridge number : DL-60
Tracking force : 1.0 - 1.5



35-60E
DSN-60



Tip : NUDE Elliptical
Knob color : WHT
Cartridge type : MM
Cartridge number : DL-60
Tracking force : 1.0 - 1.5



35-65E
DSN-65



Tip : SAS/B
Knob color : RED
Cartridge type : MM
Cartridge number : DL-65
Tracking force : 1.0 - 1.5



35-65E
DSN-65E



Tip : SAS/S
Knob color : YEL
Cartridge type : MM
Cartridge number : DL-65
Tracking force : 1.0 - 1.5



35-65E
DSN-65E



Tip : NUDE Elliptical
Knob color : YEL
Cartridge type : MM
Cartridge number : DL-65
Tracking force : 1.5 - 2.1



35-84a
DSN-84



Tip : NUDE Conical
Knob color : YEL
Cartridge type : VM
Cartridge number :
Tracking force : 3.0



C.E.C

59-7
MC-7



Tip : SAS/B
Knob color : GRY
Cartridge type : MM
Cartridge number : MC7
Tracking force : 1.0 - 1.5

SAS/B

ELAC

131-155
D-155-17



Tip : NUDE Conical
Knob color : BLK
Cartridge type : MM
Cartridge number : STS-155-17
Tracking force : 1.5 - 3.0

NUDE

131-793
DN-793



Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number : ESG793
Tracking force : 1.0 - 1.5

SAS/B

131-793
DN-793



Tip : NUDE Conical
Knob color : BLK
Cartridge type : MM
Cartridge number : ESG793
Tracking force : 1.0 - 1.5

NUDE

HITACHI
Lo-D

52-23
DS-ST23



Tip : NUDE Conical
Knob color : RED
Cartridge type : MM
Cartridge number : MT-23
Tracking force : 2.0

NUDE

52-24
DS-ST24



Tip : NUDE Conical
Knob color : TR/ORG
Cartridge type : MM
Cartridge number : MT-24
Tracking force : 2.0

NUDE

JICO

MC-Cartridge
**SETO-HORI
REMODEL**

Tip : Micro Ridge
Knob color : Silver
Cartridge type : MC
Cartridge number :
Tracking force : 1.8 - 2.2



Stylus1
Stylus1

Tip : SAS/S
Knob color : BLK
Cartridge type : MM
Cartridge number :
Tracking force : 1.0 - 1.5



Stylus1
Stylus1

Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number :
Tracking force : 1.0 - 1.5



MM-Cartridge
Clipper

Tip : NUDE Conical
Knob color : Black
Cartridge type : MM
Cartridge number :
Tracking force : 1.8 - 2.2



CRCP/MK1
Clipper Stylus

Tip : NUDE Conical
Knob color : Black
Cartridge type : MM
Cartridge number : Clipper
Tracking force : 1.8 - 2.2



MM-Cartridge
Clipper-S

Tip : NUDE Conical
Knob color : Black
Cartridge type : MM
Cartridge number :
Tracking force : 1.8 - 2.2



DVS
DVS

Tip : Ruby Conical
Knob color : Pink
Cartridge type : MM
Cartridge number : J44D J44A 7
M44G, M44-7
Tracking force : 3.5 - 4.5



Cartridge + Stylus + Headshell
**GERNE BNDR MODEL
Good**

Cartridge : J44A 7 (MM)
Stylus : DVS
Tip : Ruby Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
**GERNE BNDR MODEL
Great**

Cartridge : J44A 7 (MM)
Stylus : DVS
Tip : Ruby Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
**GERNE BNDR MODEL
Better**

Cartridge : J44A 7 (MM)
Stylus : DVS
Tip : Ruby Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
**GERNE BNDR MODEL
Smiley**

Cartridge : J44A 7 (MM)
Stylus : DVS
Tip : Ruby Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5



KENWOOD
TRIO

55-31
N-31

Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number : N-31, T-31
Tracking force : 1.0 - 1.5



55-34
N-34

Tip : SAS/B
Knob color : TR/BLU
Cartridge type : MM
Cartridge number : V-34
Tracking force : 1.0 - 1.5



55-43
N-43

Tip : SAS/B
Knob color : ORG
Cartridge type : MM
Cartridge number : V-43
Tracking force : 1.0 - 1.5



55-49
N-49

Tip : SAS/B
Knob color : ORG
Cartridge type : MM
Cartridge number : V-49
Tracking force : 1.0 - 1.5



55-44
N-44

Tip : SAS/B
Knob color : BLU
Cartridge type : MM
Cartridge number : V-44
Tracking force : 1.0 - 1.5



55-39
N-39

Tip : SAS/B
Knob color : ORG
Cartridge type : MM
Cartridge number : V-39
Tracking force : 1.0 - 1.5



55-69
N-69

Tip : NUDE Conical
Knob color : RED
Cartridge type : MM
Cartridge number :
Tracking force : 1.5 - 2.0



65-P1
V-P1



Tip : NUDE Conical
Knob color : BLK
Cartridge type : MM
Cartridge number : PLUS-1
Tracking force : 2.0









NUDE

51-44
3D-44M



Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number : MAG-44
Tracking force : 1.0 - 1.5

SAS/B

<p>36-P23E EPS-23ES</p>  <p>Tip : SAS/B Knob color : TR/BLU Cartridge type : MM Cartridge number : EPC-P23 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-P23E EPS-23ES</p>  <p>Tip : SAS/S Knob color : TR/BLU Cartridge type : MM Cartridge number : EPC-P23 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>36-P23 EPS-23CS</p>  <p>Tip : NUDE Conical Knob color : TR/BLU Cartridge type : MM Cartridge number : EPC-P23 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>	
<p>36-U24/36-U24E EPS-24CS,24ES</p>  <p>Tip : SAS/B Knob color : TR/ORG Cartridge type : MM Cartridge number : EPC-P24 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-U24/36-U24E EPS-24CS,24ES</p>  <p>Tip : SAS/S Knob color : TR/ORG Cartridge type : MM Cartridge number : EPC-P24 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>36-U24/36-U24E EPS-24CS,24ES</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : EPC-P24 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>	<p>36-U24/36-U24E EPS-24CS,24ES</p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : EPC-P24 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>
<p>36-U25 EPS-25CS</p>  <p>Tip : SAS/B Knob color : TR/BRN Cartridge type : MM Cartridge number : EPC-P25, H25 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-U25 EPS-25CS</p>  <p>Tip : SAS/S Knob color : TR/BRN Cartridge type : MM Cartridge number : EPC-P25, H25 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>36-U25 EPS-25ES</p>  <p>Tip : NUDE Elliptical Knob color : TR/BRN Cartridge type : MM Cartridge number : EPC-P25, H25 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>	<p>36-P30 EPS-30ES</p>  <p>Tip : SAS/S Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>36-P30 EPS-30ES</p>  <p>Tip : SAS/B Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-P30 EPS-30CS</p>  <p>Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.0</p> <p>NUDE</p>	<p>36-P30 EPS-30CS</p>  <p>Tip : NUDE Elliptical Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.0</p> <p>NUDE</p>	<p>36-P33 EPS-33CS</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : EPC-P33, EPC-P33S Tracking force : 1.0</p> <p>NUDE</p>
<p>36-P34 EPS-34CS</p>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : VM Cartridge number : Tracking force : 1.3</p> <p>NUDE</p>	<p>36-46 EPS-46STSD</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : P Cartridge number : EPC-451C, EPC-460C Tracking force : 3.0 - 4.0</p> <p>NUDE</p>	<p>36-52 EPS-51CS</p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : EPC-51CS Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-52 EPS-52STDD</p>  <p>Tip : NUDE Conical Knob color : TR/ORG Cartridge type : MM Cartridge number : EPC-86MAD EPC-440C, EPC-441C Tracking force : 2.0 - 2.5</p> <p>NUDE</p>
<p>36-P55 EPS-55CS</p>  <p>Tip : NUDE Conical Knob color : TR/GRN Cartridge type : MM Cartridge number : Tracking force : 2.5</p> <p>NUDE</p>	<p>36-202ED EPS-202ED</p>  <p>Tip : SAS/B Knob color : CLR Cartridge type : MM Cartridge number : EPC-P202C Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-202ED EPS-202ED</p>  <p>Tip : SAS/S Knob color : CLR Cartridge type : MM Cartridge number : EPC-P202C Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>36-202ED EPS-202ED</p>  <p>Tip : NUDE Elliptical Knob color : CLR Cartridge type : MM Cartridge number : EPC-P202C Tracking force : 1.0 - 1.5</p> <p>NUDE</p>

<p>36-205ED EPS-205ED</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : EPC-205CIIS Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-205ED EPS-205ED</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : EPC-205CIIS Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>36-205EX EPS-205EX</p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : EPC-205CIIX,EPC-205CIIL EPC-205CIIH, EPC-205CMK3 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-205EX EPS-205EX</p>  <p>Tip : SAS/S Knob color : YEL Cartridge type : MM Cartridge number : EPC-205CIIX,EPC-205CIIL EPC-205CIIH, EPC-205CMK3 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>36-205EX EPS-205EX</p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : EPC-205CIIX,EPC-205CIIL EPC-205CIIH, EPC-205CMK3 Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>36-206C EPS-206C</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : EPC-P206CK Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-206C EPS-206C</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : EPC-P206CK Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>36-207ED EPS-207ED</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : EPC-207 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
<p>36-207ED EPS-207ED</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : EPC-207 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>36-207ED EPS-207ED</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : EPC-207 Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>36-270 EPS-270ED</p>  <p>Tip : SAS/B Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270/ II Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-270 EPS-270ED</p>  <p>Tip : SAS/S Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270/ II Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>36-270 EPS-270SD</p>  <p>Tip : NUDE Conical Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270D,EPC-271D Tracking force : 1.5 - 2.0</p> <p>NUDE</p>	<p>36-270ED EPS-270ED</p>  <p>Tip : NUDE Elliptical Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270/ II Tracking force : 1.5 - 2.0</p> <p>NUDE</p>		

ortofon

242-N15/II
N-15/II



Tip : NUDE Conical
Knob color : WHT
Cartridge type : MM
Cartridge number : F-15MKII, F150MKII
Tracking force : 1.5

NUDE

242-N20E/II
N-20E/II



Tip : NUDE Elliptical
Knob color : BLK
Cartridge type : MM
Cartridge number : VMS-20E/ II
Tracking force : 1.0

NUDE

242-N30E/II
N-30E/II



Tip : NUDE Elliptical
Knob color : BLK
Cartridge type : MM
Cartridge number : VMS-30E/ II
Tracking force : 1.5-3.0

NUDE

242-20
STYLUS 20



Tip : NUDE Elliptical
Knob color : BLK
Cartridge type : MM
Cartridge number : CONCORDE20
Tracking force : 1.25-1.8

NUDE

242-30
STYLUS 30



Tip : NUDE Elliptical
Knob color : BLK
Cartridge type : MM
Cartridge number : CONCORDE30
Tracking force : 1.25-2.0

NUDE

PICKERING

174-15T/DJ
D1507DJ



Tip : NUDE Conical
Knob color : WHT
Cartridge type : MM
Cartridge number : V15/AT1
Tracking force : 2.0 - 5.0

DJ

NUDE

174-D15/DJ
D150DJ



Tip : NUDE Conical
Knob color : WHT
Cartridge type : IM
Cartridge number : XV-15/150
Tracking force : 2.0 - 4.0

DJ

NUDE

174-D62E
D625



Tip : NUDE Elliptical
Knob color : BLK
Cartridge type : IM
Cartridge number : XV-15/625E
Tracking force : 0.75 - 1.5

NUDE

174-PD07C
PD-07C



Tip : NUDE Conical
Knob color : BLK
Cartridge type : MM
Cartridge number : NP/ACS
Tracking force : 3.0 - 7.0

NUDE

174-PDE
PDE



Tip : NUDE Elliptical
Knob color : YEL
Cartridge type : MM
Cartridge number : P/ATE · ATE-1
Tracking force : 0.75 - 3.0

NUDE

173-400
D-400



Tip : SAS/B
Knob color : GRY
Cartridge type : MM
Cartridge number : GP-400
Tracking force : 1.5 - 3.0

SAS/B

173-400/II
D-400/II



Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number : GP-400/II
Tracking force : 1.5 - 3.0

SAS/S

173-400/III
D-400/III



Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number : GP-400/III
Tracking force : 1.5 - 3.0

SAS/B

	<p>53-10 PN-10(V)</p>  <p>Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : PC-10 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>53-10 PN-10(V)</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : PC-10 Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>53-11 PN-11</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : PC-11 Tracking force : 2.5 - 3.5</p> <p>NUDE</p>
<p>53-11 PN-11E</p>  <p>Tip : NUDE Elliptical Knob color : GRY Cartridge type : MM Cartridge number : PC-11 Tracking force : 2.5 - 3.5</p> <p>NUDE</p>	<p>53-12 PN-12</p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : PC-12 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>53-15 PN-15</p>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : PC-15 Tracking force : 1.7 - 2.3</p> <p>NUDE</p>	<p>53-110 PN-110</p>  <p>Tip : SAS/B Knob color : BLU Cartridge type : MM Cartridge number : PC-110 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
<p>53-110 PN-110</p>  <p>Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : PC-110 Tracking force : 1.8 - 2.5</p> <p>NUDE</p>	<p>53-110 PN-110</p>  <p>Tip : NUDE Elliptical Knob color : BLU Cartridge type : MM Cartridge number : PC-110 Tracking force : 1.8 - 2.5</p> <p>NUDE</p>	<p>53-110/II PN-110/II</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : PC-110/II Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>53-110/II PN-110/II</p>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : PC-110/II Tracking force : 1.5 - 2.5</p> <p>NUDE</p>
<p>53-110/II PN-110/II</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : PC-110/II Tracking force : 1.5 - 2.5</p> <p>NUDE</p>	<p>53-150 PN-150</p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : PC-150 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>53-150 PN-150</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : PC-150 Tracking force : 1.7 - 2.5</p> <p>NUDE</p>	<p>53-150 PN-150</p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : PC-150 Tracking force : 1.7 - 2.5</p> <p>NUDE</p>
<p>53-200 PN-200</p>  <p>Tip : SAS/B Knob color : GRN Cartridge type : MM Cartridge number : PC-200, PXT-958 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>53-200 PN-200</p>  <p>Tip : NUDE Conical Knob color : GRN Cartridge type : MM Cartridge number : PC-200, PXT-958 Tracking force : 1.7 - 2.3</p> <p>NUDE</p>	<p>53-210a PN-210</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : VM Cartridge number : PXV-1003 Tracking force : 2.5</p> <p>NUDE</p>	<p>53-301 PN-301</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : PXV-963 Tracking force : 1.25</p> <p>NUDE</p>
<p>53-330 PN-330</p>  <p>Tip : SAS/B Knob color : DK/GRN Cartridge type : MM Cartridge number : PC-330 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>53-330 PN-330</p>  <p>Tip : SAS/S Knob color : DK/GRN Cartridge type : MM Cartridge number : PC-330 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>53-330 PN-330</p>  <p>Tip : NUDE Conical Knob color : DK/GRN Cartridge type : MM Cartridge number : PC-330 Tracking force : 1.4 - 2.0</p> <p>NUDE</p>	<p>53-330 PN-330E</p>  <p>Tip : NUDE Elliptical Knob color : BRN Cartridge type : MM Cartridge number : PC-330 Tracking force : 1.4 - 2.0</p> <p>NUDE</p>

53-330/II
PN-330/II



Tip : SAS/B
Knob color : TR/SMK
Cartridge type : MM
Cartridge number : PC-330/II
Tracking force : 1.0 - 1.5

SAS/B

53-330/II
PN-330/II



Tip : SAS/S
Knob color : TR/SMK
Cartridge type : MM
Cartridge number : PC-330/II
Tracking force : 1.0 - 1.5

SAS/S

53-330/II
PN-330/II



Tip : NUDE Conical
Knob color : TR/SMK
Cartridge type : MM
Cartridge number : PC-330/II
Tracking force : 1.0 - 1.8

NUDE

53-330/II
PN-330/II



Tip : NUDE Elliptical
Knob color : TR/SMK
Cartridge type : MM
Cartridge number : PC-330/II
Tracking force : 1.0 - 1.8

NUDE

53-1004a
PZP-1004



Tip : NUDE Conical
Knob color : YEL
Cartridge type : VM
Cartridge number :
Tracking force : 2.5 - 3.5

NUDE

SANSUI

56-45
SN-45



Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number : SV-45
Tracking force : 1.0 - 1.5

SAS/B

56-45
SN-42



Tip : SAS/B
Knob color : CLEAR
Cartridge type : MM
Cartridge number : SV42
Tracking force : 1.5 -3.0

SAS/B

SHARP

50-705
STY-705



Tip : SAS/B
Knob color : BLU
Cartridge type : MM
Cartridge number : CART-705
Tracking force : 1.0 - 1.5

SAS/B

SHURE

Cartridge + Stylus + Headshell
OMNIA J44D
IMP BLACK



Cartridge : J44D (MM)
Stylus : N-44G IMP NUDE
Tip : NUDE Conical
Headshell : Black CSS-JHSB
Tracking force : 0.75-1.5

NUDE

Cartridge + Stylus + Headshell
OMNIA J44D
IMP BLACK



Cartridge : J44D (MM)
Stylus : N-44G IMP SD
Tip : SD Conical
Headshell : Black CSS-JHSB
Tracking force : 0.75-1.5

SD

Cartridge + Stylus + Headshell
OMNIA J44D DJ
IMP BLACK



Cartridge : J44D (MM)
Stylus : N-44G DJ IMP NUDE
Tip : NUDE Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5

DJ
NUDE

Cartridge + Stylus + Headshell
OMNIA J44D DJ
IMP BLACK



Cartridge : J44D (MM)
Stylus : N-44G DJ IMP SD
Tip : SD Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5

DJ
SD

Cartridge + Stylus + Headshell
OMNIA J44D AURORA
IMP BLACK



Cartridge : J44D (MM)
Stylus : N-44G AURORA IMP NUDE
Tip : NUDE Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5

DJ
NUDE

Cartridge + Stylus + Headshell
OMNIA J44D
IMP SILVER



Cartridge : J44D (MM)
Stylus : N-44G IMP NUDE
Tip : NUDE Conical
Headshell : Silver CSS-JHSS
Tracking force : 0.75-1.5

NUDE

Cartridge + Stylus + Headshell
OMNIA J44D
IMP SILVER



Cartridge : J44D (MM)
Stylus : N-44G IMP SD
Tip : SD Conical
Headshell : Silver CSS-JHSS
Tracking force : 0.75-1.5

SD

Cartridge + Stylus + Headshell
OMNIA J44D DJ
IMP SILVER



Cartridge : J44D (MM)
Stylus : N-44G DJ IMP NUDE
Tip : SD Conical
Headshell : Silver CSS-JHSS
Tracking force : 3.5-4.5

DJ
NUDE

Cartridge + Stylus + Headshell
OMNIA J44D DJ
IMP SILVER



Cartridge : J44D (MM)
Stylus : N-44G DJ IMP SD
Tip : SD Conical
Headshell : Silver CSS-JHSS
Tracking force : 3.5-4.5

DJ
SD

Cartridge + Stylus + Headshell
OMNIA J44D AURORA
IMP BLACK



Cartridge : J44D (MM)
Stylus : N-44G AURORA IMP NUDE
Tip : NUDE Conical
Headshell : Silver CSS-JHSS
Tracking force : 3.5-4.5

DJ
NUDE

Cartridge + Stylus + Headshell
OMNIA J44D
IMP LOGO WHT



Cartridge : J44D (MM)
Stylus : N-44G IMP NUDE
Tip : NUDE Conical
Headshell : logo headshell wht
Tracking force : 0.75-1.5

NUDE

Cartridge + Stylus + Headshell
OMNIA J44D
IMP LOGO WHT



Cartridge : J44D (MM)
Stylus : N-44G IMP SD
Tip : SD Conical
Headshell : logo headshell wht
Tracking force : 0.75-1.5

SD

Cartridge + Stylus + Headshell
OMNIA J44D DJ
IMP LOGO WHT



Cartridge : J44D (MM)
Stylus : N-44G DJ IMP NUDE
Tip : NUDE Conical
Headshell : logo headshell wht
Tracking force : 3.5-4.5

DJ
NUDE

Cartridge + Stylus + Headshell
OMNIA J44D DJ
IMP LOGO WHT



Cartridge : J44D (MM)
Stylus : N-44G DJ IMP SD
Tip : SD Conical
Headshell : logo headshell wht
Tracking force : 3.5-4.5

DJ
SD

Cartridge + Stylus + Headshell
OMNIA J44D
IMP LOGO BLU



Cartridge : J44D (MM)
Stylus : N-44G IMP NUDE
Tip : NUDE Conical
Headshell : logo headshell Blu
Tracking force : 0.75-1.5

NUDE

Cartridge + Stylus + Headshell
OMNIA J44D
IMP LOGO BLU



Cartridge : J44D (MM)
Stylus : N-44G IMP SD
Tip : SD Conical
Headshell : logo headshell Blu
Tracking force : 0.75-1.5

SD

Cartridge + Stylus + Headshell
OMNIA J44D DJ
IMP LOGO BLU



Cartridge : J44D (MM)
Stylus : N-44G DJ IMP NUDE
Tip : NUDE Conical
Headshell : logo headshell Blu
Tracking force : 3.5-4.5

DJ
NUDE

Cartridge + Stylus + Headshell
OMNIA J44D DJ
IMP LOGO BLU



Cartridge : J44D (MM)
Stylus : N-44G DJ IMP SD
Tip : SD Conical
Headshell : logo headshell Blu
Tracking force : 3.5-4.5

DJ
SD

Cartridge + Stylus + Headshell
OMNIA J44D
IMP SKATEBOARD



Cartridge : J44D (MM)
Stylus : N-44G IMP NUDE
Tip : NUDE Conical
Headshell : Skateboard headshell
Tracking force : 0.75-1.5

NUDE

Cartridge + Stylus + Headshell
OMNIA J44D
IMP SKATEBOARD



Cartridge : J44D (MM)
Stylus : N-44G IMP SD
Tip : SD Conical
Headshell : Skateboard headshell
Tracking force : 0.75-1.5

SD

Cartridge + Stylus + Headshell
OMNIA J44D DJ
IMP SKATEBOARD



Cartridge : J44D (MM)
Stylus : N-44G DJ IMP NUDE
Tip : NUDE Conical
Headshell : Skateboard headshell
Tracking force : 3.5-4.5

DJ
NUDE

Cartridge + Stylus + Headshell
OMNIA J44D DJ
IMP SKATEBOARD



Cartridge : J44D (MM)
Stylus : N-44G DJ IMP SD
Tip : SD Conical
Headshell : Skateboard headshell
Tracking force : 3.5-4.5

DJ
SD

Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP BLACK



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP NUDE
Tip : NUDE Conical
Headshell : Black CSS-JHSB
Tracking force : 1.5-3.0

NUDE

Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP BLACK



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP SD
Tip : SD Conical
Headshell : Black CSS-JHSB
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7 DJ
IMP BLACK



Cartridge : J44A 7 (MM)
Stylus : N-44-7 DJ IMP NUDE
Tip : NUDE Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7 DJ
IMP BLACK



Cartridge : J44A 7 (MM)
Stylus : N-44-7 DJ IMP SD
Tip : SD Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7 AURORA
IMP BLACK



Cartridge : J44A 7 (MM)
Stylus : N-44-7 AURORA IMP NUDE
Tip : NUDE Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP SILVER



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP NUDE
Tip : NUDE Conical
Headshell : Silver CSS-JHSS
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP SILVER



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP SD
Tip : SD Conical
Headshell : Silver CSS-JHSS
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7 DJ
IMP SILVER



Cartridge : J44A 7 (MM)
Stylus : N-44-7 DJ IMP NUDE
Tip : NUDE Conical
Headshell : Silver CSS-JHSS
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7 DJ
IMP SILVER



Cartridge : J44A 7 (MM)
Stylus : N-44-7 DJ IMP SD
Tip : SD Conical
Headshell : Silver CSS-JHSS
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7 AURORA
IMP SILVER



Cartridge : J44A 7 (MM)
Stylus : N-44-7 AURORA IMP NUDE
Tip : NUDE Conical
Headshell : Silver CSS-JHSS
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP LOGO WHT



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP NUDE
Tip : NUDE Conical
Headshell : logo headshell wht
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP LOGO WHT



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP SD
Tip : SD Conical
Headshell : logo headshell wht
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7 DJ
IMP LOGO WHT



Cartridge : J44A 7 (MM)
Stylus : N-44-7 DJ IMP NUDE
Tip : NUDE Conical
Headshell : logo headshell wht
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7 DJ
IMP LOGO WHT



Cartridge : J44A 7 (MM)
Stylus : N-44-7 DJ IMP SD
Tip : SD Conical
Headshell : logo headshell wht
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP LOGO BLU



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP NUDE
Tip : NUDE Conical
Headshell : logo headshell blu
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP LOGO BLU



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP SD
Tip : SD Conical
Headshell : logo headshell blu
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7 DJ
IMP LOGO BLU



Cartridge : J44A 7 (MM)
Stylus : N-44-7 DJ IMP NUDE
Tip : NUDE Conical
Headshell : logo headshell blu
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7 DJ
IMP LOGO BLU



Cartridge : J44A 7 (MM)
Stylus : N-44-7 DJ IMP SD
Tip : SD Conical
Headshell : logo headshell blu
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP SKATEBOARD



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP NUDE
Tip : NUDE Conical
Headshell : Skateboard headshell
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP SKATEBOARD



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP SD
Tip : SD Conical
Headshell : Skateboard headshell
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7 DJ
IMP SKATEBOARD



Cartridge : J44A 7 (MM)
Stylus : N-44-7 DJ IMP NUDE
Tip : NUDE Conical
Headshell : Skateboard headshell
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7 DJ
IMP SKATEBOARD



Cartridge : J44A 7 (MM)
Stylus : N-44-7 DJ IMP SD
Tip : SD Conical
Headshell : Skateboard headshell
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP LOGO WHT 2P



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP NUDE
Tip : NUDE Conical
Headshell : logo headshell wht
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP LOGO WHT 2P



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP SD
Tip : SD Conical
Headshell : logo headshell wht
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP LOGO BLU 2P



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP NUDE
Tip : NUDE Conical
Headshell : logo headshell blu
Tracking force : 1.5-3.0



<p><u>Cartridge + Stylus + Headshell</u> OMNIA J44A 7 IMP LOGO BLU 2P</p>  <p>Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : logo headshell blu Tracking force : 1.5-3.0</p> <p>SD</p>	<p><u>Cartridge + Stylus + Headshell</u> ALFA MODEL55/OMNIA</p>  <p>Cartridge : ALFA MODEL55 (MM) Stylus : ALFA MODEL NUDE Tip : NUDE Conical Headshell : ALFA MODEL55 Tracking force : 1.9 - 2.3</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> ALFA MODEL/OMNIA</p>  <p>Cartridge : ALFA MODEL (MM) Stylus : ALFA MODEL SD Tip : SD Conical Headshell : ALFA MODEL Tracking force : 1.3 - 1.7</p> <p>SD</p>	<p><u>Cartridge + Stylus</u> J44D IMP</p>  <p>Cartridge : J44D (MM) Stylus : N-44G IMP NUDE Tip : NUDE Conical Tracking force : 0.75-1.5</p> <p>NUDE</p>
<p><u>Cartridge + Stylus</u> J44D IMP</p>  <p>Cartridge : J44D (MM) Stylus : N-44G IMP SD Tip : SD Conical Tracking force : 0.75-1.5</p> <p>SD</p>	<p><u>Cartridge + Stylus</u> J44D DJ IMP</p>  <p>Cartridge : J44D (MM) Stylus : N-44G IMP DJ NUDE Tip : NUDE Conical Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p><u>Cartridge + Stylus</u> J44D DJ IMP</p>  <p>Cartridge : J44D (MM) Stylus : N44G IDJ MP SD Tip : SD Conical Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p><u>Cartridge + Stylus</u> J44D AURORA IMP</p>  <p>Cartridge : J44D (MM) Stylus : N44G AURORA IMP NUDE Tip : NUDE Conical Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>
<p><u>Cartridge + Stylus</u> J44A 7 IMP</p>  <p>Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus</u> J44A 7 IMP</p>  <p>Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Tracking force : 1.5-3.0</p> <p>SD</p>	<p><u>Cartridge + Stylus</u> J44A 7 DJ IMP</p>  <p>Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p><u>Cartridge + Stylus</u> J44A 7 DJ IMP</p>  <p>Cartridge : J44A 7 (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Tracking force : 3.5-4.5</p> <p>DJ SD</p>
<p><u>Cartridge + Stylus</u> J44A 7 AURORA IMP</p>  <p>Cartridge : J44A 7 (MM) Stylus : N-44-7 AURORA IMP NUDE Tip : NUDE Conical Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p><u>Cartridge</u> J44 D Cartridge Only</p>  <p>Cartridge : J44D (MM) Stylus : Tracking force :</p>	<p><u>Cartridge</u> J44 A 7 Cartridge Only</p>  <p>Cartridge : J44A 7 (MM) Stylus : Tip : Tracking force :</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 IMP BLACK</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 IMP BLACK</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>SD</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 IMP SILVER</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 IMP SILVER</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>SD</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 KUROGAKI BLACK</p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 KUROGAKI SILVER</p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 USHIKOROSHI BLACK</p>  <p>Cartridge : J50 (MM) Stylus : N44 USHIKOROSHI NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 USHIKOROSHI SILVER</p>  <p>Cartridge : J50 (MM) Stylus : N44 USHIKOROSHI NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 YURUSHI-IRO BLACK</p>  <p>Cartridge : J50 (MM) Stylus : N44 YURUSHI-IRO NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>NUDE</p>

<p>Cartridge + Stylus + Headshell OMNIA J50 YURUSHI-IRO SILVER</p>  <p>Cartridge : J50 (MM) Stylus : N44 YURUSHI-IRO NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge + Stylus J50 IMP</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge + Stylus J50 IMP</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE Tip : SD Conical Tracking force : 1.5-3.0</p> <p>SD</p>	<p>Cartridge + Stylus J50 KUROGAKI</p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p>Cartridge + Stylus J50 USHIKOROSHI</p>  <p>Cartridge : J50 (MM) Stylus : N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge + Stylus J50 YURUSHI-IRO</p>  <p>Cartridge : J50 (MM) Stylus : N44 YURUSHI-IRO NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge + Stylus J50 7Kduet</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE N44 KUROGAKI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge + Stylus J50 7U duet</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p>Cartridge + Stylus J50 7Y duet</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE N44 YURUSHI-IRO NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge + Stylus J50 KU duet</p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge + Stylus J50 KY duet</p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge + Stylus J50 UY duet</p>  <p>Cartridge : J50 (MM) Stylus : N44 USHIKOROSHI NUDE N44 YURUSHI-IRO NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p>Cartridge + Stylus J50 7KU trio</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE N44 KUROGAKI NUDE N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge J50 KUY trio</p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE N44 USHIKOROSHI NUDE N44 YURUSHI-IRO Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge J50 Cartridge Only</p>  <p>Cartridge : J50 (MM) Stylus : Tip : Tracking force :</p>	<p>Cartridge + Stylus + Headshell OMNIA IMPACT BLACK</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : Black CSS-JHSB Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>
<p>Cartridge + Stylus + Headshell OMNIA IMPACT BLACK</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : Black CSS-JHSB Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p>Cartridge + Stylus + Headshell OMNIA IMPACT SILVER</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : Silver CSS-JHSS Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p>Cartridge + Stylus + Headshell OMNIA IMPACT SILVER</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : Silver CSS-JHSS Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p>Cartridge + Stylus + Headshell OMNIA IMPACT LOGO WHT</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : logo headshell wht Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>
<p>Cartridge + Stylus + Headshell OMNIA IMPACT LOGO WHT</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : logo headshell wht Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p>Cartridge + Stylus + Headshell OMNIA IMPACT LOGO BLU</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : logo headshell blu Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p>Cartridge + Stylus + Headshell OMNIA IMPACT LOGO BLU</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : logo headshell blu Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p>Cartridge + Stylus + Headshell OMNIA IMPACT LOGO SKATEBOARD</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : Skateboard headshell Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>

Cartridge + Stylus + Headshell
OMNIA IMPACT
LOGO SKATEBOARD



Cartridge : IMPACT (MM)
Stylus : N-44-7 DJ IMP SD
Tip : SD Conical
Headshell : Skateboard headshell
Tracking force : 3.5-4.5



SD

Cartridge + Stylus
IMPACT



Cartridge : IMPACT (MM)
Stylus : N-44-7 DJ IMP NUDE
Tip : NUDE Conical
Tracking force : 3.5-4.5



NUDE

Cartridge + Stylus
IMPACT



Cartridge : IMPACT (MM)
Stylus : N-44-7 DJ IMP SD
Tip : SD Conical
Tracking force : 3.5-4.5





SD
























Cartridge
IMPACT
Cartridge Only



Cartridge : J44A 7 (MM)
Stylus :
Tip :
Tracking force :

<p>192-44G N44G</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-44G IMP N44G IMP</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-44G IMP N44G IMP</p>  <p>Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5</p> <p>SD</p>	<p>192-44G IMP N44G IMP MONO</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D Tracking force : 0.75 - 1.5</p> <p>NUDE</p>
<p>192-44G/DJ N44G/DJ</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>NUDE</p>	<p>192-44G/DJ IMP N44G/DJ IMP</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>NUDE</p>	<p>192-44G/DJ IMP N44G/DJ IMP</p>  <p>Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ SD</p>	<p>192-44G/DJ IMP 2PCS N44G/DJ IMP 2PCS</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>NUDE</p>
<p>192-44G/DJ IMP 2PCS N44G/DJ IMP 2PCS</p>  <p>Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>SD</p>	<p>192-44G/AURORA N44G/AURORA</p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44G/AURORA IMP N44G/AURORA IMP</p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44G/AURORA IMP 2PCS N44G/AURORA IMP 2PCS</p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>
<p>192-44-7 N44-7</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 1.5 - 3.0</p> <p>NUDE</p>	<p>192-44-7/IMP N44-7 IMP</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 1.5 - 3.0</p> <p>NUDE</p>	<p>192-44-7 IMP N44-7 IMP</p>  <p>Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 0.75 - 1.5</p> <p>SD</p>	<p>192-44-7/IMP N44-7 IMP</p>  <p>Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 1.5 - 3.0</p> <p>SAS/B</p>
<p>192-44-7/IMP N44-7 IMP</p>  <p>Tip : SAS/S Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 1.5 - 3.0</p> <p>SAS/S</p>	<p>192-44-7/IMP ONLY JICO WEBSITE N44-7 IMP</p>  <p>Tip : SAS/R Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 1.5 - 3.0</p> <p>SAS/R</p>	<p>192-44-7/DJ N44-7/DJ</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44-7, J44A 7 Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44-7/DJ IMP N44-7/DJ IMP</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>
<p>192-44-7/DJ IMP N44-7/DJ IMP</p>  <p>Tip : SD Conical Knob color : BLUE Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ SD</p>	<p>192-44-7/DJ IMP N44-7/DJ IMP 2PCS</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44-7, J44A 7 Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44-7/DJ IMP N44-7/DJ IMP 2PCS</p>  <p>Tip : SD Conical Knob color : BLUE Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ SD</p>	<p>192-44-7/AURORA N44-7/AURORA</p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>

<p>192-44-7/AURORA IMP N44-7/AURORA IMP</p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44-7/AURORA IMP 2PCS N44-7/AURORA IMP 2PCS</p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44-7, J44A 7 Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192- /ALFA MODEL ALFA MODEL</p>  <p>Tip : SD Conical Knob color : YELLOW Cartridge type : MM Cartridge number : ALFA MODEL55,M44-7,J44A 7 Tracking force : 1.3 - 1.7</p>	<p>192-44E N44E</p>  <p>Tip : NUDE Elliptical Knob color : BROWN Cartridge type : MM Cartridge number : M44E Tracking force : 1.75 - 4.0</p> <p>NUDE</p>
<p>192-44E IMP N44E IMP</p>  <p>Tip : NUDE Elliptical Knob color : BROWN Cartridge type : MM Cartridge number : M44E Tracking force : 1.75 - 4.0</p> <p>NUDE</p>	<p>192-44GX N44GX</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44GX Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-44GX N44GX</p>  <p>Tip : SAS/B Knob color : GRY Cartridge type : MM Cartridge number : M44GX Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-44-7X N44-7X</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44-7X Tracking force : 1.5 - 3.0</p> <p>NUDE</p>
<p>192-44-7X N44-7X</p>  <p>Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : M44-7X Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-44-7X N44-7X</p>  <p>Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : M44-7X Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-55E N55E</p>  <p>Tip : NUDE Elliptical Knob color : YELLOW Cartridge type : MM Cartridge number : M55E Tracking force : 0.75 - 2.0</p> <p>NUDE</p>	<p>192-55E N55E IMP</p>  <p>Tip : NUDE Elliptical Knob color : YELLOW Cartridge type : MM Cartridge number : M55E Tracking force : 0.75 - 2.0</p> <p>NUDE</p>
<p>192-75-6 N75-6</p>  <p>Tip : NUDE Conical Knob color : BGE Cartridge type : MM Cartridge number : M-75MB Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>192-75-6 N75-6</p>  <p>Tip : SAS/B Knob color : BGE Cartridge type : MM Cartridge number : M-75MB Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-75-6 N75-6</p>  <p>Tip : SAS/S Knob color : BGE Cartridge type : MM Cartridge number : M-75MB Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-75B/II N-75B/II</p>  <p>Tip : NUDE Conical Knob color : BGE Cartridge type : MM Cartridge number : M-75MB/II Tracking force : 1.5 - 3.0</p> <p>NUDE</p>
<p>192-75B/II N-75B/II</p>  <p>Tip : SAS/B Knob color : BGE Cartridge type : MM Cartridge number : M-75MB/II Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-75B/II N-75B/II</p>  <p>Tip : SAS/S Knob color : BGE Cartridge type : MM Cartridge number : M-75MB/II Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-75ED N-75ED</p>  <p>Tip : NUDE Elliptical Knob color : YELLOW Cartridge type : MM Cartridge number : M-75ED/II Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-75ED/II N-75ED/II</p>  <p>Tip : NUDE Elliptical Knob color : BLACK Cartridge type : MM Cartridge number : M-75ED/II Tracking force : 0.75 - 1.5</p> <p>NUDE</p>
<p>192-75ED/II N-75ED/II</p>  <p>Tip : SAS/B Knob color : BLACK Cartridge type : MM Cartridge number : M-75ED/II Tracking force : 0.75 - 1.5</p> <p>SAS/B</p>	<p>192-75J/II N-75EJ/II</p>  <p>Tip : NUDE Elliptical Knob color : LT/GREEN Cartridge type : MM Cartridge number : M-75EJ/II Tracking force : 1.5 - 3.0</p> <p>NUDE</p>	<p>192-N75HE N75HE</p>  <p>Tip : SAS/B Knob color : LT/GRY Cartridge type : MM Cartridge number : M75HE Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-N75HE N75HE</p>  <p>Tip : SAS/S Knob color : LT/GRY Cartridge type : MM Cartridge number : M75HE Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>

<p>192-NDC-EJ NDC-EJ</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : Designer EJ Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-WHLB N-WHLB</p>  <p>Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p>DJ NUDE</p>	<p>192-WHLB N-WHLB 2PCS</p>  <p>Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p>DJ NUDE</p>	<p>192-WHLB N-WHLB</p>  <p>Tip : NUDE Conical Knob color : FLUORENCENT Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p>DJ NUDE</p>
<p>192-WHLB N-WHLB 2PCS</p>  <p>Tip : NUDE Conical Knob color : FLUORENCENT Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p>DJ NUDE</p>	<p>192-WHLB N-WHLB</p>  <p>Tip : SD Conical Knob color : WHT Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p>DJ SD</p>	<p>192-WHLB N-WHLB 2PCS</p>  <p>Tip : SD Conical Knob color : WHT Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p>DJ SD</p>	<p>192-VN3G VN3G</p>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : V15 type3 G Tracking force : 0.75 - 1.5</p> <p>NUDE</p>
<p>192-35C SS-35C</p>  <p>Tip : SAS/B Knob color : LT/BLU Cartridge type : MM Cartridge number : SC35C Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-35C SS-35C</p>  <p>Tip : SAS/S Knob color : LT/BLU Cartridge type : MM Cartridge number : SC35C Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-VN5MR VN5MR HG</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-VN5MR HG VN5MR HG</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>192-VN5xMR HG VN5xMR HG</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V15/VxMR · VSTIII Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-VN5xMR HG VN5xMR HG</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V15/VxMR · VSTIII Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-VN15E VN-15E</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V-15/II Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-VN15E VN-15E</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V-15/III Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>192-VN35E VN35E</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : V-15/III Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-VN35E VN-35E</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V-15/III Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-VN35E VN-35E</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V-15/III Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-VN35EBN VN35EBN</p>  <p>Tip : NUDE Elliptical Knob color : RED Cartridge type : MM Cartridge number : V-15/III Tracking force : 0.75 - 1.25</p> <p>NUDE</p>
<p>192-VN45HE VN45HE</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : V-15/IV Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>192-VN45HE VN45HE</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V-15/IV Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-VN45HE VN45HE</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V-15/IV Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	

192-44-7/SKRATCH101
SKRATCH 101-40



Tip : Ruby Conical
Knob color : YEL
Cartridge type : MM
Cartridge number : M44G, J44A 7, J50, IMPACT
Tracking force : 3.5 - 4.5



192-N44 KUROGAKI
N44 KUROGAKI 黒柿



Tip : NUDE Conic
Knob color : WHT
Cartridge type : MM
Cartridge number : J44A 7, J44D, J50, IMPACT, M44G, M44-7
Tracking force : 1.5 - 3.0



192-VN35 KUROGAKI
VN35 KUROGAKI 黒柿



Tip : NUDE Conic
Knob color :
Cartridge type : MM
Cartridge number : V15/III
Tracking force : 0.75 - 1.25



192-VN45 KUROGAKI
VN45 KUROGAKI 黒柿



Tip : NUDE Conical
Knob color :
Cartridge type : MM
Cartridge number : V15/IV
Tracking force : 0.75 - 1.25



192-VN5 KUROGAKI
VN5 KUROGAKI 黒柿



Tip : NUDE Conical
Knob color :
Cartridge type : MM
Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500
Tracking force : 0.75 - 1.25



192-VN5x KUROGAKI
VN5x KUROGAKI 黒柿



Tip : NUDE Conical
Knob color :
Cartridge type : MM
Cartridge number : V15/VxMR · VSTIII
Tracking force : 0.75 - 1.25



192-N44 USHIKOROSHI
N44 USHIKOROSHI 牛殺



Tip : NUDE Conical
Knob color : TR/RED
Cartridge type : MM
Cartridge number : J44A 7, J44D, J50, IMPACT, M44G, M44-7
Tracking force : 1.5 - 3.0



192-VN35 USHIKOROSHI
VN35 USHIKOROSHI 牛殺



Tip : NUDE Conical
Knob color : TR/RED
Cartridge type : MM
Cartridge number : V15/III
Tracking force : 0.75 - 1.25



192-VN45 USHIKOROSHI
VN45 USHIKOROSHI 牛殺



Tip : NUDE Conical
Knob color : TR/RED
Cartridge type : MM
Cartridge number : V15/IV
Tracking force : 0.75 - 1.25



192-VN5 USHIKOROSHI
VN5 USHIKOROSHI 牛殺



Tip : NUDE Conical
Knob color : TR/RED
Cartridge type : MM
Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500
Tracking force : 0.75 - 1.25



192-VN5x USHIKOROSHI
VN5x USHIKOROSHI 牛殺



Tip : NUDE Conical
Knob color : TR/RED
Cartridge type : MM
Cartridge number : V15/VxMR · VSTIII
Tracking force : 0.75 - 1.25



192-N44 YURUSHI-IRO
N44 YURUSHI-IRO 聴色



Tip : NUDE Conical
Knob color : PINK
Cartridge type : MM
Cartridge number : J44A 7, J44D, J50, IMPACT, M44G, M44-7
Tracking force : 1.5-3.0



192-VN35 YURUSHI-IRO
VN35 YURUSHI-IRO 聴色



Tip : NUDE Conical
Knob color : PINK
Cartridge type : MM
Cartridge number : V15/III
Tracking force : 1.5-3.0



192-VN45 YURUSHI-IRO
VN45 YURUSHI-IRO 聴色



Tip : NUDE Conical
Knob color : PINK
Cartridge type : MM
Cartridge number : V15/IV
Tracking force : 1.5-3.0



192-VN5 YURUSHI-IRO
VN5 YURUSHI-IRO 聴色



Tip : NUDE Conical
Knob color : PINK
Cartridge type : MM
Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500
Tracking force : 1.5-3.0



192-VN5x YURUSHI-IRO
VN5x YURUSHI-IRO 聴色



Tip : NUDE Conical
Knob color : PINK
Cartridge type : MM
Cartridge number : V15/VxMR · VSTIII
Tracking force : 1.5-3.0



192-N44 KOKUTAN
N44 KOKUTAN 黒檀



Tip : NUDE Conical
Knob color : BLACK
Cartridge type : MM
Cartridge number : J44A 7, J44D, J50, IMPACT, M44G, M44-7
Tracking force : 5.1-5.5



192-VN35 KOKUTAN
VN35 KOKUTAN 黒檀



Tip : NUDE Conical
Knob color : BLACK
Cartridge type : MM
Cartridge number : V15/III
Tracking force : 0.75 - 1.25



192-VN45 KOKUTAN
VN45 KOKUTAN 黒檀



Tip : NUDE Conical
Knob color : BLACK
Cartridge type : MM
Cartridge number : V15/IV
Tracking force : 0.75 - 1.25



192-VN5 KOKUTAN
VN5 KOKUTAN 黒檀



Tip : NUDE Conical
Knob color : BLACK
Cartridge type : MM
Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500
Tracking force : 0.75 - 1.25



192-VN5x KOKUTAN
VN5x KOKUTAN 黒檀



Tip : NUDE Conical
Knob color : BLACK
Cartridge type : MM
Cartridge number : V15/VxMR · VSTIII
Tracking force : 0.75 - 1.25



Cartridge + Stylus + Headshell
OMNIA KOKUTAN 黒檀



Cartridge : J44A 7 (MM)
Stylus : **N44 KOKUTAN**
Tip : NUDE Conical
Headshell : Black CSS-JHSB
Tracking force : 5.1 - 5.5



Cartridge + Stylus + Headshell
OMNIA SKRATCH 101-40 BLACK 2P



Cartridge : J44A 7 (MM)
Stylus : SKRATCH 101-40
Tip : Ruby Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5


























Cartridge + Stylus + Headshell
OMNIA SKRATCH 101-40 SILVER 2P



Cartridge : J44A 7 (MM)
Stylus : SKRATCH 101-40
Tip : Ruby Conical
Headshell : Silver CSS-JHSB
Tracking force : 3.5-4.5



SONY

	<p>39-14 ND-14G</p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : VL-14GS(II) Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-15 ND-15G</p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : VL-15G, XL-15 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-15 ND-15G</p>  <p>Tip : SAS/S Knob color : YEL Cartridge type : MM Cartridge number : VL-15G, XL-15 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>39-15 ND-15G</p>  <p>Tip : NUDE Conical Knob color : RED Cartridge type : MM Cartridge number : VL-15G, XL-15 Tracking force : 1.2 - 2.5</p> <p>NUDE</p>	<p>39-30E ND-15GE</p>  <p>Tip : NUDE Elliptical Knob color : RED Cartridge type : MM Cartridge number : VL-15G, XL-15 Tracking force : 1.2 - 2.5</p> <p>NUDE</p>	<p>39-25E ND-25E</p>  <p>Tip : NUDE Elliptical Knob color : GRAY Cartridge type : MM Cartridge number : XL-25(A) Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>39-30E ND-30E</p>  <p>Tip : SAS/B Knob color : LT/BLU Cartridge type : MM Cartridge number : XL-30 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
<p>39-35E ND-35E</p>  <p>Tip : SAS/B Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-35(E) Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-45X ND-45E</p>  <p>Tip : SAS/B Knob color : TR/RED Cartridge type : MM Cartridge number : XL-45(E) Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-45X ND-45X</p>  <p>Tip : SAS/B Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-45 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-45X ND-45X</p>  <p>Tip : SAS/S Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-45 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>39-45X/II E ND-45X/ II</p>  <p>Tip : SAS/B Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-45/II Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-45X/II E ND-45X/ II</p>  <p>Tip : SAS/S Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-45/II Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>39-50X(E) ND-50X</p>  <p>Tip : SAS/B Knob color : TR/ORG Cartridge type : MM Cartridge number : XL-50 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-50X(E) ND-50X</p>  <p>Tip : SAS/S Knob color : TR/RED Cartridge type : MM Cartridge number : XL-50 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>39-70X ND-70G</p>  <p>Tip : SAS/B Knob color : TR/RED Cartridge type : MM Cartridge number : XL-70 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-108G ND-108G</p>  <p>Tip : SAS/B Knob color : REF Cartridge type : MM Cartridge number : VX108, VX13P Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-142a ND-124P</p>  <p>Tip : SAS/B Knob color : ORG Cartridge type : MM Cartridge number : NS-12 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-142a ND-142G</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : VL-42G Tracking force : 2.5 - 3.5</p> <p>NUDE</p>
<p>39-150 ND-150G</p>  <p>Tip : SAS/B Knob color : TR/RED Cartridge type : VM Cartridge number : XL-150G Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-250E ND-250E</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : VN Cartridge number : VL-55G, PSV-800 Tracking force : 2.5 - 3.5</p> <p>NUDE</p>	<p>39-250E ND-250E</p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : XL-20, SXL20G Tracking force : 2.0 - 3.0</p> <p>SAS/B</p>	<p>39-250E CN-250E</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : XL-20, SXL20G Tracking force : 2.0 - 3.0</p> <p>NUDE</p>

<p>39-234 CN-234</p>  <p>Tip : NUDE Conical Knob color : RED Cartridge type : MM Cartridge number : Tracking force : 2.0 - 3.0</p> <p>NUDE</p>	<p>39-251 CN-251</p>  <p>Tip : NUDE Conical Knob color : RED Cartridge type : MM Cartridge number : Tracking force : 2.0 - 3.0</p> <p>NUDE</p>
---	---

<p>Stanton</p>	<p>243-51AL/DJ D5107AL/DJ</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : 500ML Tracking force : 3.0 - 7.0</p> <p>DJ NUDE</p>	<p>243-68/DJ D6800SL/DJ</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : 681EL Tracking force : 4.0</p> <p>DJ NUDE</p>	<p>243-68EEE D6800EEE</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : IM Cartridge number : 681EEE Tracking force : 0.75 - 1.5</p> <p>NUDE</p>
-----------------------	---	--	--

<p>TOSHIBA Aurex</p>	<p>37-210 N-210C</p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : C-210M.C-230M Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>37-250 N-250C</p>  <p>Tip : SAS/B Knob color : TR.BLK Cartridge type : MM Cartridge number : C-250M Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
---------------------------------	---	---

Victor
JVC

30-Z1
DT-Z1



Tip : SAS/B
Knob color : CLEAR
Cartridge type : MM
Cartridge number : Z1, Z1D
Tracking force : 1.0 - 1.5

SAS/B

30-Z1
DT-Z1



Tip : SAS/S
Knob color : TR/ORG
Cartridge type : MM
Cartridge number : Z1,Z1D
Tracking force : 1.0 - 1.5

SAS/S

30-Z1E
DT-Z1E



Tip : SAS/B
Knob color : TR/ORG
Cartridge type : MM
Cartridge number : MD-1025RBZ
Tracking force : 1.0 - 1.5

SAS/B

30-Z1E
DT-Z1E



Tip : SAS/S
Knob color : TR/ORG
Cartridge type : MM
Cartridge number : MD-1025RBZ
Tracking force : 1.0 - 1.5

SAS/S

30-Z1E
DT-Z1E



Tip : NUDE Elliptical
Knob color : TR/ORG
Cartridge type : MM
Cartridge number : MD-1025REZ
Tracking force : 1.0 - 1.5

NUDE

30-Z1EB
DT-Z1EB



Tip : SAS/B
Knob color : TR/GREEN
Cartridge type : MM
Cartridge number : MD-1025EB(Z)
Tracking force : 1.0 - 1.5

SAS/B

30-Z1EB
DT-Z1EB



Tip : NUDE Elliptical
Knob color : TR/GREEN
Cartridge type : MM
Cartridge number : MD-1025EB(Z)
Tracking force : 1.0 - 1.5

NUDE

30-Z1S
DT-Z1S



Tip : SAS/B
Knob color : GRY
Cartridge type : MM
Cartridge number : MD-1025
Tracking force : 1.0 - 1.5

SAS/B

30-Z1S
DT-Z1S



Tip : SAS/S
Knob color : GRY
Cartridge type : MM
Cartridge number : MD-1025
Tracking force : 1.0 - 1.5

SAS/S

30-Z1S
DT-Z1S



Tip : NUDE Conical
Knob color : GRY
Cartridge type : MM
Cartridge number : MD-1025
Tracking force : 1.0 - 1.5

NUDE

30-Z1S(E)
DT-Z1SE



Tip : NUDE Elliptical
Knob color : GRY
Cartridge type : MM
Cartridge number : MD-1025
Tracking force : 1.0 - 1.5

NUDE

30-Z1SR
DT-Z1SR



Tip : SAS/B
Knob color : RED
Cartridge type : MM
Cartridge number : Z1SR
Tracking force : 1.0 - 1.5

SAS/B

30-Z3E
DT-Z3E



Tip : SAS/B
Knob color : TR/RED
Cartridge type : MM
Cartridge number : Z3E
Tracking force : 1.0 - 1.5

SAS/B

30-X1E/2
DT-X1E/||



Tip : NUDE Elliptical
Knob color : TR/ORG
Cartridge type : MM
Cartridge number : X1/ II, X1/D
Tracking force : 1.3 - 1.7

NUDE

30-33G
DT-33G



Tip : NUDE Conical
Knob color : BLK
Cartridge type : MM
Cartridge number : MD-1016
Tracking force : 1.5 - 2.0

NUDE

30-33H
DT-33H



Tip : NUDE Conical
Knob color : YEL
Cartridge type : MM
Cartridge number : MD-1016
Tracking force : 1.5 - 2.0

NUDE

30-33H
DT-33H(E)



Tip : NUDE Elliptical
Knob color : YEL
Cartridge type : MM
Cartridge number : MD-1016
Tracking force : 1.5 - 2.0

NUDE

30-33S
DT-33S



Tip : NUDE Conical
Knob color : GRN
Cartridge type : MM
Cartridge number : MD-1016
Tracking force : 1.5 - 2.0

NUDE

30-33S
DT-33S(E)



Tip : NUDE Elliptical
Knob color : GRN
Cartridge type : MM
Cartridge number : MD-1016
Tracking force : 1.5 - 2.0

NUDE

30-59a
DT-59



Tip : NUDE Conical
Knob color : GRN
Cartridge type : VM
Cartridge number : MD-1059
Tracking force : 2.5

NUDE

30-60a
DT-60



Tip : NUDE Conical
Knob color : ORG
Cartridge type : VM
Cartridge number :
Tracking force : 3.5

NUDE

JICO

ACCESSORIES

CSS-J600
STYLUS CACE



Store up to six Styli

CSS-J600W
STYLUS CACE
TWO-PIECE



Store up to six Styli. Two Pieces

CSS-JCC
CARTRIDGE CASE



Cartridge Case CSS-JCC
Dimensions: W117mm x L117mm x H50mm

CSS-JHSB
HEADSHELL BLACK



[Package consists]
Leadwire
Screws (x2) Φ 2.5mm x 16mm
Washers (x2)
Nuts (x2)

Headshell : Black CSS-JHSB
Weight : 8.7g(Include Leadwires)

CSS-JHSB
HEADSHELL SILVER



[Package consists]
Leadwire
Screws (x2) Φ 2.5mm x 16mm
Washers (x2)
Nuts (x2)

Headshell : Silver CSS-JHSB
Weight : 8.7g(Include Leadwires)

CSS-JHSME-B
HEADSHELL SME BLACK



[Package consists]
Leadwire
Screws (x2) Φ 2.5mm x 14mm
Washers (x2)
Nuts (x2)

Headshell : SME Black CSS-JHSME-B
Weight : 7.3g(Include Leadwires)

CSS-JHSME-S
HEADSHELL SME SILVER



[Package consists]
Leadwire
Screws (x2) Φ 2.5mm x 14mm
Washers (x2)
Nuts (x2)

Headshell : SME Silver CSS-JHSME-S
Weight : 7.3g(Include Leadwires)

CSS-JHSLW
LOGO HEADSHELL WHT



[Package consists]
Leadwire
Screws: x2 13mm, x2 16mm
Washers (x2)
Nuts (x2)

Headshell : LOGO HEADSHELL WHT
Weight : 7.5g(Include Leadwires)

CSS-JHSLB
LOGO HEADSHELL BLU



[Package consists]
Leadwire
Screws: x2 13mm, x2 16mm
Washers (x2)
Nuts (x2)

Headshell : LOGO HEADSHELL BLU
Weight : 7.5g(Include Leadwires)

CSS-JHSSB
SKATEBOARD HEADSHELL



[Package consists]
Leadwire
Screws: x2 13mm, x2 16mm
Washers (x2)
Nuts (x2)

Headshell : SKATEBOARD HEADSHELL
Weight : 9.2g(Include Leadwires)

JICO SLIPMAT
JICO Slipmat (12inch/Black)



Color : Black
Size: 12 inch

CSS-JLWW
LEAD WIRES WHT



Color : White
※ Designed only for use with JICO original Headshells

CSS-JLWR
LEAD WIRES RED



Color : Red
※ Designed only for use with JICO original Headshells

CSS-JLWC
LEAD WIRES CLR



Color : Clear
※ Designed only for use with JICO original Headshells

JICO SLIPMAT
JICO Slipmat (7inch/Sketch)



Color : White
Size: 7 inch

JICO



✉ inquiry@jico.co.jp

🌐 <https://www.jico-stylus.com>
2026.Jun.